

CAMBRIDGE ISOTOPE LABORATORIES

PRODUCT AND COMPANY IDENTIFICATION

Product Name: EPA MODIFIED METHOD 8280 "STARTER KIT"

Catalog No: EDF-8280-M-KIT

Company: Cambridge Isotope Laboratories Inc.

50 Frontage Road Andover, MA. 01810

USA

Telephone: 1-800-322-1174 International information 1-978-749-8000 Emergency: 1-800-424-9300 International Emergency 1-703-741-5970

HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Irritant/Harmful

GHS Classification(s)

Flammable liquids -Cat 3 Acute toxicity, Inhalation -Cat 4

Skin irritation -Cat 2 Eye irritation -Cat 2A

Specific target organ toxicity - single exposure -Cat 3, Central nervous system

Aspiration hazard -Cat 1 Chronic aquatic toxicity -Cat 2

GHS Label elements, including precautionary statements



Pictograms

Signal word Danger

Hazard statement(s)

See individual Safety Data Sheets

COMPOSITION

Each kit contains:

EDF-4095 MODIFIED METHOD 8280 CALIBRATION SOLUTIONS

EDF-4096 MODIFIED METHOD 8280 MATRIX SPIKING SOLUTION

EDF-2520 METHOD 8280 INTERNAL STANDARD SOLUTION (13C12, 99%)

ED-2521 METHOD 8280 RECOVERY STANDARD SOLUTION (13C12, 99%) IN NONANE

ED-2522 METHOD 8280 CLEANUP STANDARD SOLUTION (37CL4, 96%) IN NONANE



MATERIAL SAFETY DATA SHEET

IDENTITY: Modified Method 8280 Calibration Solution

SECTION I

Manufacturer: Cerilliant Corporation

811 Paloma, Suite A Round Rock, TX 78664 Emergency Telephone Number: (512) 238-9974 Date Prepared: April 27, 2007

SECTION II - HAZARDOUS COMPONENTS/IDENTITY INFORMATION

Hazardous Components	Synonyms	CAS Number	%
n-Nonane	Nonane	111-84-2	Balance
2,3,7,8-TCDD	NA	1746-01-6	≤0.000200
2,3,7,8-TCDF	NA	51207-31-9	≤0.000200
1,2,3,7,8-PeCDD	NA	40321-76-4	≤0.000200
1,2,3,7,8-PeCDF	NA	57117-41-6	≤0.000200
2,3,4,7,8-PeCDF	NA	57117-31-4	≤0.000200
1,2,3,4,7,8-HxCDD	NA	39227-28-6	≤0.000500
1,2,3,6,7,8-HxCDD	NA	57653-85-7	≤0.000500
1,2,3,7,8,9-HxCDD	NA	19408-74-3	≤0.000500
1,2,3,4,7,8-HxCDF	NA	70648-26-9	≤0.000500
1,2,3,6,7,8-HxCDF	NA	57117-44-9	≤0.000500
2,3,4,6,7,8-HxCDF	NA	60851-34-5	≤0.000500
1,2,3,7,8,9-HxCDF	NA	72918-21-9	≤0.000500
1,2,3,4,6,7,8-HpCDF	NA	67562-39-4	≤0.000500
1,2,3,4,7,8,9-HpCDF	NA	55673-89-7	≤0.000500
1,2,3,4,6,7,8-HpCDD	NA	35822-46-9	≤0.000500
OCDD	NA	3268-87-9	≤0.001000
OCDF	NA	39001-02-0	≤0.001000
1,2,3,4-TCDD- ¹³ C ₁₂	NA	114423-99-3	≤0.000050
2,3,7,8-TCDD- ¹³ C ₁₂	NA	76523-40-5	≤0.000050
2,3,7,8-TCDD- ³⁷ Cl ₄	NA	85508-50-5	≤0.000025
2,3,7,8-TCDF- ¹³ C ₁₂	NA	89059-46-1	≤0.000050
1,2,3,6,7,8-HxCDD- ¹³ C ₁₂	NA	109719-81-5	≤0.000050
1,2,3,7,8,9-HxCDD- ¹³ C ₁₂	NA	109719-82-6	≤0.000050
1,2,3,4,6,7,8-HpCDF- ¹³ C ₁₂	NA	109719-84-8	≤0.000100
OCDD- ¹³ C ₁₂	NA	114423-97-1	≤0.000100

EDF-4095 Page 1 of 5



SECTION III – Hazard Identification

Flammable. Flammable (EU). May cause central nervous system depression. May cause eye and skin irritation. Target organs: Central Nervous System, Cardiovascular system 2,3,7,8-Tetrachlorodibenzo-p-dioxin- $^{13}C_{12}$ and 2,3,7,8-Tetrachlorodibenzo-furan- $^{13}C_{12}$ are a poisons by ingestion, skin contact, and intraperitoneal routes.

SECTION IV – First Aid Measures

Eye Contact: Flush eyes with copious amounts of water for a minimum of 15 minutes and transport to a medical facility.

Ingestion: Do not induce vomiting. Give victim large quantities of liquid and transport to a medical facility. **Skin Contact**: Wash affected areas with copious amounts of water and transport to a medical facility.

Inhalation: Remove to fresh air. If breathing is disturbed, give artificial respiration while transporting to a medical facility.

SECTION V- Fire Fighting Measures

Flash Point: 31°C (88°F) Flammable Limits

Method Used: Closed cup LEL: 0.8% UEL: 2.9%

Extinguishing Media: Dry chemical, carbon dioxide or Halon extinguisher.

Special Fire Fighting Procedures: Wear SCBA and protective clothing to prevent contact with skin and eyes.

Unusual Fire and Explosion Hazards: Flashback along vapor trail may occur.

SECTION VI- Accidental Release Measures

Evacuate area. Remove all sources of ignition. Use inert absorbent to pick up all spilled material. Transfer to a suitable waste container with non-sparking tools. Wash spill site with appropriate cleaning agent to remove residual traces of spilled material.

SECTION VII- Handling and Storage

Handling: Do not breathe vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged repeated exposure. Wash thoroughly after handling.

Storage: Room temperature. Protect from light. Keep container closed. Keep away from ignition sources.

SECTION VIII-Exposure Controls/Personal Protection

As appropriate to quantity handled.

Ventilation - Local Exhaust: Use with forced ventilation. **General Mechanical:** Normal laboratory air exchange.

Special: N/A

Respiratory Protection: NIOSH approved cartridge type respirator with organic vapor cartridges recommended.

Eye Protection: Safety glasses with side shields or chemical safety goggles.

Protective Gloves: Compatible chemical resistant gloves.

Other Protective Clothing or Equipment: Lab Coat

Work/Hygienic Practices: Only experienced personnel should be allowed to handle this material.

EDF-4095 Page 2 of 5



	Exposure L	imits		
	OSHA PEL	ACGIH TLV	DFG MAK	Other Limits
n-Nonane	TWA 200 ppm	TWA 200 ppm	N/A	N/A
2,3,7,8-TCDD	NA	NA	NA	NA
2,3,7,8-TCDF	NA	NA	NA	NA
1,2,3,7,8-PeCDD	NA	NA	NA	NA
1,2,3,7,8-PeCDF	NA	NA	NA	NA
2,3,4,7,8-PeCDF	NA	NA	NA	NA
1,2,3,4,7,8-HxCDD	NA	NA	NA	NA
1,2,3,6,7,8-HxCDD	NA	NA	NA	NA
1,2,3,7,8,9-HxCDD	NA	NA	NA	NA
1,2,3,4,7,8-HxCDF	NA	NA	NA	NA
1,2,3,6,7,8-HxCDF	NA	NA	NA	NA
2,3,4,6,7,8-HxCDF	NA	NA	NA	NA
1,2,3,7,8,9-HxCDF	NA	NA	NA	NA
1,2,3,4,6,7,8-HpCDF	NA	NA	NA	NA
1,2,3,4,7,8,9-HpCDF	NA	NA	NA	NA
1,2,3,4,6,7,8-HpCDD	NA	NA	NA	NA
OCDD	NA	NA	NA	NA
OCDF	NA	NA	NA	NA

EDF-4095 Page 3 of 5



Exposure Limits				
	OSHA PEL	ACGIH TLV	DFG MAK	Other Limits
1,2,3,4-TCDD- ¹³ C ₁₂	NA	NA	NA	NA
2,3,7,8-TCDD- ¹³ C ₁₂	NA	NA	NA	NA
2,3,7,8-TCDD- ³⁷ Cl ₄	NA	NA	NA	NA
2,3,7,8-TCDF- ¹³ C ₁₂	NA	NA	NA	NA
1,2,3,6,7,8-HxCDD- ¹³ C ₁₂	NA	NA	NA	NA
1,2,3,7,8,9-HxCDD- ¹³ C ₁₂	NA	NA	NA	NA
1,2,3,4,6,7,8-HpCDF- ¹³ C ₁₂	NA	NA	NA	NA
OCDD- ¹³ C ₁₂	NA NA	NA	NA	NA

SECTION IX-Physical/Chemical Properties

Boiling Point (degrees C): 150.8

Melting Point (degrees C): -53.7

Specific Gravity (Water=1): 0.7176

Vapor Pressure (mmHg): 3.22 @ 20°C

Vapor Density (Air=1): 4.41

Evaporation Rate (Butyl Acetate=1): <1

Solubility in Water: Insoluble

Appearance and Odor: Clear, colorless liquid, gasoline-like odor

SECTION X-Stability and Reactivity

Stability: Stable

Conditions to Avoid: Heat, sparks, or other sources of ignition.

Incompatible Materials: Oxidizing agents

Hazardous Dcmp Pdts: Acrid smoke, irritating fumes and toxic fumes of carbon monoxide, carbon dioxide, and various

hydrocarbons.

Hazardous Polymerization: Will Not Occur

Conditions to Avoid: N/A

SECTION XI-Toxicological Information

Routes of Entry: Inhalation? Yes Skin? Yes Ingestion? Yes

Carcinogenicity: NTP? Suspect Carcinogen- 2,3,7,8-Tetrachlorodibenzo-p-dioxin &

2,3,7,8,-Tetrachlorodibenzofuran- $^{13}C_{12}$

IARC? Human Carcinogen-2,3,7,8-Tetrachlorodibenzo-p-dioxin &

2,3,7,8,-Tetrachlorodibenzofuran-¹³C₁₂

OSHA? N/A

EDF-4095 Page 4 of 5



Symptoms of Exposure: Exposure to n-Nonane may cause irritation of the skin, eyes, respiratory tract, mouth and stomach, nausea, vomiting, depression and central nervous system excitement. It may be aspirated into the lungs resulting in pulmonary edema and chemical pneumonitis.

Toxicity Data:

n-Nonane

inhalation-rat LC₅₀: 3200 ppm/4H intravenous-mouse LD₅₀: 218 mg/kg

The toxicological properties of this formulation have not been fully investigated. It should be assumed to have toxic effects and, therefore, procedures appropriate for the safe handling of hazardous chemicals should be followed.

SECTION XII-Ecological Information

No data available.

SECTION XIII-Disposal Considerations

Waste materials should be disposed of under conditions that meet Federal, State, and Local environmental control regulations. Contact a licensed waste disposal specialist to dispose of this material.

SECTION XIV- Transportation Information

DOT	IATA
Proper Shipping Name: Nonanes	Proper Shipping Name: Nonanes
UN #: 1920	UN #: 1920
Class: 3	Class: 3
Packing Group: III	Packing Group: III
Small quantities excepted	Small quantities excepted

SECTION XV-Regulatory Information

EU Directives Classification

Symbol of Danger: F

Indication of Danger: Flammable.

R:10

Risk Statements:

Flammable S: 9 16 23 33

Safety Statements: Keep container in a well-ventilated place. Keep away from sources of ignition-no smoking. Do not inhale gas/fumes/vapor/spray. Take precautionary measures against static discharges.

SECTION XVI-Other Information

The information contained herein is believed to be accurate and is supplied in good faith. Cerilliant Corporation makes no warranty with respect to and assumes no legal responsibility for use of or reliance upon this information. Individuals receiving this data must exercise their own judgement in determining its suitability for a particular purpose.

EDF-4095 Page 5 of 5



SAFETY DATA SHEET

Version 5.3 Revision Date 03/19/2015 Print Date 04/24/2015

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Modified 8280 Matrix Spiking

Product Number : EDF-4096 Brand : Cerilliant

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Aspiration hazard (Category 1), H304 Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Cerilliant - EDF-4096 Page 1 of 8

P233 P240 P241 P242 P243 P261 P264 P271 P273 P280 P301 + P310	Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/ eye protection/ face protection. IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405 P501	Store locked up. Dispose of contents/ container to an approved waste disposal plant.
1 00 1	Dispose of Contents, container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Component		Classification	Concentration
Nonane			
CAS-No. 111-84-2 EC-No. 203-913-4		Flam. Liq. 3; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; Asp. Tox. 1; Aquatic Chronic 4; H226, H304, H315, H319, H332, H336, H413	>= 90 - <= 100 %
2,3,7,8-Tetrachlorod	ibenzo-p-dioxin		
CAS-No. EC-No.	1746-01-6 217-122-7	Acute Tox. 1; Eye Irrit. 2A; Carc. 1A; Aquatic Acute 1; Aquatic Chronic 1; H300, H319, H350, H410	< 0.1 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Cerilliant - EDF-4096 Page 2 of 8

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Cerilliant - EDF-4096 Page 3 of 8

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
Nonane	111-84-2	TWA	200.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Central Nerv	ous System impair	ment
		TWA	200.000000 ppm 1,050.000000 mg/m3	USA. NIOSH Recommended Exposure Limits

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid
b) Odour No data available
c) Odour Threshold No data available
d) pH No data available
e) Melting point/freezing -53.7 °C (-64.7 °F)

point

150.8 °C (303.4 °F)

f) Initial boiling point and boiling range

150.6 C (505.4 F)

g) Flash point 31.0 °C (87.8 °F) - closed cup

h) Evaporation rate No data available

Cerilliant - EDF-4096 Page 4 of 8

i) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 2.9 %(V) flammability or Lower explosion limit: 0.8 %(V)

explosive limits

k) Vapour pressure
 l) Vapour density
 m) Relative density
 n) Water solubility
 No data available
 No data available

 Partition coefficient: noctanol/water No data available

p) Auto-ignition temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Cerilliant - EDF-4096 Page 5 of 8

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Central nervous system -

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Cerilliant - EDF-4096 Page 6 of 8

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1920 Class: 3 Packing group: III

Proper shipping name: Nonanes

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 1920 Class: 3 Packing group: III EMS-No: F-E, S-E

Proper shipping name: NONANES

IATA

UN number: 1920 Class: 3 Packing group: III

Proper shipping name: Nonanes

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

~ ^ ^ · ·

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components

Pennsylvania Right To Know Components		
2,3,7,8-Tetrachlorodibenzo-p-dioxin	1746-01-6	1993-04-24
Nonane	111-84-2	1994-04-01
	CAS-No.	Revision Date

CAS-No. Revision Date
Nonane 111-84-2 1994-04-01

New Jersey Right To Know Components

CAS-No. Revision Date
Nonane 111-84-2 1994-04-01

California Prop. 65 Components

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive 1746-01-6 2007-09-28 harm.

2,3,7,8-Tetrachlorodibenzo-p-dioxin

WARNING! This product contains a chemical known to the State of California to cause cancer. CAS-No. Revision Date 2007-09-28

2,3,7,8-Tetrachlorodibenzo-p-dioxin

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Cerilliant - EDF-4096 Page 7 of 8

Aquatic Chronic
Asp. Tox.
Carc.
Cycle Irrit.
Flam. Liq.
Chronic aquatic toxicity
Aspiration hazard
Carcinogenicity
Eye irritation
Flammable liquids

H226 Flammable liquid and vapour.

H300 Fatal if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H350 May cause cancer.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

Skin Irrit. Skin irritation

STOT SE Specific target organ toxicity - single exposure

HMIS Rating

Health hazard: 2
Chronic Health Hazard:
Flammability: 3
Physical Hazard 0

NFPA Rating

Health hazard: 2
Fire Hazard: 3
Reactivity Hazard: 0

Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.3 Revision Date: 03/19/2015 Print Date: 04/24/2015

Cerilliant - EDF-4096 Page 8 of 8



SAFETY DATA SHEET

Version 5.2 Revision Date 03/19/2015 Print Date 04/24/2015

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Method 8280 Internal Std Soln

Product Number : EDF-2520 Brand : Cerilliant

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Aspiration hazard (Category 1), H304 Chronic aquatic toxicity (Category 4), H413

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eve irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H413 May cause long lasting harmful effects to aquatic life.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Cerilliant - EDF-2520 Page 1 of 8

P233 P240 P241 P242 P243 P261 P264 P271 P273	Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Component		Classification	Concentration
Nonane			
CAS-No. EC-No.	111-84-2 203-913-4	Flam. Liq. 3; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; Asp. Tox. 1; Aquatic Chronic 4; H226, H304, H315, H319, H332,	>= 90 - <= 100 %
		H336, H413	

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Cerilliant - EDF-2520 Page 2 of 8

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eves. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Cerilliant - EDF-2520 Page 3 of 8

Component	CAS-No.	Value	Control	Basis
			parameters	
Nonane	111-84-2	TWA	200.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Central Nerv	ous System impair	ment
		TWA	200.000000 ppm 1,050.000000 mg/m3	USA. NIOSH Recommended Exposure Limits

8.2 **Exposure controls**

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid b) Odour No data available c) Odour Threshold No data available d) рH No data available Melting point/freezing -53.7 °C (-64.7 °F) point

150.8 °C (303.4 °F)

Initial boiling point and boiling range

g) Flash point 31 °C (88 °F) - closed cup

h) Evaporation rate No data available Flammability (solid, gas) No data available i)

Upper/lower Upper explosion limit: 2.9 %(V) flammability or Lower explosion limit: 0.8 %(V)

explosive limits

Cerilliant - EDF-2520 Page 4 of 8

k)	Vapour pressure	No data available
l)	Vapour density	No data available
m)	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Other decomposition products - No data available In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

Cerilliant - EDF-2520 Page 5 of 8

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Central nervous system -

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1920 Class: 3 Packing group: III

Proper shipping name: Nonanes

Cerilliant - EDF-2520 Page 6 of 8

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 1920 Class: 3 Packing group: III EMS-No: F-E, S-E

Proper shipping name: NONANES

IATA

UN number: 1920 Class: 3 Packing group: III

Proper shipping name: Nonanes

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components

CAS-No. Revision Date Nonane 111-84-2 1994-04-01

Pennsylvania Right To Know Components

CAS-No. Revision Date

Nonane 111-84-2 1994-04-01

New Jersey Right To Know Components

CAS-No. Revision Date

Nonane 111-84-2 1994-04-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Chronic
Asp. Tox.
Eye Irrit.
Flam. Liq.
Chronic aquatic toxicity
Aspiration hazard
Eye irritation
Flammable liquids

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H413 May cause long lasting harmful effects to aquatic life.

Skin Irrit. Skin irritation

STOT SE Specific target organ toxicity - single exposure

HMIS Rating

Health hazard: 2 Chronic Health Hazard: Flammability: 3

Cerilliant - EDF-2520 Page 7 of 8

Physical Hazard 0

NFPA Rating

Health hazard: 2
Fire Hazard: 3
Reactivity Hazard: 0

Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.2 Revision Date: 03/19/2015 Print Date: 04/24/2015

Cerilliant - EDF-2520 Page 8 of 8



SAFETY DATA SHEET

Version 5.1 Revision Date 03/19/2015 Print Date 04/24/2015

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Method 8280 Recovery Standard

Product Number : ED-2521 Brand : Cerilliant

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Aspiration hazard (Category 1), H304 Chronic aquatic toxicity (Category 4), H413

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H413 May cause long lasting harmful effects to aquatic life.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

Cerilliant - ED-2521 Page 1 of 8

P273	Avoid release to the environment.
P280	Wear eye protection/ face protection.
P280	Wear protective gloves.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P312	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Component		Classification	Concentration
Nonane			
CAS-No.	111-84-2	Flam. Liq. 3; Acute Tox. 4;	>= 90 - <= 100
EC-No.	203-913-4	Skin Irrit. 2; Eye Irrit. 2A;	%
		STOT SE 3; Asp. Tox. 1;	
		Aquatic Chronic 4; H226,	
		H304, H315, H319, H332,	
		H336, H413	

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

Cerilliant - ED-2521 Page 2 of 8

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Nonane	111-84-2	TWA	200.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Central Nervous System impairment		

Cerilliant - ED-2521 Page 3 of 8

	TWA		USA. NIOSH Recommended
		ppm 1,050.000000	Exposure Limits
		mg/m3	

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-	No data available

Cerilliant - ED-2521 Page 4 of 8

octanol/water

p) Auto-ignition No data available

temperature

q) Decomposition No data available

temperature

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

Cerilliant - ED-2521 Page 5 of 8

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Central nervous system -

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1920 Class: 3 Packing group: III

Proper shipping name: Nonanes

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 1920 Class: 3 Packing group: III EMS-No: F-E, S-E

Proper shipping name: NONANES

IATA

UN number: 1920 Class: 3 Packing group: III

Cerilliant - ED-2521 Page 6 of 8

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

CAS-No. Revision Date
Nonane 111-84-2 1994-04-01

Pennsylvania Right To Know Components

CAS-No. Revision Date
Nonane 111-84-2 1994-04-01

New Jersey Right To Know Components

CAS-No. Revision Date
Nonane 111-84-2 1994-04-01

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer. CAS-No. Revision Date 2007-09-28

1,2,3,4-Tetrachlorodibenzodioxin-13C12

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity
Aquatic Chronic Chronic aquatic toxicity

Asp. Tox. Aspiration hazard
Eye Irrit. Eye irritation
Flam. Liq. Flammable liquids

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H413 May cause long lasting harmful effects to aquatic life.

Skin Irrit. Skin irritation

STOT SE Specific target organ toxicity - single exposure

HMIS Rating

Health hazard: 2
Chronic Health Hazard:
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 2
Fire Hazard: 0
Reactivity Hazard: 0

Cerilliant - ED-2521 Page 7 of 8

Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.1 Revision Date: 03/19/2015 Print Date: 04/24/2015

Cerilliant - ED-2521 Page 8 of 8



SAFETY DATA SHEET

Version 5.1 Revision Date 03/19/2015 Print Date 04/24/2015

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Method 8280 Cleanup Std

Product Number : ED-2522 Brand : Cerilliant

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Aspiration hazard (Category 1), H304 Chronic aquatic toxicity (Category 4), H413

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H413 May cause long lasting harmful effects to aquatic life.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

Cerilliant - ED-2522 Page 1 of 8

P273	Avoid release to the environment.
P280	Wear eye protection/ face protection.
P280	Wear protective gloves.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P312	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Component		Classification	Concentration
Nonane			
CAS-No.	111-84-2	Flam. Liq. 3; Acute Tox. 4;	>= 90 - <= 100
EC-No.	203-913-4	Skin Irrit. 2; Eye Irrit. 2A;	%
		STOT SE 3; Asp. Tox. 1;	
		Aquatic Chronic 4; H226,	
		H304, H315, H319, H332,	
		H336, H413	

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

Cerilliant - ED-2522 Page 2 of 8

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Components with workplace control parameters					
Component	CAS-No.	Value	Control parameters	Basis	
Nonane	111-84-2	TWA	200.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	Central Nervous System impairment			

Cerilliant - ED-2522 Page 3 of 8

TWA	200.000000	USA. NIOSH Recommended
	ppm	Exposure Limits
	1,050.000000	
	mg/m3	

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-	No data available

Cerilliant - ED-2522 Page 4 of 8

octanol/water

p) Auto-ignition No data available

temperature

q) Decomposition No data available

temperature

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

Cerilliant - ED-2522 Page 5 of 8

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly

investigated.

Central nervous system -

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1920 Class: 3 Packing group: III

Proper shipping name: Nonanes

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 1920 Class: 3 Packing group: III EMS-No: F-E, S-E

Proper shipping name: NONANES

Cerilliant - ED-2522 Page 6 of 8

IATA

UN number: 1920 Class: 3 Packing group: III

Proper shipping name: Nonanes

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

	J	•	CAS-No.	Revision Date
Nonane			111-84-2	1994-04-01

Pennsylvania Right To Know Components

CAS-No. Revision Date
Nonane 111-84-2 1994-04-01

New Jersey Right To Know Components

CAS-No. Revision Date
Nonane 111-84-2 1994-04-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Chronic
Asp. Tox.
Eye Irrit.
Flam. Liq.
Chronic aquatic toxicity
Aspiration hazard
Eye irritation
Flammable liquids

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H413 May cause long lasting harmful effects to aquatic life.

Skin Irrit. Skin irritation

STOT SE Specific target organ toxicity - single exposure

HMIS Rating

Health hazard: 2
Chronic Health Hazard:
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 2
Fire Hazard: 0
Reactivity Hazard: 0

Cerilliant - ED-2522 Page 7 of 8

Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.1 Revision Date: 03/19/2015 Print Date: 04/24/2015

Cerilliant - ED-2522 Page 8 of 8