



CHLOROMETHANE (13C, 99%)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 06/05/2011

Revision date: 09/11/2018

Supersedes: 04/04/2017

Version: 4.0

CLM-339-1-BS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Substance
Substance name	: CHLOROMETHANE (13C, 99%)
EC Index-No.	: 602-001-00-7 (Unlabeled)
EC-No.	: 200-817-4 (Unlabeled)
CAS-No.	: 19961-13-8
Product code	: CLM-339-1-BS
Formula	: *CH3Cl
Synonyms	: Methyl chloride

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Professional use
Industrial/Professional use spec	: For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.
50 Frontage Road
Andover, MA 01810
USA

USA: 1-800-322-1174 Int: 1-978-749-8000

cilsales@isotope.com www.isotope.com

Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours)

International: 1-703-741-5970 (24 hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Gas 1	H220
Acute Tox. 4 (Oral)	H302
Acute Tox. 3 (Inhalation:gas)	H331
Carc. 2	H351
STOT RE 2	H373

Full text of hazard classes and H-statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.3; R40

T; R23

Xn; R48/22

R5

F+; R12

Full text of R-phrases: see section 16

GHS-US classification

Flam. Gas 1	H220
Acute Tox. 4 (Oral)	H302
Acute Tox. 3 (Inhalation)	H331
Carc. 2	H351
STOT RE 2	H373

Full text of H statements : see section 16

CHLOROMETHANE (13C, 99%) CLM-339-1-BS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Adverse physicochemical, human health and environmental effects

Kidney, Liver, Central nervous system.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Hazard statements (CLP)

: H220 - Extremely flammable gas
H302 - Harmful if swallowed
H331 - Toxic if inhaled
H351 - Suspected of causing cancer (in contact with skin, if inhaled, if swallowed)
H373 - May cause damage to organs (central nervous system, liver, kidneys) through prolonged or repeated exposure (if swallowed, if inhaled, in contact with skin)

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 - Do not breathe vapors, spray, mist, gas, fume, dust.
P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves, protective clothing.
P301+P312 - IF SWALLOWED: Call a doctor if you feel unwell.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

GHS-US labeling

Hazard pictograms (GHS-US)



Signal word (GHS-US)

: Danger

Hazard statements (GHS-US)

: H220 - Extremely flammable gas
H302 - Harmful if swallowed
H331 - Toxic if inhaled
H351 - Suspected of causing cancer (oral, Inhalation, Dermal)
H373 - May cause damage to organs (central nervous system, liver, kidneys) through prolonged or repeated exposure (oral, Inhalation, Dermal)

Precautionary statements (GHS-US)

: P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking.
P260 - Do not breathe vapors, spray, mist, gas, fume, dust.
P261 - Avoid breathing dust, fume, gas, mist, spray, vapors.
P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves, protective clothing.
P301+P312 - If swallowed: Call a doctor if you feel unwell
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
P308+P313 - If exposed or concerned: Get medical advice/attention.
P311 - Call a doctor
P314 - Get medical advice/attention if you feel unwell.
P321 - Specific treatment (see Hazardous component(s) for labeling on this label)
P330 - Rinse mouth.
P377 - Leaking gas fire: Do not extinguish, unless leak can be stopped safely.
P381 - Eliminate all ignition sources if safe to do so.
P403 - Store in a well-ventilated place.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

CHLOROMETHANE (13C, 99%)

CLM-339-1-BS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Name	Product identifier	%	Classification according to Directive 67/548/EEC
CHLOROMETHANE (13C, 99%)	(CAS-No.) 19961-13-8 (EC-No.) 200-817-4 (Unlabeled) (EC Index-No.) 602-001-00-7 (Unlabeled)	100	Carc.Cat.3; R40 T; R23 Xn; R48/22 R5 F+; R12

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
CHLOROMETHANE (13C, 99%)	(CAS-No.) 19961-13-8 (EC-No.) 200-817-4 (Unlabeled) (EC Index-No.) 602-001-00-7 (Unlabeled)	100	Flam. Gas 1, H220 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation:gas), H331 Carc. 2, H351 STOT RE 2, H373

Full text of R- and H- phrases: see section 16

Name	Product identifier	%	GHS-US classification
CHLOROMETHANE (13C, 99%) (Main constituent)	(CAS-No.) 19961-13-8	100	Flam. Gas 1, H220 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation), H331 Carc. 2, H351 STOT RE 2, H373

Full text of H-phrases: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Evacuate danger area.
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Toxic if inhaled. May cause respiratory irritation.
Symptoms/effects after skin contact	: May be harmful in contact with skin.
Symptoms/effects after eye contact	: May cause eye irritation.
Symptoms/effects after ingestion	: Harmful if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂).

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Extremely flammable gas.
Explosion hazard	: May form flammable/explosive vapor-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. Heating may cause an explosion.

CHLOROMETHANE (13C, 99%)

CLM-339-1-BS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Advice for firefighters

- Firefighting instructions : Wear a self contained breathing apparatus. Fight fire with normal precautions from a reasonable distance.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Avoid dust formation. Avoid breathing dust, vapors, mist, gas. Use personal protective equipment as required. Ensure adequate air ventilation. Evacuate unnecessary personnel. Special attention should be given to low areas/pits where flammable vapors can accumulate. Remove all sources of ignition. No flames, no sparks. Eliminate all sources of ignition.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters. Do not discharge the product into the environment.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Avoid all eye and skin contact and do not breathe vapor and mist. Handle empty containers with care because residual vapors are flammable. Keep away from sources of ignition - No smoking.
- Precautions for safe handling : No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools.
- Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Store tightly closed in a dry and cool place. Proper grounding procedures to avoid static electricity should be followed.
- Storage conditions : Store at room temperature away from light and moisture.
- Incompatible materials : Heat sources. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

CHLOROMETHANE (13C, 99%) (19961-13-8)		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	50.00000000 ppm Central Nervous System impairment. Liver & Kidney damage. Testicular damage. Teratogenic effects. Danger of cutaneous absorption. Not classifiable as a human carcinogen.
Italy - Portugal - USA ACGIH	ACGIH STEL (ppm)	100 ppm Central Nervous System impairment. Liver & Kidney damage. Testicular damage. Teratogenic effects. Danger of cutaneous absorption. Not classifiable as a human carcinogen.
USA OSHA	OSHA PEL (TWA) (ppm)	100 ppm USA. Occupational Exposure Limits (OSHA) - Table Z-2
USA OSHA	OSHA PEL (STEL) (mg/m ³)	210 mg/m ³ California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (STEL) (ppm)	100 ppm California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (Ceiling) (mg/m ³)	105 mg/m ³ California permissible exposure limits for chemical contaminants (Title 8, Article 107)

CHLOROMETHANE (13C, 99%)

CLM-339-1-BS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CHLOROMETHANE (13C, 99%) (19961-13-8)		
USA OSHA	OSHA PEL (Ceiling) (ppm)	200 ppm USA. Occupational Exposure Limits (OSHA) - Table Z-2
USA OSHA	Remark (OSHA)	OSHA PEL 50 ppm - California permissible exposure limits for chemical contaminants (Title 8, Article 107); OSHA PEL (Ceiling) 300 ppm California permissible exposure limits for chemical contaminants (Title 8, Article 107)

8.2. Exposure controls

Personal protective equipment : Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.



Materials for protective clothing : Wear suitable protective clothing and gloves.
Hand protection : Wear suitable protective clothing and gloves.
Eye protection : Chemical goggles or face shield with safety glasses.
Skin and body protection : Wear suitable protective clothing, gloves and eye/face protection.
Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gas
Appearance : Liquefied gas
Molecular mass : 51.48 g/mol (Labeled)
Color : Colorless
Odor : No data available
Odor threshold : No data available
pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Melting point : -97 °C (-143 °F) - lit.
Freezing point : No data available
Boiling point : -24.2 °C (-11.6 °F) - lit.
Flash point : No data available
Auto-ignition temperature : 632 °C (1,169.6 °F)
Decomposition temperature : No data available
Flammability (solid, gas) : Extremely flammable gas
Vapor pressure : 5060.9 hPa (3,796.0 mmHg) at 20.0 °C (68.0 °F)
Relative vapor density at 20 °C : No data available
Relative density : No data available
Specific gravity / density : 0.915 g/mL at 25 °C (77 °F)
Solubility : Water: 5.32 g/l at 25 °C (77 °F) - soluble
Log Pow : 0.91
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : Heating may cause an explosion.
Oxidizing properties : No data available
Explosion limits : 7 - 17.4 % (V)

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

CHLOROMETHANE (13C, 99%)

CLM-339-1-BS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.2. Chemical stability

Stable if stored under recommended conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks.

10.5. Incompatible materials

Strong oxidizing agents. Iron.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO₂). Hydrogen chloride.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Inhalation:gas: Toxic if inhaled.

CHLOROMETHANE (13C, 99%) (19961-13-8)	
LD50 oral rat	1800 mg/kg
LC50 inhalation rat (mg/l)	> male and female 21,800 mg/m ³ 4 Hours (OECD 403 method)
ATE CLP (oral)	1800.000 mg/kg body weight
ATE CLP (gases)	700.000 ppmV/4h

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Rat - male Result: negative. DNA Damage
Carcinogenicity	: Suspected of causing cancer (in contact with skin, if inhaled, if swallowed).
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: May cause damage to organs (central nervous system, liver, kidneys) through prolonged or repeated exposure (if swallowed, if inhaled, in contact with skin).
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Dizziness. Drowsiness. Blurred vision. Headache. Nausea. Vomiting. Movement disturbances. stomach. This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.
Symptoms/effects after inhalation	: Toxic if inhaled. May cause respiratory irritation.
Symptoms/effects after skin contact	: May be harmful in contact with skin.
Symptoms/effects after eye contact	: May cause eye irritation.
Symptoms/effects after ingestion	: Harmful if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

SECTION 12: Ecological information

12.1. Toxicity

CHLOROMETHANE (13C, 99%) (19961-13-8)	
LC50 fish 1	550 mg/l Lepomis macrochirus (Bluegill) - 96 Hours
EC50 Daphnia 1	200 mg/l semi-static test Daphnia magna (Water flea) - 48 Hours (OECD 202 method)

12.2. Persistence and degradability

CHLOROMETHANE (13C, 99%) (19961-13-8)	
Biodegradation	100 % Readily biodegradable. aerobic - Exposure time 28 h

12.3. Bioaccumulative potential

CHLOROMETHANE (13C, 99%) (19961-13-8)	
Log Pow	0.91

12.4. Mobility in soil

No additional information available

CHLOROMETHANE (13C, 99%)

CLM-339-1-BS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.
- Product/Packaging disposal recommendations : Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
- Ecology - waste materials : Dispose of as unused product.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

- UN-No.(DOT) : 3168
- DOT NA no. : UN3168

14.2. UN proper shipping name

- Proper Shipping Name (DOT) : Gas sample, non-pressurized, toxic, flammable, n.o.s.
- Class (DOT) : 2.3 - Class 2.3 - Poisonous gas 49 CFR 173.115
- Hazard labels (DOT) : 2.3 - Poison gas
2.1 - Flammable gas



- DOT Special Provisions (49 CFR 172.102) : 6 - This material is poisonous-by-inhalation and must be described as an inhalation hazard under the provisions of this subchapter.
- DOT Packaging Exceptions (49 CFR 173.xxx) : 306
- DOT Packaging Non Bulk (49 CFR 173.xxx) : 302
- DOT Packaging Bulk (49 CFR 173.xxx) : None
- DOT RQ : 100 lbs
- Marine pollutant : No

14.3. Additional information

- Emergency Response Guide (ERG) Number : 119
- Other information : No supplementary information available.
- Special transport precautions : IATA Passenger: Not permitted for transport.

Overland transport

- Class (ADR) : 2 - Gases
- Classification code (ADR) : 7TF
- Hazard labels (ADR) : 2.3 - Toxic gases
2.1 - Flammable gases



- Tunnel restriction code (ADR) : D
- Limited quantities (ADR) : 0
- EAC : 2WE
- APP : A(fg)
- Excepted quantities (ADR) : E0

CHLOROMETHANE (13C, 99%)

CLM-339-1-BS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea

DOT Vessel Stowage Location : D - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers or one passenger per each 3 m of overall vessel length, but the material is prohibited on passenger vessels in which the limiting number of passengers is exceeded.

MFAG-No : 119

Air transport

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : Forbidden

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 1 L

14.4. Environmental hazards

Other information : No supplementary information available.

14.5. Special precautions for user

Special transport precautions : IATA Passenger: Not permitted for transport.

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

CHLOROMETHANE (13C, 99%) (19961-13-8)	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302
SARA Section 311/312 Hazard Classes	Fire hazard Delayed (chronic) health hazard
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313

15.2. International regulations

CANADA

CHLOROMETHANE (13C, 99%) (19961-13-8)
Listed on the Canadian DSL (Domestic Substances List)

15.2.1. National regulations

No additional information available

15.3. US State regulations

CHLOROMETHANE (13C, 99%)(19961-13-8)	
U.S. - California - Proposition 65 - Carcinogens List	No
U.S. - California - Proposition 65 - Developmental Toxicity	Yes
U.S. - California - Proposition 65 - Reproductive Toxicity - Female	Yes
U.S. - California - Proposition 65 - Reproductive Toxicity - Male	Yes
State or local regulations	U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

Other information : This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

CHLOROMETHANE (13C, 99%)

CLM-339-1-BS


Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of R-, H- and EUH-phrases:

Acute Tox. 3 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Carc. 2	Carcinogenicity Category 2
Flam. Gas 1	Flammable gases Category 1
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
H220	Extremely flammable gas
H302	Harmful if swallowed
H331	Toxic if inhaled
H351	Suspected of causing cancer
H373	May cause damage to organs through prolonged or repeated exposure
R12	Extremely flammable
R23	Toxic by inhalation
R40	Limited evidence of a carcinogenic effect
R48/22	Harmful: danger of serious damage to health by prolonged exposure if swallowed
R5	Heating may cause an explosion
F+	Extremely flammable
T	Toxic
Xn	Harmful

NFPA health hazard	: 1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA fire hazard	: 4 - Materials that rapidly or completely vaporize at atmospheric pressure and normal ambient temperature or that are readily dispersed in air and burn readily.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

Health	: 0 Minimal Hazard - No significant risk to health
Flammability	: 4 Severe Hazard
Physical	: 3 Serious Hazard

CIL Substance SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product