



# JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 01/11/2019

Revision date:

Version: 1.0

ES-5634

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixtures  
Product name : JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL  
Product code : ES-5634

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use  
Industrial/Professional use spec : For professional use only

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.  
50 Frontage Road  
Andover, MA 01810  
USA

USA: 1-800-322-1174 Int: 1-978-749-8000  
[cilsales@isotope.com](mailto:cilsales@isotope.com) [www.isotope.com](http://www.isotope.com)

### Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours)  
International: 1-703-741-5970 (24 hours)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2	H225
Acute Tox. 3 (Oral)	H301
Acute Tox. 3 (Dermal)	H311
Acute Tox. 3 (Inhalation:vapour)	H331
Skin Irrit. 2	H315
Eye Irrit. 2	H319
STOT SE 1	H370

Full text of hazard classes and H-statements : see section 16

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11  
T; R39/23/24/25  
Xi; R36/38

Full text of R-phrases: see section 16

#### GHS-US classification

Flam. Liq. 2	H225
Acute Tox. 3 (Oral)	H301
Acute Tox. 3 (Dermal)	H311
Acute Tox. 3 (Inhalation:vapour)	H331
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
STOT SE 1	H370

Full text of H statements : see section 16

# JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

ES-5634

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Adverse physicochemical, human health and environmental effects

Eyes, Kidney, Liver, Heart, Central nervous system. Highly flammable liquid and vapor. Causes damage to organs (eyes, kidneys, liver, heart, central nervous system) (if inhaled, if swallowed, in contact with skin). Toxic in contact with skin. Toxic if inhaled. Toxic if swallowed. Causes skin irritation. Causes serious eye irritation.

## 2.2. Label elements

### Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Hazard statements (CLP)

: H225 - Highly flammable liquid and vapor  
H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H370 - Causes damage to organs (eyes, heart, kidneys, liver, central nervous system) (in contact with skin, if inhaled, if swallowed)

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 - Keep container tightly closed.  
P240 - Ground/bond container and receiving equipment.  
P241 - Use explosion-proof electrical, lighting, ventilating equipment  
P260 - Do not breathe dust, mist, vapors, fume, gas, spray.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P271 - Use only outdoors or in a well-ventilated area.

### GHS-US labeling

Hazard pictograms (GHS-US)



Signal word (GHS-US)

: Danger

Hazard statements (GHS-US)

: H225 - Highly flammable liquid and vapor  
H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H370 - Causes damage to organs (eyes, kidneys, liver, heart, central nervous system) (Dermal, Inhalation, oral)

Precautionary statements (GHS-US)

: P210 - Keep away from heat, open flames, sparks. - No smoking.  
P233 - Keep container tightly closed.  
P240 - Ground/Bond container and receiving equipment  
P241 - Use explosion-proof electrical, lighting, ventilating equipment  
P242 - Use only non-sparking tools.  
P243 - Take precautionary measures against static discharge.  
P260 - Do not breathe dust, fume, mist, gas, spray, vapors.  
P261 - Avoid breathing dust, fume, gas, spray, vapors, mist.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P271 - Use only outdoors or in a well-ventilated area.  
P280 - Wear protective clothing, protective gloves.  
P301+P310 - If swallowed: Immediately call a doctor, a POISON CENTER  
P302+P352 - If on skin: Wash with plenty of water  
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P307+P311 - If exposed: Call a poison center/doctor

# JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

ES-5634

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P311 - Call a doctor, a POISON CENTER  
P312 - Call a doctor, a POISON CENTER if you feel unwell  
P321 - Specific treatment (see Hazardous component(s) for labeling on this label)  
P322 - Specific treatment (see Hazard pictograms (CLP) on this label)  
P330 - Rinse mouth.  
P332+P313 - If skin irritation occurs: Get medical advice/attention.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO<sub>2</sub>), dry extinguishing powder to extinguish.  
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P405 - Store locked up.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

### 2.3. Other hazards

PBT: not relevant – no registration required

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC
100% METHANOL UNLABELED	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X (REACH-no) 01-2119433307-44	99.999014	F; R11 T; R39/23/24/25 Xi; R36/38
IMIDACLOPRID-OLEFIN (97% CHEMICAL PURITY) (IMIDAZOL-1-15N 98%; 2-13C, 99%; 2-AMINO 15N, 98%)	(CAS-No.) 115086-54-9 (Unlabeled) (EC Index-No.)	0.0005054	Xn; R22 Xi; R36/37/38
CLOTHIANIDIN-DESMETHYL (GUANIDINE-13C, 99%; GUANIDINE-1,3-15N2, 98%)	(CAS-No.) 135018-15-4 (Unlabeled) (EC Index-No.)	0.0002022	Xn; R22 N; R50/53
FLONICAMID (18O, 96%+; AMIDE-15N, 98%)	(CAS-No.) 158062-67-0 (Unlabeled) (EC Index-No.)	0.0001011	Xn; R22 R52/53
ACETAMIPRID-N-DESMETHYL (ACETIMIDAMIDE-13C2, 99%; AMINE-15N, 98%)	(CAS-No.) 190604-92-3 (Unlabeled) (EC Index-No.)	0.0000505	T; R25 Xi; R36/37/38
CLOTHIANIDIN (METHYLENE-13C,99%;THIAZOLE- 13C3,99%;15N,98%)	(CAS-No.) 210880-92-5 (Unlabeled) (EC Index-No.) 613-307-00-5 (Unlabeled)	0.0000253	N; R50/53 N; R58
NITENPYRAM (METHYL-13C,ETHYL- 13C2,99%;ETHENEDIAMINE-15N2,98%)	(CAS-No.) 150824-47-8 (Unlabeled)	0.0000253	Xn; R22 Xi; R36/37/38
DINOTEFURAN (FURYLMETHYL-13C5, 99%)	(CAS-No.) 165252-70-0 (unlabeled)	0.0000253	Xn; R22
IMIDACLOPRID (PYRIDYLMETHYL-13C6, 99%)	(CAS-No.) 138261-41-3 (Unlabeled)	0.0000253	Xn; R22 N; R50/53
THIAMETHOXAM (METHYLENE-13C, 99%;THIAZOLE-13C3, 99%;15N, 98%)	(CAS-No.) 153719-23-4 (Unlabeled)	0.0000101	Xn; R22 N; R50/53
THIACLOPRID-AMIDE (PYRIDYLMETHYL-13C6, 99%)	(CAS-No.) 676228-91-4 (Unlabeled) (EC Index-No.)	0.0000051	Not classified
SULFOXAFLOR (2-METHYL-13C, 99%; D3, 98% CYANAMIDE-15N2, 98%; 13C, 98%)	(CAS-No.) 946578-00-3 (Unlabeled) (EC Index-No.)	0.0000051	Not classified
ACETAMIPRID (PYRIDYLMETHYL-13C6, 99%)	(CAS-No.) 135410-20-7 (EC-No.) (EC Index-No.) 608-032-00-2	0.0000025	T; R25 T+; R26 R52/53
THIACLOPRID (PYRIDYLMETHYL-13C6, 99%)	(CAS-No.) 111988-49-9	0.0000025	Xn; R20/22 R52/53

# JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

ES-5634

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
100% METHANOL UNLABELED	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X (REACH-no) 01-2119433307-44	99.999014	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 1, H370
IMIDACLOPRID-OLEFIN (97% CHEMICAL PURITY) (IMIDAZOL-1-15N 98%; 2-13C, 99%; 2-AMINO 15N, 98%)	(CAS-No.) 115086-54-9 (Unlabeled) (EC Index-No.)	0.0005054	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
CLOTHIANIDIN-DESMETHYL (GUANIDINE-13C, 99%; GUANIDINE-1,3-15N2, 98%)	(CAS-No.) 135018-15-4 (Unlabeled) (EC Index-No.)	0.0002022	Acute Tox. 4 (Oral), H302 Aquatic Chronic 1, H410
FLONICAMID (18O, 96%+; AMIDE-15N, 98%)	(CAS-No.) 158062-67-0 (Unlabeled) (EC Index-No.)	0.0001011	Acute Tox. 4 (Oral), H302 Aquatic Chronic 3, H412
ACETAMIPRID-N-DESMETHYL (ACETIMIDAMIDE-13C2, 99%; AMINE-15N, 98%)	(CAS-No.) 190604-92-3 (Unlabeled) (EC Index-No.)	0.0000505	Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
CLOTHIANIDIN (METHYLENE-13C,99%;THIAZOLE- 13C3,99%;15N,98%)	(CAS-No.) 210880-92-5 (Unlabeled) (EC Index-No.) 613-307-00-5 (Unlabeled)	0.0000253	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
NITENPYRAM (METHYL-13C,ETHYL- 13C2,99%;ETHENEDIAMINE-15N2,98%)	(CAS-No.) 150824-47-8 (Unlabeled)	0.0000253	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
DINOTEFURAN (FURYL METHYL-13C5, 99%)	(CAS-No.) 165252-70-0 (unlabeled)	0.0000253	Acute Tox. 4 (Oral), H302
IMIDACLOPRID (PYRIDYLMETHYL-13C6, 99%)	(CAS-No.) 138261-41-3 (Unlabeled)	0.0000253	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
THIAMETHOXAM (METHYLENE-13C, 99%;THIAZOLE-13C3, 99%;15N, 98%)	(CAS-No.) 153719-23-4 (Unlabeled)	0.0000101	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
THIACLOPRID-AMIDE (PYRIDYLMETHYL-13C6, 99%)	(CAS-No.) 676228-91-4 (Unlabeled) (EC Index-No.)	0.0000051	Not classified
SULFOXAFLOR (2-METHYL-13C, 99%; D3, 98% CYANAMIDE-15N2, 98%; 13C, 98%)	(CAS-No.) 946578-00-3 (Unlabeled) (EC Index-No.)	0.0000051	Not classified
ACETAMIPRID (PYRIDYLMETHYL-13C6, 99%)	(CAS-No.) 135410-20-7 (EC-No.) (EC Index-No.) 608-032-00-2	0.0000025	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Inhalation:dust,mist), H330 Aquatic Chronic 3, H412
THIACLOPRID (PYRIDYLMETHYL-13C6, 99%)	(CAS-No.) 111988-49-9	0.0000025	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Aquatic Chronic 3, H412

Name	Product identifier	%	GHS-US classification
100% METHANOL UNLABELED	(CAS-No.) 67-56-1	99.999014	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 1, H370
IMIDACLOPRID-OLEFIN (97% CHEMICAL PURITY) (IMIDAZOL-1-15N 98%; 2-13C, 99%; 2-AMINO 15N, 98%)	(CAS-No.) 115086-54-9 (Unlabeled)	0.0005054	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
CLOTHIANIDIN-DESMETHYL (GUANIDINE-13C, 99%; GUANIDINE-1,3-15N2, 98%)	(CAS-No.) 135018-15-4 (Unlabeled)	0.0002022	Acute Tox. 4 (Oral), H302 Aquatic Chronic 1, H410
FLONICAMID (18O, 96%+; AMIDE-15N, 98%)	(CAS-No.) 158062-67-0 (Unlabeled)	0.0001011	Acute Tox. 4 (Oral), H302 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
ACETAMIPRID-N-DESMETHYL (ACETIMIDAMIDE-13C2, 99%; AMINE-15N, 98%)	(CAS-No.) 190604-92-3 (Unlabeled)	0.0000505	Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
CLOTHIANIDIN (METHYLENE-13C,99%;THIAZOLE- 13C3,99%;15N,98%)	(CAS-No.) 210880-92-5 (Unlabeled)	0.0000253	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
NITENPYRAM (METHYL-13C,ETHYL- 13C2,99%;ETHENEDIAMINE-15N2,98%)	(CAS-No.) 150824-47-8 (Unlabeled)	0.0000253	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

# JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

ES-5634

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
DINOTEFURAN (FURYL METHYL-13C5, 99%)	(CAS-No.) 165252-70-0 (unlabeled)	0.0000253	Acute Tox. 4 (Oral), H302
IMIDACLOPRID (PYRIDYLMETHYL-13C6, 99%)	(CAS-No.) 138261-41-3 (Unlabeled)	0.0000253	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
THIAMETHOXAM (METHYLENE-13C, 99%; THIAZOLE-13C3, 99%; 15N, 98%)	(CAS-No.) 153719-23-4 (Unlabeled)	0.0000101	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
THIACLOPRID-AMIDE (PYRIDYLMETHYL-13C6, 99%)	(CAS-No.) 676228-91-4 (Unlabeled)	0.0000051	Not classified
SULFOXAFLOR (2-METHYL-13C, 99%; D3, 98% CYANAMIDE-15N2, 98%; 13C, 98%)	(CAS-No.) 946578-00-3 (Unlabeled)	0.0000051	Not classified
ACETAMIPRID (PYRIDYLMETHYL-13C6, 99%)	(CAS-No.) 135410-20-7	0.0000025	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Inhalation:dust,mist), H330 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
THIACLOPRID (PYRIDYLMETHYL-13C6, 99%)	(CAS-No.) 111988-49-9	0.0000025	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Aquatic Acute 3, H402 Aquatic Chronic 3, H412

Full text of R- and H- phrases: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: If medical advice is needed, have product container or label at hand. Call a physician immediately. Evacuate danger area.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Call a doctor.
First-aid measures after skin contact	: Rinse skin with water/shower. Take immediately victim to hospital. Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes damage to organs (Eyes, heart, liver, kidneys, central nervous system, Skin) (in contact with skin, if inhaled, if swallowed).
Symptoms/effects after inhalation	: Toxic if inhaled.
Symptoms/effects after skin contact	: Toxic in contact with skin. Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Toxic if swallowed.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Dry powder. Dry sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Highly flammable liquid and vapor.
Reactivity	: Vapors may form flammable mixture with air. Highly flammable liquid and vapor.

### 5.3. Advice for firefighters

Firefighting instructions	: Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Wear recommended personal protective equipment.
Other information	: Use water spray to cool exposed surfaces.

# JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

ES-5634

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Wear respiratory protection. Do not breathe dust, mist, gas, spray, vapors, fume. Avoid contact with skin, eyes and clothing. Ventilate spillage area. Remove all sources of ignition. No open flames, no sparks, and no smoking. Ensure adequate air ventilation. Special attention should be given to low areas/pits where flammable vapors can accumulate.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Do not allow to enter drains or water courses. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Dike and contain spill.  
Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. This material and its container must be disposed of in a safe way, and as per local legislation.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust, fume, gas, spray, vapors, mist. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a well-ventilated area.  
Hygiene measures : Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment. Store in a well-ventilated place. Keep container tightly closed. Store locked up.  
Storage conditions : Store at room temperature away from light and moisture.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	ACGIH STEL (ppm)	250 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	Headache. Nausea. Dizziness. Eye damage. Substances for which there is a Biological Exposure Index or Indices (see BEI section). Danger of cutaneous absorption.
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	260 mg/m <sup>3</sup> Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (STEL) (mg/m <sup>3</sup> )	325 mg/m <sup>3</sup> Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (STEL) (ppm)	250 ppm Basis: NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Potential for dermal absorption.



# JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

ES-5634

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL		
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	260 mg/m <sup>3</sup> Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (STEL) (mg/m <sup>3</sup> )	325 mg/m <sup>3</sup> Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (STEL) (ppm)	250 ppm Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (Ceiling) (ppm)	1000 ppm California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	Remark (OSHA)	The value in mg/m <sup>3</sup> is approximate. Skin notation.

100% METHANOL UNLABELED (67-56-1)		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	ACGIH STEL (ppm)	250 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	Headache. Nausea. Dizziness. Eye damage. Substances for which there is a Biological Exposure Index or Indices (see BEI section). Danger of cutaneous absorption.
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	260 mg/m <sup>3</sup> Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (STEL) (mg/m <sup>3</sup> )	325 mg/m <sup>3</sup> Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (STEL) (ppm)	250 ppm Basis: NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Potential for dermal absorption.
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	260 mg/m <sup>3</sup> Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (STEL) (mg/m <sup>3</sup> )	325 mg/m <sup>3</sup> Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (STEL) (ppm)	250 ppm Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (Ceiling) (ppm)	1000 ppm California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	Remark (OSHA)	The value in mg/m <sup>3</sup> is approximate. Skin notation.

JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL		
DNEL/DMEL (Workers)		
Acute - systemic effects, dermal	40 mg/kg bodyweight/day	

# JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

ES-5634

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL	
Acute - systemic effects, inhalation	260 mg/m <sup>3</sup>
Acute - local effects, dermal	260 mg/cm <sup>2</sup>
Long-term - systemic effects, dermal	40 mg/kg bodyweight/day
Long-term - local effects, dermal	260 mg/cm <sup>2</sup>
Long-term - local effects, inhalation	260 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Acute - systemic effects, dermal	8 mg/kg body weight
Acute - systemic effects, inhalation	50 mg/m <sup>3</sup>
Acute - systemic effects, oral	8 mg/kg body weight
Acute - local effects, inhalation	50 mg/m <sup>3</sup>
Long-term - systemic effects, oral	8 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	50 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	8 mg/kg bodyweight/day
Long-term - local effects, inhalation	50 mg/m <sup>3</sup>
PNEC (Water)	
PNEC aqua (freshwater)	154 mg/l
PNEC aqua (marine water)	15.4 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	570.4 mg/kg dwt
PNEC (Soil)	
PNEC soil	23.5 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	100 mg/kg

### 8.2. Exposure controls

Appropriate engineering controls	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
Personal protective equipment	: Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.
	
Materials for protective clothing	: Wear suitable protective clothing and gloves.
Hand protection	: Wear suitable protective clothing and gloves.
Eye protection	: Wear eye protection. Chemical goggles or face shield with safety glasses.
Skin and body protection	: Wear suitable protective clothing, gloves and eye/face protection.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. Approved supplied air respirator.
Environmental exposure controls	: Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

The properties listed below are for the solvent, the main component of this mixture.

Physical state	: Liquid
Appearance	: Liquid
Molecular mass	: 32.04 g/mol
Color	: Colorless
Odor	: Pungent
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: -98 °C (-144 °F)
Freezing point	: No data available
Boiling point	: 64.7 °C (148.5 °F)
Flash point	: 9.7 °C (49.5 °F) - closed cup
Auto-ignition temperature	: 455 °C (851 °F) at 1,013 hPa (760 mmHg)
Decomposition temperature	: No data available



# JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

ES-5634

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability (solid, gas)	: No data available
Vapor pressure	: 130.3 hPa (97.7 mmHg) at 20 °C (68 °F); 169.27 hPa (126.96 mmHg) at 25 °C (77 °F)
Vapor pressure at 50 °C	: 546.6 hPa (410 mmHg) at 50 °C (122 °F)
Relative vapor density at 20 °C	: 1.11
Relative density	: No data available
Specific gravity / density	: 0.791 g/ml at 25 °C (77 °F)
Solubility	: Water: Completely miscible
Log Pow	: -0.77
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.
Oxidizing properties	: Non oxidizing material according to EC criteria.
Explosion limits	: 6 - 36 % (V)

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Vapors may form flammable mixture with air. Highly flammable liquid and vapor.

### 10.2. Chemical stability

See storage and expiration date on CoA.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

Acid anhydrides. Acid chlorides. Oxidizing agent. Alkali Metal Amides. Reducing agents. Acids.

### 10.6. Hazardous decomposition products

Carbon oxides (CO, CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation:vapour: Toxic if inhaled.

JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL	
LD50 oral rat	1187 - 2769 mg/kg
LD50 dermal rabbit	17100 mg/kg
LC50 inhalation rat (mg/l)	128.2 mg/l/4h ; 87.6 mg/l - 6 h
ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (dermal)	300.000 mg/kg body weight
ATE CLP (vapors)	3.000 mg/l/4h
ATE CLP (dust, mist)	128.200 mg/l/4h
LDLO, oral, human	143 mg/kg Remarks: Lungs, Thorax, or Respiration: Dyspnea. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
ACETAMIPRID (PYRIDYLMETHYL-13C6, 99%) (135410-20-7)	
LD50 oral rat	146 mg/kg female
LD50 oral	217 mg/kg rat - male
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	290 mg/m <sup>3</sup> 4 h
ATE CLP (oral)	146.000 mg/kg body weight
ATE CLP (vapors)	0.290 mg/l/4h
ATE CLP (dust, mist)	0.290 mg/l/4h
THIACLOPRID (PYRIDYLMETHYL-13C6, 99%) (111988-49-9)	
LD50 oral rat	444 mg/kg
LD50 dermal rat	> 2000 mg/kg

# JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

ES-5634

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>THIACLOPRID (PYRIDYLMETHYL-13C6, 99%) (111988-49-9)</b>	
LC50 inhalation rat (mg/l)	1223 mg/m <sup>3</sup> 4 h
ATE CLP (oral)	444.000 mg/kg body weight
ATE CLP (vapors)	1.223 mg/l/4h
ATE CLP (dust, mist)	1.223 mg/l/4h
<b>THIAMETHOXAM (METHYLENE-13C, 99%;THIAZOLE-13C3, 99%;15N, 98%) (153719-23-4 (Unlabeled))</b>	
LD50 oral rat	1563 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 3720 mg/m <sup>3</sup> - 4h
ATE CLP (oral)	1563.000 mg/kg body weight
<b>CLOTHIANIDIN (METHYLENE-13C,99%;THIAZOLE-13C3,99%;15N,98%) (210880-92-5 (Unlabeled))</b>	
LD50 oral rat	> 5,000 mg/kg
LD50 dermal rat	> 2,000 mg/kg
LC50 inhalation rat (mg/l)	> 5538 mg/m <sup>3</sup> - 4 h
<b>NITENPYRAM (METHYL-13C,ETHYL-13C2,99%;ETHENEDIAMINE-15N2,98%) (150824-47-8 (Unlabeled))</b>	
LD50 oral rat	1575 mg/kg Remarks: Behavioral: Somnolence (general depressed activity). Behavioral: Convulsions or effect on seizure threshold. Behavioral: Ataxia.
LD50 dermal rat	> 2000 mg/kg
ATE CLP (oral)	500.000 mg/kg body weight
<b>DINOTEFURAN (FURYL METHYL-13C5, 99%) (165252-70-0 (unlabeled))</b>	
LD50 oral rat	2804 mg/kg male
LD50 oral	2000 mg/kg rat - female
LD50 dermal rat	> 2000 mg/kg
ATE CLP (oral)	500.000 mg/kg body weight
<b>IMIDACLOPRID (PYRIDYLMETHYL-13C6, 99%) (138261-41-3 (Unlabeled))</b>	
LD50 oral rat	410 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 5323 mg/m <sup>3</sup>
ATE CLP (oral)	410.000 mg/kg body weight
<b>ACETAMIPRID-N-DESMETHYL (ACETIMIDAMIDE-13C2, 99%; AMINE-15N, 98%) (190604-92-3 (Unlabeled))</b>	
ATE CLP (oral)	100.000 mg/kg body weight
<b>FLONICAMID (18O, 96%+; AMIDE-15N, 98%) (158062-67-0 (Unlabeled))</b>	
LD50 oral rat	884 mg/kg -male
LD50 oral	1768 mg/kg - Rat - female
LD50 dermal rat	> 5000 mg/kg
ATE CLP (oral)	500.000 mg/kg body weight
<b>CLOTHIANIDIN-DESMETHYL (GUANIDINE-13C, 99%; GUANIDINE-1,3-15N2, 98%) (135018-15-4 (Unlabeled))</b>	
ATE CLP (oral)	500.000 mg/kg body weight
<b>IMIDACLOPRID-OLEFIN (97% CHEMICAL PURITY) (IMIDAZOL-1-15N 98%; 2-13C, 99%; 2-AMINO 15N, 98%) (115086-54-9 (Unlabeled))</b>	
ATE CLP (oral)	500.000 mg/kg body weight
LD50, intraperitoneal, mouse	>50 mg/kg
<b>100% METHANOL UNLABELED (67-56-1)</b>	
LD50 oral rat	1187 - 2769 mg/kg
LD50 dermal rabbit	17100 mg/kg
LC50 inhalation rat (mg/l)	128.2 mg/l/4h ; 87.6 mg/l - 6 h
ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (dermal)	300.000 mg/kg body weight
ATE CLP (vapors)	3.000 mg/l/4h
ATE CLP (dust, mist)	128.200 mg/l/4h
LDLO, oral, human	143 mg/kg Remarks: Lungs, Thorax, or Respiration: Dyspnea. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Skin corrosion/irritation : Skin. Rabbit. Result: No skin irritation  
Serious eye damage/irritation : Eyes. Rabbit. Result: No eye irritation  
Respiratory or skin sensitization : Maximisation Test . Guinea pig. Did not cause sensitization. (OECD 406 method)

# JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

ES-5634

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Germ cell mutagenicity	: AMES test : S. typhimurium. Result: negative. fibroblast. Result: Negative. Mutation in mammalian somatic cells. Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) - Mouse - male and female Result: negative. Mouse - male and female. Result: Negative
Carcinogenicity	: Not classified
Reproductive toxicity	: Damage to fetus not classifiable. Fertility classification not possible from current data.
Specific target organ toxicity – single exposure	: Causes damage to organs through prolonged or repeated exposure Causes damage to organs
Specific target organ toxicity – repeated exposure	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure. No data available
Aspiration hazard	: No aspiration toxicity classification.
Potential Adverse human health effects and symptoms	: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Effects due to Ingestion may include: Headache. Dizziness. Drowsiness. metabolic acidosis. Coma. May be fatal if swallowed and enters airways. If swallowed there is a risk of blindness. Effects on humans. stomach.
Symptoms/effects after inhalation	: Toxic if inhaled.
Symptoms/effects after skin contact	: Toxic in contact with skin. Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Toxic if swallowed.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL	
LC50 fish 1	15400 mg/l mortality LC50 - Lepomis macrochirus (Bluegill) - 96 h
EC50 Daphnia 1	> 10000 mg/l Daphnia magna (Water flea) - 48 h
EC50 Daphnia 2	22000 mg/l Growth inhibition EC50 - Scenedesmus capricornutum (fresh water algae) - 96 h
NOEC (acute)	7900 mg/l Oryzias latipes - 200 h
ACETAMIPRID (PYRIDYLMETHYL-13C6, 99%) (135410-20-7)	
LC50 fish 1	> 100 mg/l Cyprinus carpio (Carp) - 96 h
EC50 Daphnia 1	> 200 mg/l 24 h
EC50 other aquatic organisms 1	> 98.3 mg/l Algae - 72 h
THIACLOPRID (PYRIDYLMETHYL-13C6, 99%) (111988-49-9)	
LC50 fish 1	30.5 mg/l Oncorhynchus mykiss (rainbow trout) - 96 h
EC50 Daphnia 1	> 85.1 mg/l 48 h
ErC50 (algae)	60.6 mg/l Pseudokirchneriella subcapitata (green algae) - 72 h
CLOTHIANIDIN (METHYLENE-13C,99%;THIAZOLE-13C3,99%;15N,98%) (210880-92-5 (Unlabeled))	
LC50 fish 1	> 104.2 mg/l Oncorhynchus mykiss (rainbow trout) - 96.0 h
EC50 Daphnia 1	> 119 mg/l - Daphnia magna (Water flea) - 48 h
ErC50 (algae)	> 120 mg/l - other microorganisms - 72 h
DINOTEFURAN (FURYL METHYL-13C5, 99%) (165252-70-0 (unlabeled))	
LC50 fish 1	> 1000 mg/l Lepomis macrochirus (Bluegill) - 96h
LC50 other aquatic organisms 1	4.84 mg/l other fish - 48h
EC50 Daphnia 1	> 1000 mg/l Daphnia - 48h
LC50 fish 2	0.79 mg/l Crangon crangon (shrimp) - 96h
ErC50 (algae)	> 100 mg/l Pseudokirchneriella subcapitata (green algae) - 72h
FLONICAMID (18O, 96%+; AMIDE-15N, 98%) (158062-67-0 (Unlabeled))	
LC50 fish 1	> 91.9 mg/l - Oncorhynchus mykiss (rainbow trout) - 96 h(Flonicamid)
EC50 Daphnia 1	> 100 mg/l - Daphnia (water flea) - 48 h(Flonicamid) Other aquatic invertebrates
100% METHANOL UNLABELED (67-56-1)	
LC50 fish 1	15400 mg/l mortality LC50 - Lepomis macrochirus (Bluegill) - 96 h
EC50 Daphnia 1	> 10000 mg/l Daphnia magna (Water flea) - 48 h
EC50 Daphnia 2	22000 mg/l Growth inhibition EC50 - Scenedesmus capricornutum (fresh water algae) - 96 h

# JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

ES-5634

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>100% METHANOL UNLABELED (67-56-1)</b>	
NOEC (acute)	7900 mg/l Oryzias latipes - 200 h

### 12.2. Persistence and degradability

<b>JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL</b>	
Biochemical oxygen demand (BOD)	600 - 1200 mg/g
Chemical oxygen demand (COD)	1420 mg/g
ThOD	1500 mg/g
Biodegradation	72 % - rapidly biodegradable aerobic - Exposure time 5 d

<b>CLOTHIANIDIN (METHYLENE-13C,99%;THIAZOLE-13C3,99%;15N,98%) (210880-92-5 (Unlabeled))</b>	
Persistence and degradability	May cause long-term adverse effects in the environment.

<b>DINOTEFURAN (FURYL METHYL-13C5, 99%) (165252-70-0 (unlabeled))</b>	
Persistence and degradability	According to the results of tests of biodegradability, this product is not readily biodegradable.

<b>IMIDACLOPRID (PYRIDYLMETHYL-13C6, 99%) (138261-41-3 (Unlabeled))</b>	
Persistence and degradability	Not available.

<b>100% METHANOL UNLABELED (67-56-1)</b>	
Biochemical oxygen demand (BOD)	600 - 1200 mg/g
Chemical oxygen demand (COD)	1420 mg/g
ThOD	1500 mg/g
Biodegradation	72 % - rapidly biodegradable aerobic - Exposure time 5 d

### 12.3. Bioaccumulative potential

<b>JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL</b>	
BCF fish 1	5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C
Bioconcentration factor (BCF REACH)	1
Log Pow	-0.77

<b>ACETAMIPRID (PYRIDYLMETHYL-13C6, 99%) (135410-20-7)</b>	
Log Pow	0.8 at 20 °C (68 °F)

<b>THIACLOPRID-AMIDE (PYRIDYLMETHYL-13C6, 99%) (676228-91-4 (Unlabeled))</b>	
Log Pow	1

<b>THIAMETHOXAM (METHYLENE-13C, 99%;THIAZOLE-13C3, 99%;15N, 98%) (153719-23-4 (Unlabeled))</b>	
Log Pow	-0.13

<b>CLOTHIANIDIN (METHYLENE-13C,99%;THIAZOLE-13C3,99%;15N,98%) (210880-92-5 (Unlabeled))</b>	
Log Pow	0.9 at 25 °C (77 °F)

<b>DINOTEFURAN (FURYL METHYL-13C5, 99%) (165252-70-0 (unlabeled))</b>	
Log Pow	-0.549 AT 25 °C (77 °F)

<b>IMIDACLOPRID (PYRIDYLMETHYL-13C6, 99%) (138261-41-3 (Unlabeled))</b>	
Bioaccumulative potential	Not available.

<b>ACETAMIPRID-N-DESMETHYL (ACETIMIDAMIDE-13C2, 99%; AMINE-15N, 98%) (190604-92-3 (Unlabeled))</b>	
Log Pow	0.744

<b>FLONICAMID (18O, 96%+; AMIDE-15N, 98%) (158062-67-0 (Unlabeled))</b>	
Log Pow	0.3

<b>IMIDACLOPRID-OLEFIN (97% CHEMICAL PURITY) (IMIDAZOL-1-15N 98%; 2-13C, 99%; 2-AMINO 15N, 98%) (115086-54-9 (Unlabeled))</b>	
Log Pow	1.22

<b>100% METHANOL UNLABELED (67-56-1)</b>	
BCF fish 1	5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C
Bioconcentration factor (BCF REACH)	1
Log Pow	-0.77

### 12.4. Mobility in soil

<b>JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL</b>	
Ecology - soil	Not degradable in the soil.

<b>IMIDACLOPRID (PYRIDYLMETHYL-13C6, 99%) (138261-41-3 (Unlabeled))</b>	
Ecology - soil	Not available.

# JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

ES-5634

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 100% METHANOL UNLABELED (67-56-1)

Ecology - soil : Not degradable in the soil.

### 12.5. Results of PBT and vPvB assessment

#### JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

PBT: not relevant – no registration required

#### 100% METHANOL UNLABELED (67-56-1)

PBT: not relevant – no registration required

### 12.6. Other adverse effects

Other adverse effects : Avoid release to the environment.  
Other information : Stability in water: at 19 °C - (83 - 91%) - 72 h. Remarks: Hydrolyses on contact with water. Hydrolyses readily.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.  
Product/Packaging disposal recommendations : Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.  
Ecology - waste materials : Dispose of as unused product.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No.(DOT) : 1230  
DOT NA no. UN1230

### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Methanol  
Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120  
Hazard labels (DOT) : 3 - Flammable liquid  
6.1 - Poison



DOT Symbols : + - Fixes (cannot be altered) proper shipping name, hazard class, and packing group, I - Proper shipping name appropriate for international and domestic transportation  
Packing group (DOT) : II - Medium Danger  
DOT Special Provisions (49 CFR 172.102) : IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.  
T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)  
TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.  
DOT Packaging Exceptions (49 CFR 173.xxx) : 150  
DOT Packaging Non Bulk (49 CFR 173.xxx) : 202  
DOT Packaging Bulk (49 CFR 173.xxx) : 242  
DOT RQ : 5000 lbs  
Marine pollutant : No

### 14.3. Additional information

Emergency Response Guide (ERG) Number : 131

# JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

ES-5634

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations


Other information : No supplementary information available.

### Overland transport

Packing group (ADR) : II  
Class (ADR) : 3 - Flammable liquid  
Hazard identification number (Kemler No.) : 336  
Classification code (ADR) : FT1  
Hazard labels (ADR) : 3 - Flammable liquids  
6.1 - Toxic substances



Orange plates :



Tunnel restriction code (ADR) : D/E  
Limited quantities (ADR) : 11  
Excepted quantities (ADR) : E2

### Transport by sea

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.  
DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"  
MFAG-No : 131

### Air transport

DOT Quantity Limitations Passenger aircraft/rail : 1 L  
(49 CFR 173.27)  
DOT Quantity Limitations Cargo aircraft only (49 : 60 L  
CFR 175.75)  
Civil Aeronautics Law : Flammable liquids

## 14.4. Environmental hazards

Other information : No supplementary information available.

## 14.5. Special precautions for user

## 14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
CERCLA RQ	5000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313
THIACLOPRID-AMIDE (PYRIDYLMETHYL-13C6, 99%) (676228-91-4 (Unlabeled))	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.



# JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

ES-5634

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>THIACLOPRID-AMIDE (PYRIDYMETHYL-13C6, 99%) (676228-91-4 (Unlabeled))</b>	
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.
<b>THIAMETHOXAM (METHYLENE-13C, 99%;THIAZOLE-13C3, 99%;15N, 98%) (153719-23-4 (Unlabeled))</b>	
SARA Section 302 Threshold Planning Quantity (TPQ)	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313
<b>CLOTHIANIDIN (METHYLENE-13C,99%;THIAZOLE-13C3,99%;15N,98%) (210880-92-5 (Unlabeled))</b>	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313
<b>NITENPYRAM (METHYL-13C,ETHYL-13C2,99%;ETHENEDIAMINE-15N2,98%) (150824-47-8 (Unlabeled))</b>	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.
<b>DINOTEFURAN (FURYL METHYL-13C5, 99%) (165252-70-0 (unlabeled))</b>	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
<b>IMIDACLOPRID (PYRIDYMETHYL-13C6, 99%) (138261-41-3 (Unlabeled))</b>	
SARA Section 302 Threshold Planning Quantity (TPQ)	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313
<b>ACETAMIPRID-N-DESMETHYL (ACETIMIDAMIDE-13C2, 99%; AMINE-15N, 98%) (190604-92-3 (Unlabeled))</b>	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.
<b>FLONICAMID (18O, 96%+; AMIDE-15N, 98%) (158062-67-0 (Unlabeled))</b>	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.
<b>CLOTHIANIDIN-DESMETHYL (GUANIDINE-13C, 99%; GUANIDINE-1,3-15N2, 98%) (135018-15-4 (Unlabeled))</b>	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.
<b>IMIDACLOPRID-OLEFIN (97% CHEMICAL PURITY) (IMIDAZOL-1-15N 98%; 2-13C, 99%; 2-AMINO 15N, 98%) (115086-54-9 (Unlabeled))</b>	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.
<b>100% METHANOL UNLABELED (67-56-1)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
CERCLA RQ	5000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313
<b>SULFOXAFLOL (2-METHYL-13C, 99%; D3, 98% CYANAMIDE-15N2, 98%; 13C, 98%) (946578-00-3 (Unlabeled))</b>	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.

# JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

ES-5634

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.2. International regulations

#### CANADA

##### JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

Listed on the Canadian DSL (Domestic Substances List)

##### 100% METHANOL UNLABELED (67-56-1)

Listed on the Canadian DSL (Domestic Substances List)

#### 15.2.1. National regulations

No additional information available

### 15.3. US State regulations

#### JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

U.S. - California - Proposition 65 - Carcinogens List	No
U.S. - California - Proposition 65 - Developmental Toxicity	Yes
U.S. - California - Proposition 65 - Reproductive Toxicity - Female	No
U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No
State or local regulations	U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances

#### ACETAMIPRID (PYRIDYLMETHYL-13C6, 99%) (135410-20-7)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	

#### THIACLOPRID (PYRIDYLMETHYL-13C6, 99%) (111988-49-9)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	

#### THIACLOPRID-AMIDE (PYRIDYLMETHYL-13C6, 99%) (676228-91-4 (Unlabeled))

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	

#### THIAMETHOXAM (METHYLENE-13C, 99%; THIAZOLE-13C3, 99%; 15N, 98%) (153719-23-4 (Unlabeled))

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	

#### CLOTHIANIDIN (METHYLENE-13C, 99%; THIAZOLE-13C3, 99%; 15N, 98%) (210880-92-5 (Unlabeled))

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	

# JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

ES-5634

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>NITENPYRAM (METHYL-13C,ETHYL-13C2,99%;ETHENEDIAMINE-15N2,98%) (150824-47-8 (Unlabeled))</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>DINOTEFURAN (FURYL METHYL-13C5, 99%) (165252-70-0 (unlabeled))</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>IMIDACLOPRID (PYRIDYLMETHYL-13C6, 99%) (138261-41-3 (Unlabeled))</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>ACETAMIPRID-N-DESMETHYL (ACETIMIDAMIDE-13C2, 99%; AMINE-15N, 98%) (190604-92-3 (Unlabeled))</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>FLONICAMID (18O, 96%+; AMIDE-15N, 98%) (158062-67-0 (Unlabeled))</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>CLOTHIANIDIN-DESMETHYL (GUANIDINE-13C, 99%; GUANIDINE-1,3-15N2, 98%) (135018-15-4 (Unlabeled))</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>IMIDACLOPRID-OLEFIN (97% CHEMICAL PURITY) (IMIDAZOL-1-15N 98%; 2-13C, 99%; 2-AMINO 15N, 98%) (115086-54-9 (Unlabeled))</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>100% METHANOL UNLABELED (67-56-1)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	No	
<b>SULFOXAFLOR (2-METHYL-13C, 99%; D3, 98% CYANAMIDE-15N2, 98%; 13C, 98%) (946578-00-3 (Unlabeled))</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>ACETAMIPRID (PYRIDYLMETHYL-13C6, 99%) (135410-20-7)</b>				
<b>State or local regulations</b>				
U.S. - Pennsylvania - RTK (Right to Know) List				

# JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

ES-5634

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>ACETAMIPRID (PYRIDYLMETHYL-13C6, 99%) (135410-20-7)</b>
U.S. - New Jersey - Right to Know Hazardous Substance List
<b>THIACLOPRID (PYRIDYLMETHYL-13C6, 99%) (111988-49-9)</b>
<b>State or local regulations</b>
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List
<b>THIACLOPRID-AMIDE (PYRIDYLMETHYL-13C6, 99%) (676228-91-4 (Unlabeled))</b>
<b>State or local regulations</b>
U.S. - Pennsylvania - RTK (Right to Know) List U.S. - New Jersey - Right to Know Hazardous Substance List
<b>THIAMETHOXAM (METHYLENE-13C, 99%;THIAZOLE-13C3, 99%;15N, 98%) (153719-23-4 (Unlabeled))</b>
<b>State or local regulations</b>
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List
<b>CLOTHIANIDIN (METHYLENE-13C,99%;THIAZOLE-13C3,99%;15N,98%) (210880-92-5 (Unlabeled))</b>
<b>State or local regulations</b>
U.S. - Pennsylvania - RTK (Right to Know) List U.S. - New Jersey - Right to Know Hazardous Substance List
<b>NITENPYRAM (METHYL-13C,ETHYL-13C2,99%;ETHENEDIAMINE-15N2,98%) (150824-47-8 (Unlabeled))</b>
<b>State or local regulations</b>
U.S. - Pennsylvania - RTK (Right to Know) List U.S. - New Jersey - Right to Know Hazardous Substance List
<b>DINOTEFURAN (FURYL METHYL-13C5, 99%) (165252-70-0 (unlabeled))</b>
<b>State or local regulations</b>
U.S. - Pennsylvania - RTK (Right to Know) List U.S. - New Jersey - Right to Know Hazardous Substance List
<b>IMIDACLOPRID (PYRIDYLMETHYL-13C6, 99%) (138261-41-3 (Unlabeled))</b>
<b>State or local regulations</b>
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List
<b>ACETAMIPRID-N-DESMETHYL (ACETIMIDAMIDE-13C2, 99%; AMINE-15N, 98%) (190604-92-3 (Unlabeled))</b>
<b>State or local regulations</b>
U.S. - Pennsylvania - RTK (Right to Know) List U.S. - New Jersey - Right to Know Hazardous Substance List
<b>FLONICAMID (18O, 96%+; AMIDE-15N, 98%) (158062-67-0 (Unlabeled))</b>
<b>State or local regulations</b>
U.S. - Pennsylvania - RTK (Right to Know) List U.S. - New Jersey - Right to Know Hazardous Substance List
<b>CLOTHIANIDIN-DESMETHYL (GUANIDINE-13C, 99%; GUANIDINE-1,3-15N2, 98%) (135018-15-4 (Unlabeled))</b>
<b>State or local regulations</b>
U.S. - Pennsylvania - RTK (Right to Know) List U.S. - New Jersey - Right to Know Hazardous Substance List
<b>IMIDACLOPRID-OLEFIN (97% CHEMICAL PURITY) (IMIDAZOL-1-15N 98%; 2-13C, 99%; 2-AMINO 15N, 98%) (115086-54-9 (Unlabeled))</b>
<b>State or local regulations</b>
U.S. - Pennsylvania - RTK (Right to Know) List U.S. - New Jersey - Right to Know Hazardous Substance List
<b>100% METHANOL UNLABELED (67-56-1)</b>
<b>State or local regulations</b>
U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) List

# JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

ES-5634

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 100% METHANOL UNLABELED (67-56-1)

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances

### SULFOXAFLOR (2-METHYL-13C, 99%; D3, 98% CYANAMIDE-15N2, 98%; 13C, 98%) (946578-00-3 (Unlabeled))

#### State or local regulations

U.S. - Pennsylvania - RTK (Right to Know) List  
U.S. - New Jersey - Right to Know Hazardous Substance List

## SECTION 16: Other information

Other information : This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 2	Flammable liquids Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 1	Specific target organ toxicity (single exposure) Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H330	Fatal if inhaled
H331	Toxic if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H370	Causes damage to organs
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
R11	Highly flammable
R20/22	Harmful by inhalation and if swallowed
R22	Harmful if swallowed
R25	Toxic if swallowed
R26	Very toxic by inhalation
R36/37/38	Irritating to eyes, respiratory system and skin
R36/38	Irritating to eyes and skin
R39/23/24/25	Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R58	May cause long-term adverse effects in the environment
F	Highly flammable
N	Dangerous for the environment
T	Toxic
T+	Very toxic
Xi	Irritant
Xn	Harmful


# JECS NEONICOTINOID MIXTURE (13C, 99%; D, 98%; 15N, 98%; 18O, 96%) IN METHANOL

ES-5634

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
- NFPA fire hazard : 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
- NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



### Hazard Rating

- Health : 2 Moderate Hazard - Temporary or minor injury may occur
- Flammability : 3 Serious Hazard
- Physical : 0 Minimal Hazard

### CIL Mixture SDS

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*