

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 02/01/2019 Revision date: : Version: 1.0

CDLM-10674

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Substance name : PYRUVIC ACID (1-13C, 99%; D4, 98%)

 EC-No.
 : 204-824-3 (Unlabeled)

 CAS-No.
 : 127-17-3 (Unlabeled)

 Product code
 : CDLM-10674

 Formula
 : CD3CO*COOD

Synonyms : 2-Oxopropionic acid / alpha-Ketopropionic acid

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc. 50 Frontage Road Andover, MA 01810

USA

USA: 1-800-322-1174 Int: 1-978-749-8000 <u>cilsales@isotope.com</u> www.isotope.com

Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Corr. 1B H314

Full text of hazard classes and H-statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

C; R35

Full text of R-phrases: see section 16

GHS-US classification

Flam. Liq. 4 H227 Skin Corr. 1B H314

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

02/01/2019 EN (English US) 1/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Danger

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage

Precautionary statements (CLP) : P260 - Do not breathe dust, fume, gas, mist, spray, vapors.

P264 - Wash Both hands thoroughly after handling. P280 - Wear protective clothing, protective gloves.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a doctor, a POISON CENTER.

GHS-US labeling

Hazard pictograms (GHS-US)



GHS05

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H227 - Combustible liquid

H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS-US) : P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing P310 - Immediately call a poison center or doctor

P321 - Specific treatment (see supplemental first aid instruction on this label)

P363 - Wash contaminated clothing before reuse.

P370+P378 - In case of fire: Use media other than water to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Name	Product identifier	%	Classification according to Directive 67/548/EEC
PYRUVIC ACID (1-13C, 99%; D4, 98%)	(CAS-No.) 127-17-3 (Unlabeled) (EC-No.) 204-824-3 (Unlabeled)	100	C; R35
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
PYRUVIC ACID (1-13C, 99%; D4, 98%)	(CAS-No.) 127-17-3 (Unlabeled) (EC-No.) 204-824-3 (Unlabeled)	100	Skin Corr. 1B, H314

Full text of R- and H- phrases: see section 16

02/01/2019 EN (English US) 2/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
PYRUVIC ACID (1-13C, 99%; D4, 98%) (Main constituent)	(CAS-No.) 127-17-3 (Unlabeled)	100	Flam. Liq. 4, H227 Skin Corr. 1B, H314

Full text of H-phrases: see section 16

3.2. **Mixtures**

Not applicable

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). Evacuate danger area.

First-aid measures after inhalation : When symptoms occur: go into open air and ventilate suspected area. If not breathing give

artificial respiration. Get medical advice/attention.

First-aid measures after skin contact : Wash with plenty of soap and water. and soap. Get immediate medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes.

First-aid measures after ingestion Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get

medical advice/attention.

Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May be harmful if inhaled. May cause respiratory irritation.

Symptoms/effects after skin contact : Causes severe skin burns and eye damage.

Symptoms/effects after eye contact : Causes eye damage. Symptoms/effects after ingestion : May be harmful if swallowed.

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

Extinguishing media

: Water spray, dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2). Suitable extinguishing media

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.

Advice for firefighters

Firefighting instructions Fight fire with normal precautions from a reasonable distance. Wear a self contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory

protection.

Do not enter fire area without proper protective equipment, including respiratory protection. Protection during firefighting

Wear recommended personal protective equipment.

Other information : Use water spray to cool unopened containers

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Avoid breathing vapors, mist, gas. Avoid dust formation.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Environmental precautions

Prevent entry to sewers and public waters. Do not allow to enter drains or water courses. Avoid release to the environment.

Methods and material for containment and cleaning up

For containment : Clean up any spills as soon as possible, using an absorbent material to collect it. Small

> quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. For large spills, confine the spill in a dike and charge it with wet sand or

earth for subsequent safe disposal.

: This material and its container must be disposed of in a safe way, and as per local legislation. Methods for cleaning up

Reference to other sections

For further information refer to section 13.

02/01/2019 EN (English US) 3/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Provide adequate ventilation to minimize dust and/or vapor concentrations.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Handle in accordance with good industrial hygiene and safety

practice.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Store in a well-ventilated place. Keep container tightly closed. Storage conditions : Store in freezer -80 C. Protect from light, air and moisture.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

Personal protective equipment : Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.









Materials for protective clothing : Wear suitable protective clothing and gloves.

Hand protection : Wear suitable protective clothing and gloves.

Eye protection : Wear eye protection. Chemical goggles or face shield with safety glasses.

Skin and body protection : Wear suitable protective clothing, gloves and eye/face protection.

Respiratory protection : In case of inadequate ventilation wear respiratory protection. Approved supplied air respirator.

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid

Molecular mass : 93.08 g/mol (Labeled)
Color : No data available
Odor : No data available.
Odor threshold : No data available
pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available

Melting point : 11 - 12 °C (52 - 54 °F) - lit

Freezing point : No data available
Boiling point : 165 °C (329 °F) - lit

Flash point : 82 °C (180 °F) - closed cup

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapor pressure : No data available
Relative vapor density at 20 °C : No data available
Relative density : No data available

Specific gravity / density : 1.267 g/cm³ at 25°C (77°F)

Solubility : No data available
Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available

02/01/2019 EN (English US) 4/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: No data available Explosive properties Oxidizing properties : No data available : No data available **Explosion limits**

Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity

No additional information available

10.2 **Chemical stability**

One year after receipt of order if stored as stated in "Storage" section. Re-QC after one year.

Possibility of hazardous reactions

No additional information available

Conditions to avoid

Keep away from heat, sparks and flame.

Incompatible materials

Bases, Oxidizing agents, Reducing agents.

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Not classified Acute toxicity

PYRUVIC ACID (1-13C, 99%; D4, 98%) (127-17-3 (Unlabeled))	
Additional information	LD50 Subcutaneous - Mouse - 3,533 mg/kg
Skin corrosion/irritation	: Causes severe skin burns and eye damage.

Serious eye damage/irritation : Eye damage, category 1, implicit

Respiratory or skin sensitization : Not available : Not available Germ cell mutagenicity Carcinogenicity : Not classified Reproductive toxicity : Not available Specific target organ toxicity - single exposure : Not classified Specific target organ toxicity - repeated

exposure

: Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be

construed as guaranteeing any specific property of the product.

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Cough, Shortness of breath, Headache, Nausea.

: May be harmful if inhaled. May cause respiratory irritation. Symptoms/effects after inhalation

Symptoms/effects after skin contact : Causes severe skin burns and eye damage.

Symptoms/effects after eye contact : Causes eve damage.

Symptoms/effects after ingestion : May be harmful if swallowed.

SECTION 12: Ecological information

Toxicity

No additional information available

12.2. Persistence and degradability

PYRUVIC ACID (1-13C, 99%; D4, 98%) (127-17-3 (Unlabeled))	
Persistence and degradability	Not available.

Bioaccumulative potential

PYRUVIC ACID (1-13C, 99%; D4, 98%) (127-17-3 (Unlabeled))		
Bioaccumulative potential	Not available.	

02/01/2019 EN (English US) 5/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

PYRUVIC ACID (1-13C, 99%; D4, 98%) (127-17-3 (Unlabeled))

Ecology - soil Not available.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and local

environmental control regulations.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No.(DOT) : 3265 DOT NA no. UN3265

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Corrosive liquid, acidic, organic, n.o.s.

Class (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136

Hazard labels (DOT) : 8 - Corrosive



DOT Symbols : G - Identifies PSN requiring a technical name

Packing group (DOT) : II - Medium Danger

DOT Special Provisions (49 CFR 172.102) : B2 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks are

not authorized.

IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T11 - 6 178.274(d)(2) Normal..... 178.275(d)(3)

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.

TP27 - A portable tank having a minimum test pressure of 4 bar (400 kPa) may be used provided the calculated test pressure is 4 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the

MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154
DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 242
Marine pollutant : No

14.3. Additional information

Emergency Response Guide (ERG) Number : 153

Other information : No supplementary information available.

Overland transport

Packing group (ADR) : II

Class (ADR) : 8 - Corrosive substances

02/01/2019 EN (English US) 6/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard identification number (Kemler No.) : 80
Classification code (ADR) : C3

Hazard labels (ADR) : 8 - Corrosive substances



Orange plates

80 3265

Tunnel restriction code (ADR) : E
Limited quantities (ADR) 11
EAC : 2X
APP : B
Excepted quantities (ADR) : E2

Transport by sea

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

MFAG-No : 153

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 1 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 30 L

CFR 175.75)

Civil Aeronautics Law : Corrosive substances

14.4. Environmental hazards

Other information : No supplementary information available.

14.5. Special precautions for user

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

PYRUVIC ACID (1-13C, 99%; D4, 98%) (127-17-3 (Unlabeled))	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313

15.2. International regulations

CANADA

PYRUVIC ACID (1-13C, 99%; D4, 98%) (127-17-3 (Unlabeled))

Listed on the Canadian DSL (Domestic Substances List)

15.2.1. National regulations

No additional information available

02/01/2019 EN (English US) 7/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

PYRUVIC ACID (1-13C, 99%; D4, 98%)(127-17-3 (Unlabeled))	
U.S California - Proposition 65 - Carcinogens List	No
U.S California - Proposition 65 - Developmental Toxicity	No
U.S California - Proposition 65 - Reproductive Toxicity - Female	No
U.S California - Proposition 65 - Reproductive Toxicity - Male	No
State or local regulations	U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

Other information

This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

Skin Corr. 1B	Skin corrosion/irritation Category 1B
H314	Causes severe skin burns and eye damage
R35	Causes severe burns
С	Corrosive

NFPA health hazard : 3 - Materials that, under emergency conditions, can cause

serious or permanent injury.


NFPA fire hazard : 2 - Materials that must be moderately heated or exposed to

relatively high ambient temperatures before ignition can

occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even

under fire conditions.



Hazard Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

given

Flammability : 2 Moderate Hazard
Physical : 0 Minimal Hazard

CIL Substance SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

02/01/2019 EN (English US) 8/8