

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 06/12/2021 Revision date: : Version: 1.0 CDLM-9205-MT-S

CECTION 4. Identification of the	stance/minture and of the common hundrately a			
	stance/mixture and of the company/undertaking			
1.1. Product identifier Product form	· Mixturee			
Product form Product name	: Mixtures : CIS-DCCA (1, CARBOXYL-13C2, 99%;1-D, 97%) 100 UG/ML IN MTBE			
Product code	: CDLM-9205-MT-S			
	tance or mixture and uses advised against			
1.2.1. Relevant identified uses				
Main use category	: Professional use			
Industrial/Professional use spec	: For professional use only			
1.2.2. Uses advised against				
No additional information available				
1.3. Details of the supplier of the safety	data sheet			
Cambridge Isotope Laboratories, Inc.				
50 Frontage Road				
Andover, MA 01810 USA				
USA: 1-800-322-1174 Int: 1-978-749-8000				
cilsales@isotope.com www.isotope.com				
Emergency telephone number				
Emergency numbers:				
Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)				
SECTION 2: Hazards identification				
2.1. Classification of the substance or m	nixture			
Classification according to Regulation (EC) No. 1272/2008 [CLP]				
Flam. Liq. 2 H225				
Skin Irrit. 2 H315				
Full text of hazard classes and H-statements : se	ee section 16			
Classification according to Directive 67/548/E	EC [DSD] or 1999/45/EC [DPD]			
F; R11				
Xi; R38				
Full text of R-phrases: see section 16				
GHS-US classification				
Flam. Liq. 2 H225 Skin Irrit. 2 H315				
Full text of H statements : see section 16				
Adverse physicochemical, human health and	environmental effects			
central nervous system. kidneys.				
2.2. Label elements				
Labeling according to Regulation (EC) No. 12	72/2008 [CLP]			
Hazard pictograms (CLP)				
	\vee \vee			
	GHS02 GHS07			

: Danger EN (English US)

Safety Data Sheet

Hazard statements (CLP)	: H225 - Highly flammable liquid and vapor H315 - Causes skin irritation
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical equipment P264 - Wash hands thoroughly after handling. P280 - Wear protective clothing, protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of water. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS02 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H225 - Highly flammable liquid and vapor H315 - Causes skin irritation
Precautionary statements (GHS-US)	 P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking. P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical equipment P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P264 - Wash Both hands thoroughly after handling. P280 - Wear protective clothing, protective gloves. P302+P352 - If on skin: Wash with plenty of water P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P321 - Specific treatment (see Hazard pictograms (CLP) on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention. P362 - Take off contaminated clothing and wash before reuse. P370+P378 - In case of fire: Use Hazard pictograms (CLP) to extinguish. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to Comply with applicable regulations

SECTION 3: Composition/Information c	on ingredients		
3.1. Substances			
Not applicable			
3.2. Mixtures			
Name	Product identifier	%	Classification according to Directive 67/548/EEC
METHYL TERT-BUTYL ETHER UNLABELED	(CAS-No.) 1634-04-4 (EC-No.) 216-653-1 (EC Index-No.) 603-181-00-X (REACH-no) 01-2119452786-27	99.987	F; R11 Xi; R38
CIS-DCCA (1,CARBOXYL-13C2,99%;1-D,97%)	(CAS-No.) 59042-49-8 (Unlabeled)	0.013	Xi; R36/37/38
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
METHYL TERT-BUTYL ETHER UNLABELED	(CAS-No.) 1634-04-4 (EC-No.) 216-653-1 (EC Index-No.) 603-181-00-X (REACH-no) 01-2119452786-27	99.987	Flam. Liq. 2, H225 Skin Irrit. 2, H315
CIS-DCCA (1,CARBOXYL-13C2,99%;1-D,97%)	(CAS-No.) 59042-49-8 (Unlabeled)	0.013	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
METHYL TERT-BUTYL ETHER UNLABELED	(CAS-No.) 1634-04-4	99.987	Flam. Liq. 2, H225 Skin Irrit. 2, H315
CIS-DCCA (1,CARBOXYL-13C2,99%;1-D,97%)	(CAS-No.) 59042-49-8 (Unlabeled)	0.013	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible). Evacuate danger area.
First-aid measures after inhalation	: When symptoms occur: go into open air and ventilate suspected area. If not breathing, give artificial respiration. Get medical advice/attention.
First-aid measures after skin contact	: Wash with plenty of soap and water. Get immediate medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes.
First-aid measures after ingestion	 Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.
4.2. Most important symptoms and effe	
Symptoms/effects after inhalation	: May be harmful if inhaled. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: May cause eye irritation.
Symptoms/effects after ingestion	: May be harmful if swallowed.
	cal attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).
5.2. Special hazards arising from the s	
Fire hazard	: Highly flammable liquid and vapor.
Explosion hazard	: May form flammable/explosive vapor-air mixture.
5.3. Advice for firefighters	
Firefighting instructions	: Fight fire with normal precautions from a reasonable distance. Wear a self contained breathing apparatus.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Use water spray to cool exposed surfaces.
SECTION 6: Accidental release me	asures
	equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Use personal protective equipment as required. Avoid breathing vapors, mist, gas. Provide adequate ventilation to minimize dust and/or vapor concentrations. Avoid dust formation. Evacuate area. Remove all sources of ignition. Special attention should be given to low areas/pits where flammable vapors can accumulate.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Avo	bid release to the environment.
6.3. Methods and material for containing	nent and cleaning up
For containment	 Collect spillage. Clean up any spills as soon as possible, using an absorbent material to collect it. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. This material and its container must be disposed of in a safe way, and as per local legislation.
Other information	: Dispose of materials or solid residues at an authorized site.
06/12/2021	EN (English US) 3/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6, 2012 / Rules and Regulations				
6.4. Reference to other s	ections			
For further information refer to section 13.				
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Additional hazards when processed : Handle empty containers with care because residual vapors are flammable.				
Precautions for safe handling	: No open flames. No smoking	·		
lygiene measures		used areas with mild soap and water before eating, drinking or		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	smoking and when leaving w			
7.2. Conditions for safe s	storage, including any incompatibilities			
echnical measures	: Keep container tightly closed	d in a dry and well-ventilated place.		
Storage conditions	: Store at room temperature a	way from light and moisture.		
ncompatible materials	: Heat sources.			
7.3. Specific end use(s)				
lo additional information availal	ble			
SECTION 8: Exposure c	ontrols/personal protection			
8.1. Control parameters				
	3C2, 99%;1-D, 97%) 100 UG/ML IN MTBE			
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	50.00000000 ppm Basis: USA. ACGIH Threshold Limit		
,	55 F 7	Values (TLV) Remarks: Upper Respiratory Tract		
		irritation. Kidney damage. Confirmed animal		
USA OSHA	OSHA PEL (Ceiling) (mg/m ³)	carcinogen with unknown relevance to humans. 144 mg/m ³ Basis: California permissible exposure		
UUA UUNA		limits for chemical contaminants. (Title 8, Article 107).		
USA OSHA	OSHA PEL (Ceiling) (ppm)	40 ppm Basis: California permissible exposure limits		
		for chemical contaminants. (Title 8, Article 107).		
METHYL TERT-BUTYL ETHE	R UNLABELED (1634-04-4)			
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	50.00000000 ppm Basis: USA. ACGIH Threshold Limit		
		Values (TLV) Remarks: Upper Respiratory Tract		
		irritation. Kidney damage. Confirmed animal carcinogen with unknown relevance to humans.		
USA OSHA	OSHA PEL (Ceiling) (mg/m ³)	144 mg/m ³ Basis: California permissible exposure		
		limits for chemical contaminants. (Title 8, Article 107).		
USA OSHA	OSHA PEL (Ceiling) (ppm)	40 ppm Basis: California permissible exposure limits		
		for chemical contaminants. (Title 8, Article 107).		
3.2. Exposure controls				
Appropriate engineering controls		sed areas with mild soap and water before eating, drinking or		
	smoking and when leaving w			
Personal protective equipment	: Gloves. Protective clothing.	Protective goggles. Self-contained breathing apparatus.		
Aaterials for protective clothing	: Wear suitable protective clothing and gloves.			
land protection	: Wear suitable protective clot	cal goggles or face shield with safety glasses.		
Eye protection Skin and body protection		thing, gloves and eye/face protection.		
Respiratory protection		ation wear respiratory protection. Approved supplied air respirator.		
Environmental exposure control				
SECTION 9: Physical an	d chemical properties			
.1. Information on basic	physical and chemical properties			
he properties listed below are for the solv	ent, the main component of this mixture.			

The properties listed below are for the solvent, the main component of this mixture. : Liquid Physical state : Liquid Appearance Molecular mass : 88.15 g/mol (Labeled) Color : Colorless

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: -108.6 °C (-163.5 °F)
Freezing point	: No data available
Boiling point	: 55 - 56 °C (131 - 133 °F) - lit.
Flash point	: -33 °C (- 27.4 °F) - closed cup
Auto-ignition temperature	: 374 °C (705.2 °F)
Decomposition temperature	: No data available
Flammability (solid, gas)	: Highly flammable liquid and vapor
Vapor pressure	: 1018.7 hPa (764.1 mmHg) at 55°C (131°F), 279.2 hPa (209.4 mmHg) at 20 °C (68°F)
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 0.74 g/ml at 25 °C (77 °F)
Solubility	: Water: 42 g/l at 20 °C (68 °F) - OECD Test Guideline 105
Log Pow	: 1.06
Log Kow	: No data available
Viscosity, kinematic	: 0.464 mm²/s at 20 °C (68 °F) - 0.409 mm2/s at 40 °C (104 °F)
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: 1.6 - 15.1 % (V)
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivi	ty
10.1. Reactivity	

10.1.	Reactivity			
No addi	tional information available			
10.2.	Chemical stability			
See sto	rage and expiration date on CoA.			
10.3.	Possibility of hazardous reactions			
No addi	No additional information available			
10.4.	Conditions to avoid			
Open fla	ame. Direct sunlight.			
10.5.	Incompatible materials			
Oxidizing agent. Strong acids.				
10.6.	Hazardous decomposition products			
May release flammable gases.				
SECT	ION 11: Toxicological information			
11.1.	Information on toxicological effects			

11.1.	Information on toxicological effects	5	
Acute to	xicity	:	Not classified

CIS-DCCA (1, CARBOXYL-13C2, 99%;1-D, 97%) 100 UG/ML IN MTBE		
LD50 oral rat	4000 mg/kg	
LC50 inhalation rat (ppm)	23576 ppm/4h	
METHYL TERT-BUTYL ETHER UNLAB	ELED (1634-04-4)	
LD50 oral rat	4000 mg/kg	
LC50 inhalation rat (ppm)	23576 ppm/4h	
Skin corrosion/irritation	: Causes skin irritation.	
	Skin – Rabbit - Causes skin irritation	
Serious eye damage/irritation	: Eyes – Rabbit - No eye irritation	
Respiratory or skin sensitization	: Will not occur	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity Specific target organ toxicity – single exposure	-	Not classified Not classified
Specific target organ toxicity – repeated exposure	:	Not classified
Aspiration hazard	:	Not classified
Potential Adverse human health effects and symptoms		This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. central nervous system. Dizziness. Nausea. Vomiting. IF INHALED: Risk of pneumonia.
IARC group	:	2B
Symptoms/effects after inhalation	:	May be harmful if inhaled. May cause respiratory irritation.
Symptoms/effects after skin contact	:	Causes skin irritation.
Symptoms/effects after eye contact	:	May cause eye irritation.
Symptoms/effects after ingestion	:	May be harmful if swallowed.

SECTION 12: Ecological information		
12.1. Toxicity		
CIS-DCCA (1, CARBOXYL-13C2, 99%;1-D, 97%) 100 UG/ML IN MTBE		
LC50 fish 1	672 mg/l Pimephales promelas (fathead minnow) - 96 h	
EC50 Daphnia 1	472 mg/l Daphnia magna (Water flea) - 48 h	
EC50 other aquatic organisms 1	491 mg/l Pseudokirchneriella subcapitata (green algae) - 96 h	
LC50 fish 2	> 1000 mg/l other fish - 96 h	
METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)		
LC50 fish 1	672 mg/l Pimephales promelas (fathead minnow) - 96 h	
EC50 Daphnia 1	472 mg/l Daphnia magna (Water flea) - 48 h	
EC50 other aquatic organisms 1	491 mg/l Pseudokirchneriella subcapitata (green algae) - 96 h	
LC50 fish 2	> 1000 mg/l other fish - 96 h	

Persistence and degradability 12.2.

CIS-DCCA (1, CARBOXYL-13C2, 99%;1-D, 97%) 100 UG/ML IN MTBE		
Persistence and degradability	Not readily biodegradable. (OECD 301D method).	
Biodegradation	0 %	
METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)		
Persistence and degradability	Not readily biodegradable. (OECD 301D method).	
Biodegradation	0 %	
12.3. Bioaccumulative potential		
CIS-DCCA (1, CARBOXYL-13C2, 99%;1-D, 97%) 100 UG/ML IN MTBE		
Log Pow	1.06	
METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)		
Log Pow	1.06	
12.4. Mobility in soil		

No additional information available

12.5. **Results of PBT and vPvB assessment**

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.
Product/Packaging disposal recommendations	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
Additional information	: Handle empty containers with care because residual vapors are flammable.
Ecology - waste materials	: Dispose of as unused product.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information	
n accordance with ADR / RID / IMDG / IATA / A	DN
I4.1. UN number	
JN-No.(DOT)	: 2398
DOT NA no.	UN2398
4.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Methyl tert-butyl ether
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
lazard labels (DOT)	: 3 - Flammable liquid
	FLAMMABLE LIQUD
Packing group (DOT)	: II - Medium Danger
DOT Special Provisions (49 CFR 172.102)	 IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
OOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
OOT Packaging Bulk (49 CFR 173.xxx)	: 242
Aarine pollutant	: No
4.3. Additional information	
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.
Special transport precautions	: Not classified as dangerous in the meaning of transport regulations.
Overland transport	
Packing group (ADR)	: 11
Class (ADR)	: 3 - Flammable liquid
lazard identification number (Kemler No.)	: 33
Classification code (ADR)	: F1
lazard labels (ADR)	: 3 - Flammable liquids
Drange plates	33 2398
unnel restriction code (ADR)	: D/E
imited quantities (ADR)	11
AC	: •3YE
Excepted quantities (ADR)	: E2
ransport by sea	
ransport by sea	: E - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a
201 VESSEI SIUWAYE LUCALIUIT	2 E - The material may be slowed on deck of under deck on a cargo vesser and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length, but is prohibited from carriage on passenger vessels in which the limiting number of passengers is exceeded.

carriage on passenger vessels in which the limiting number of passengers is exceeded.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

MFAG-No	: 127
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
Civil Aeronautics Law	: Flammable liquids
14.4. Environmental hazards	
Other information	: No supplementary information available.
14.5. Special precautions for user	

Special transport precautions

: Not classified as dangerous in the meaning of transport regulations.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.6.

Not applicable

SECTION 15: Regulatory information		
15.1. US Federal regulations		
CIS-DCCA (1, CARBOXYL-13C2, 99%;1-D, 97%	5) 100 UG/ML IN MTBE	
Subject to reporting requirements of United States SARA Section 313		
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporing requirements of the United States SARA Section 302.	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	
METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)		
Subject to reporting requirements of United States SARA Section 313		
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporing requirements of the United States SARA Section 302.	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	
CIS-DCCA (1,CARBOXYL-13C2,99%;1-D,97%) (59042-49-8 (Unlabeled))		
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.	
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.	
15.2. International regulations		

CANADA

CIS-DCCA (1, CARBOXYL-13C2, 99%;1-D, 97%) 100 UG/ML IN MTBE	
Listed on the Canadian DSL (Domestic Substances List)	
METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)	

15.2.1. National regulations

No additional information available

15.3. US State regulations

CIS-DCCA (1, CARBOXYL-13C2, 99%;1-D, 97%) 100 UG/ML IN MTBE()			
U.S California - Proposition 65 - Carcinogens List	No		
U.S California - Proposition 65 - Developmental Toxicity	No		
U.S California - Proposition 65 - Reproductive Toxicity - Female	No		
U.S California - Proposition 65 - Reproductive Toxicity - Male	No		
State or local regulations	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List		

CIS-DCCA (1, CARBOXYL-13C2, 99%;1-D, 97%) 100 UG/ML IN MTBE CDLM-9205-MT-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
CIS-DCCA (1,CARBOXYL-	13C2,99%;1-D,97%) (59042-4	9-8 (Unlabeled))		
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)				
State or local regulations				
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List				
CIS-DCCA (1,CARBOXYL-13C2,99%;1-D,97%) (59042-49-8 (Unlabeled))				
State or local regulations				
U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List				

SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 2	Flammable liquids Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
R11	Highly flammable
R36/37/38	Irritating to eyes, respiratory system and skin
R38	Irritating to skin
F	Highly flammable
Xi	Irritant

NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard
Physical	: 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product