

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 26/07/2022 Supersedes: 02/11/2016 Date of issue: 27/01/2011 Version: 5.0 CLM-1813

	eter columnities and of the common deviations	
	stance/mixture and of the company/undertaking	
1.1. Product identifier	· Cubatanaa	
Product form		
Substance name	: BENZOIC ACID (RING-13C6, 99%)	
EC-No.	: 200-618-2 (Unlabeled)	
CAS-No.	: 125945-98-4	
Product code	: CLM-1813	
Formula	: *C6H5COOH	
1.2. Relevant identified uses of the subs	tance or mixture and uses advised against	
1.2.1. Relevant identified uses		
Main use category	: Professional use	
Industrial/Professional use spec	: For professional use only	
1.2.2. Uses advised against		
No additional information available		
1.3. Details of the supplier of the safety of	data sheet	
Cambridge Isotope Laboratories, Inc. 50 Frontage Road		
Andover, MA 01810		
USA		
USA: 1-800-322-1174 Int: 1-978-749-8000		
cilsales@isotope.com www.isotope.com		
Emergency telephone number		
Emergency numbers:		
Chemtrec: 1-800-424-9300 (24 hours)		
International: 1-703-741-5970 (24 hours)		
SECTION 2: Hazards identification		
2.1. Classification of the substance or m	lixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP]		
Acute Tox. 4 (Oral) H302		
Eye Dam. 1 H318		
STOT SE 3 H335		
Full text of hazard classes and H-statements : see section 16		
Classification according to Directive 67/549/550 (DSD) or 4000/45/50 (DDD)		
Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] Xn; R22		
Xi, K22 Xi; R41		
Xi; R37		

Full text of R-phrases: see section 16

GHS-US classification

Acute Tox. 4 (Oral) H302 Eye Dam. 1 STOT SE 3 H318 H335 Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) I I I I I I I I I I I I I I I I I I I	2.2. Label elements	
CHAPT CHAPT Signal word (CLP) ::::::::::::::::::::::::::::::::::::	Labeling according to Regulation (EC) No	o. 1272/2008 [CLP]
Signal word (CLP) : Danger Hazard statements (CLP) : H302 - Harmful if swallowed H318 - Causes serious eye damage H335 - May cause respiratory irritation Precautionary statements (CLP) : P261 - Avoid breating dust, mist. P260 - Novel breating dust, mist. P270 - Do not eat, drink to smoke when using this product. P270 - Do not eat, drink to smoke when using this product. P270 - Do not eat, drink to smoke when using this product. P270 - Do not eat, drink to smoke when using this product. P270 - Do not eat, drink to smoke when using this product. P270 - Do not eat, drink to smoke when using this product. P270 - Do not eat, drink to smoke when using this product. P270 - Do not eat, drink to see portformore and the set portformore and the see po	Hazard pictograms (CLP)	
Hazard statements (CLP) : H302 - Harmful if swallowed H318 - Causes serious eye damage H335 - May cause respiratory imitation Precautionary statements (CLP) : P261 - Avoid breathing dust, mist. P264 - Wash Both hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear eye protection, face protective clothing, protective gloves. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340 - IF INHALED Remove person to fresh air and keep comfortable for breathing. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304-P340 - If in keeps seriotary initiation Hazard pictograms (GHS-US) : Danger Hazard statements (GHS-US) : Danger Hazard statements (GHS-US) : P261 - Avoid breathing dust, mist. P264 - Avaid breath ands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P270 - Do not eat, drink or smoke when using this product. P270 - Do not eat, drink or smoke when using this product. P270 - Do not eat, drink or smoke when using this product. P270 - Do not eat, drink or smoke when using this product. P270 - Do not eat, drink or smoke when using this product. <td></td> <td>GHS05 GHS07</td>		GHS05 GHS07
H318 - Causes serious eye damage H335 - May cause respiratory initiation Precautionary statements (CLP) P 261 - Avoid breathing dust, mist. P244 - Wash Both hands thoroughly after handling. P277 - Use only outdoors or in a well-ventilated area. P308 - Wear eye protection, face protection, protective clothing, protective gloves. P301+P312 - IF SWALLOWED: Call a doctor if you feel unwell. P304+P312 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P333 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. GHS-US labeling Hazard pictograms (GHS-US) : Danger Hazard statements (GHS-US) : Danger Hazard statements (GHS-US) : Danger Hazard statements (GHS-US) : P261 - Avoid breathing dust, mist. P264 - Wash Both hands thoroughly after handling. P270 - Do not est, drink or smoke when using this product. P271 - Loo do treating dust, mist. P280 - Wash Both hands thoroughly after handling. P304 - P310 - IF INHAEWED Hazard statements (GHS-US) : P261 - Avoid breathing dust, mist. P280 - Wear eye protection, nece protective clothing. P270 - Do not est, drink or smoke when using this product. <td>Signal word (CLP)</td> <td>: Danger</td>	Signal word (CLP)	: Danger
P264 - Wash Both hands thoroughly after handling. P270 - Do not eat. (Trink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear eye protection, face protection, protective dothing, protective gloves. P301+P312 - IF SWALLOWED. Call a doctor if you teel unwell. P304+P340 - IF INHALED. Remove person to tresh air and keep comfortable for breathing. P305+P312 - IF SWALLOWED. Call a doctor if you teel unwell. P304+P340 - IF INHALED. Remove person to tresh air and keep comfortable for breathing. P305+P312 - IF SWALLOWED. Call a doctor if you teel unwell. P304+P340 - IF INHALED. Remove person to tresh air and keep comfortable for breathing. P305-P351+P335 with addition to tresh air and keep comfortable for breathing. P304+P340 - IF INHALED. Stress cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. GHS-US labeling It is used to the set of the set	Hazard statements (CLP)	H318 - Causes serious eye damage
 Hazard pictograms (GHS-US) : i i i i i i i i i i i i i i i i i i	Precautionary statements (CLP)	 P264 - Wash Both hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear eye protection, face protection, protective clothing, protective gloves. P301+P312 - IF SWALLOWED: Call a doctor if you feel unwell. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
Signal word (GHS-US) : Danger Hazard statements (GHS-US) : H302 - Harmful if swallowed H318 - Causes serious eye damage H335 - May cause respiratory irritation Precautionary statements (GHS-US) : P261 - Avoid breathing dust, mist. P264 - Wash Both hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear eye protection, face protection, protective gloves, protective clothing. P301+P312 - If swallowed Call a poison center or doctor if you feel unwell P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove con lenses, if present and easy to do. Continue rinsing P310 - Immediately call a poison center or doctor P312 - Call a poison center or doctor P312 - Call a poison center or doctor P303 - Rinse mouth. P403 - Rinse mouth. P403 - Rinse mouth. P405 - Store locked up. P501 - Dispose of contents/container to Comply with applicable regulations	GHS-US labeling	
Signal word (GHS-US) : Danger Hazard statements (GHS-US) : H302 - Harmful if swallowed H318 - Causes serious eye damage H335 - May cause respiratory irritation Precautionary statements (GHS-US) : P261 - Avoid breathing dust, mist. P264 - Wash Both hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear eye protection, face protection, protective gloves, protective clothing. P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P310 - Immediately call a poison center or doctor P312 - Call a poison center or doctor P312 - Call a poison center or doctor P312 - Call a poison center or doctor P312 - Call a poison center or doctor P312 - Call a poison center or doctor P312 - Call a poison center or doctor P312 - Call a poison center or doctor P310 - Immediately call a poison center or doctor P312 - Call a poison center or doctor P310 - Bayes e mouth. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. P501 - Dispose of contents/container to Comply with applicable regulations	Hazard pictograms (GHS-US)	CHS05 CHS07
Hazard statements (GHS-US) : H302 - Harmful if swallowed H318 - Causes serious eye damage H335 - May cause respiratory irritation Precautionary statements (GHS-US) : P261 - Avoid breathing dust, mist. P264 - Wash Both hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear eye protection, face protection, protective gloves, protective clothing. P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove con lenses, if present and easy to do. Continue rinsing P310 - Immediately call a poison center or doctor P312 - Call a poison center or doctor if you feel unwell P303 - Rinse mouth. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. P501 - Dispose of contents/container to Comply with applicable regulations	Signal word (GHS-US)	
 P264 - Wash Both hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear eye protection, face protection, protective gloves, protective clothing. P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove con lenses, if present and easy to do. Continue rinsing P310 - Immediately call a poison center or doctor P312 - Call a poison center or doctor if you feel unwell P330 - Rinse mouth. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. P501 - Dispose of contents/container to Comply with applicable regulations 	•	: H302 - Harmful if swallowed H318 - Causes serious eye damage
2.3. Other hazards	Precautionary statements (GHS-US)	 P261 - Avoid breathing dust, mist. P264 - Wash Both hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear eye protection, face protection, protective gloves, protective clothing. P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a poison center or doctor P312 - Call a poison center or doctor P330 - Rinse mouth. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up.
2.3. Other hazards		
	2.3. Other hazards	

No additional information available

SEC	FION 3: Composition/Information on ingredients	
3.1	Substances	

3.1. Substances			
Name	Product identifier	%	Classification according to Directive 67/548/EEC
BENZOIC ACID (RING-13C6, 99%)	(CAS-No.) 125945-98-4 (EC-No.) 200-618-2 (Unlabeled)	100	Xn; R22 Xi; R41 Xi; R37
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
BENZOIC ACID (RING-13C6, 99%)	(CAS-No.) 125945-98-4 (EC-No.) 200-618-2 (Unlabeled)	100	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 STOT SE 3, H335

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of R- and H- phrases: see section 16

Name	Product identifier	%	GHS-US classification
BENZOIC ACID (RING-13C6, 99%) (Main constituent)	(CAS-No.) 125945-98-4	100	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 STOT SE 3, H335

Full text of H-phrases: see section 16

3.2.	Mixtures

Not	applicable	
-----	------------	--

Not applicable	
SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Move out of dangerous area. Consult a physician and show this safety data sheet.
First-aid measures after inhalation	: If breathed in, move person to fresh air. If not breathing, give artificial respiration. Consult a physician.
First-aid measures after skin contact	: Wash with soap and plenty of water. Consult a physician.
First-aid measures after eye contact	: Flush eye with water for 15 minutes. Get medical attention.
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
4.2. Most important symptoms and ef	fects, both acute and delayed
Symptoms/effects after inhalation	: May be harmful if inhaled. May cause respiratory tract irritation.
Symptoms/effects after skin contact	: May be harmful if absorbed through skin. May cause skin irritation.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Harmful if swallowed.
4.3. Indication of any immediate medi	ical attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.
5.2. Special hazards arising from the	substance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Wear self contained breathing apparatus for fire fighting if necessary.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release me	easures
6.1. Personal precautions, protective	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Avoid breathing dust.
6.1.2. For emergency responders	
No additional information available	
6.2. Environmental precautions	
	lo so. Do not let product enter drains. Discharge into the environment must be avoided.
6.3. Methods and material for contain	•
For containment	: Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	 Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2.	Conditions for safe storage, including any incompatibilities		
Techn	ical measures	: Keep container tightly closed in a cool, dry and well-ventilated place.	
Storag	e conditions	: Store at room temperature away from light and moisture.	
7.3.	Specific end use(s)		
No ad	No additional information available		
SECTION 8: Exposure controls/personal protection			
8.1.	8.1. Control parameters		
BEN	ZOIC ACID (RING-13C6, 99%) (1	25945-98-4)	

DENZOIC ACID (KING-13C0, 33%) (123343-30-4)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	62.5 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	3 mg/m ³	
Long-term - local effects, inhalation	0.1 mg/m ³	
PNEC (Water)		
PNEC aqua (marine water)	0.034 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	1.75 mg/kg dwt	
PNEC sediment (marine water)	0.175 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.151 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	100 mg/l	
Additional information	: Aquatic intermittent release- 0.331 mg/l	
8.2. Exposure controls		
Personal protective equipment	: Safety glasses. Gloves. Protective clothing. Self-contained breathing apparatus.	

Hand protection	: Wear suitable protective clothing and gloves.
Eye protection	: Wear safety glasses with side shields (or goggles) and a face shield.
Skin and body protection	: Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory	protection
-------------	------------

: When appropriate, use NIOSH/CEN approved respirator.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and	chemical properties	
Physical state	: Solid	
Appearance	: Crystalline	
Molecular mass	: 128.08 g/mol (Labeled)	
Color	: White	
Odor	: No data available	
Odor threshold	: No data available	
рН	: 2.5 - 3.5 at 20 °C (68 °F)	
Relative evaporation rate (butyl acetate=1)	: No data available	
Melting point	: 121 - 125 °C (250 - 257 °F) - lit.	
Freezing point	: No data available	
Boiling point	: 249 °C (480 °F) - lit.	
Flash point	: 121 °C (250 °F) - closed cup	
Auto-ignition temperature	: 572 °C (1,062 °F)	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapor pressure	: 13 hPa (10 mmHg) at 132 °C (270 °F).	
Relative vapor density at 20 °C	: 4.22 - (Air = 1.0)	
Relative density	: 1.32 g/cm3 at 20 °C (68 °F)	
Solubility	: Water: 2.9 g/l at 25 °C (77 °F)	
Log Pow	: 1.88	
26/09/2022	EN (English US)	4/9

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable if stored under recommended conditions.	
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
Not available.	
10.5. Incompatible materials Strong oxidizing agents, Strong bases, Strong re	ducing agents
10.6. Hazardous decomposition products	
Formed under fire conditions: Carbon oxides.	
SECTION 11: Toxicological informat	on
11.1. Information on toxicological effects	
Acute toxicity	: Oral: Harmful if swallowed.
BENZOIC ACID (RING-13C6, 99%) (125945-9	8-4)
LD50 oral rat	2360 mg/kg - female. (OECD Test Guideline 401); Remarks: Behavioral:Somnolence (general depressed activity). Cyanosis
LD50 dermal rabbit	depressed activity). Cyanosis > 2000 mg/kg
LD50 dermal rabbit LC50 inhalation rat (mg/l)	depressed activity). Cyanosis > 2000 mg/kg > 12.2 mg/l - 4 h
LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE CLP (oral)	depressed activity). Cyanosis > 2000 mg/kg > 12.2 mg/l - 4 h 1700.000 mg/kg body weight
LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal)	depressed activity). Cyanosis > 2000 mg/kg > 12.2 mg/l - 4 h 1700.000 mg/kg body weight 10000.000 mg/kg body weight
LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE CLP (oral)	depressed activity). Cyanosis > 2000 mg/kg > 12.2 mg/l - 4 h 1700.000 mg/kg body weight 10000.000 mg/kg body weight : Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)
LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) Skin corrosion/irritation	depressed activity). Cyanosis > 2000 mg/kg > 12.2 mg/l - 4 h 1700.000 mg/kg body weight 10000.000 mg/kg body weight : Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) pH: 2.5 - 3.5 at 20 °C (68 °F)
LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal)	depressed activity). Cyanosis > 2000 mg/kg > 12.2 mg/l - 4 h 1700.000 mg/kg body weight 10000.000 mg/kg body weight : Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) pH: 2.5 - 3.5 at 20 °C (68 °F) : Eyes - Rabbit - Result: Corrosive. (Directive 67/548/EEC, Annex V, B.5.)
LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) Skin corrosion/irritation	depressed activity). Cyanosis > 2000 mg/kg > 12.2 mg/l - 4 h 1700.000 mg/kg body weight 10000.000 mg/kg body weight : Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) pH: 2.5 - 3.5 at 20 °C (68 °F) : Eyes - Rabbit - Result: Corrosive. (Directive 67/548/EEC, Annex V, B.5.) Eyes - Rabbit - Severe eye irritation
LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) Skin corrosion/irritation	depressed activity). Cyanosis > 2000 mg/kg > 12.2 mg/l - 4 h 1700.000 mg/kg body weight 10000.000 mg/kg body weight : Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) pH: 2.5 - 3.5 at 20 °C (68 °F) : Eyes - Rabbit - Result: Corrosive. (Directive 67/548/EEC, Annex V, B.5.) Eyes - Rabbit - Severe eye irritation pH: 2.5 - 3.5 at 20 °C (68 °F) : Maximisation Test - Guinea pig. Result: Does not cause skin sensitisation. (OECD Test
LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) Skin corrosion/irritation Serious eye damage/irritation	depressed activity). Cyanosis > 2000 mg/kg > 12.2 mg/l - 4 h 1700.000 mg/kg body weight 10000.000 mg/kg body weight : Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) pH: 2.5 - 3.5 at 20 °C (68 °F) : Eyes - Rabbit - Result: Corrosive. (Directive 67/548/EEC, Annex V, B.5.) Eyes - Rabbit - Severe eye irritation pH: 2.5 - 3.5 at 20 °C (68 °F)
LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization	depressed activity). Cyanosis > 2000 mg/kg > 12.2 mg/l - 4 h 1700.000 mg/kg body weight 10000.000 mg/kg body weight : Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) pH: 2.5 - 3.5 at 20 °C (68 °F) : Eyes - Rabbit - Result: Corrosive. (Directive 67/548/EEC, Annex V, B.5.) Eyes - Rabbit - Severe eye irritation pH: 2.5 - 3.5 at 20 °C (68 °F) : Maximisation Test - Guinea pig. Result: Does not cause skin sensitisation. (OECD Test Guideline 406)
LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	depressed activity). Cyanosis > 2000 mg/kg > 12.2 mg/l - 4 h 1700.000 mg/kg body weight 10000.000 mg/kg body weight 2000 classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) pH: 2.5 - 3.5 at 20 °C (68 °F) 2000 classified - Result: Corrosive. (Directive 67/548/EEC, Annex V, B.5.) Eyes - Rabbit - Result: Corrosive. (Directive 67/548/EEC, Annex V, B.5.) Eyes - Rabbit - Severe eye irritation pH: 2.5 - 3.5 at 20 °C (68 °F) 2000 mg/kg body weight 200 °C (68 °F) 200 °C
LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity	depressed activity). Cyanosis > 2000 mg/kg > 12.2 mg/l - 4 h 1700.000 mg/kg body weight 10000.000 mg/kg body weight 10000.000 mg/kg body weight : Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) pH: 2.5 - 3.5 at 20 °C (68 °F) : Eyes - Rabbit - Result: Corrosive. (Directive 67/548/EEC, Annex V, B.5.) Eyes - Rabbit - Severe eye irritation pH: 2.5 - 3.5 at 20 °C (68 °F) : Maximisation Test - Guinea pig. Result: Does not cause skin sensitisation. (OECD Test Guideline 406) : Ames test. S. typhimurium result: negative : Not classified
LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure	depressed activity). Cyanosis > 2000 mg/kg > 12.2 mg/l - 4 h 1700.000 mg/kg body weight 10000.000 mg/kg body weight : Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) pH: 2.5 - 3.5 at 20 °C (68 °F) : Eyes - Rabbit - Result: Corrosive. (Directive 67/548/EEC, Annex V, B.5.) Eyes - Rabbit - Severe eye irritation pH: 2.5 - 3.5 at 20 °C (68 °F) : Maximisation Test - Guinea pig. Result: Does not cause skin sensitisation. (OECD Test Guideline 406) : Arnes test. S. typhimurium result: negative : Not classified : Not classified : May cause respiratory irritation.
LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity	depressed activity). Cyanosis > 2000 mg/kg > 12.2 mg/l - 4 h 1700.000 mg/kg body weight 10000.000 mg/kg body weight : Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) pH: 2.5 - 3.5 at 20 °C (68 °F) : Eyes - Rabbit - Result: Corrosive. (Directive 67/548/EEC, Annex V, B.5.) Eyes - Rabbit - Severe eye irritation pH: 2.5 - 3.5 at 20 °C (68 °F) : Maximisation Test - Guinea pig. Result: Does not cause skin sensitisation. (OECD Test Guideline 406) : Ames test. S. typhimurium result: negative : Not classified : Not classified
LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated	depressed activity). Cyanosis > 2000 mg/kg > 12.2 mg/l - 4 h 1700.000 mg/kg body weight 10000.000 mg/kg body weight : Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) pH: 2.5 - 3.5 at 20 °C (68 °F) : Eyes - Rabbit - Result: Corrosive. (Directive 67/548/EEC, Annex V, B.5.) Eyes - Rabbit - Severe eye irritation pH: 2.5 - 3.5 at 20 °C (68 °F) : Maximisation Test - Guinea pig. Result: Does not cause skin sensitisation. (OECD Test Guideline 406) : Arnes test. S. typhimurium result: negative : Not classified : Not classified : May cause respiratory irritation.
LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) Skin corrosion/irritation Serious eye damage/irritation Serious eye damage/irritation Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated exposure	depressed activity). Cyanosis > 2000 mg/kg > 12.2 mg/l - 4 h 1700.000 mg/kg body weight 10000.000 mg/kg body weight 2000 rg/kg 2000 rg/kg 10000.000 mg/kg body weight 10000.000 mg/kg body weight 2000 rg/kg 2000 rg/kg body weight 200 rg/kg body weight 20
LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) Skin corrosion/irritation Serious eye damage/irritation Serious eye damage/irritation Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated exposure Aspiration hazard Potential Adverse human health effects and	depressed activity). Cyanosis > 2000 mg/kg > 12.2 mg/l - 4 h 1700.000 mg/kg body weight 10000.000 mg/kg body weight 110000.000 mg/kg body weight 10000.000 mg/kg body weight 10000.000 mg/kg body weight 112.12 mg/l - 4 h 12.2 mg/l - 4 h <
LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated exposure Aspiration hazard Potential Adverse human health effects and symptoms	depressed activity). Cyanosis > 2000 mg/kg > 12.2 mg/l - 4 h 1700.000 mg/kg body weight 10000.000 mg/kg body weight 2000 mg/kg body weight 10000.000 mg/kg body weight 2000 mg/kg body weight 10000.000 mg/kg body weight 2000 mg/kg body meight 2000 mg/kg body meight 200 mg/kg
LD50 dermal rabbitLC50 inhalation rat (mg/l)ATE CLP (oral)ATE CLP (dermal)Skin corrosion/irritationSerious eye damage/irritationSerious eye damage/irritationGerm cell mutagenicityCarcinogenicityReproductive toxicitySpecific target organ toxicity – single exposureSpecific target organ toxicity – repeatedAspiration hazardPotential Adverse human health effects andSymptoms/effects after inhalation	depressed activity). Cyanosis > 2000 mg/kg > 12.2 mg/l - 4 h 1700.000 mg/kg body weight 10000.000 mg/kg body weight 1010 mg/kg body weight <
LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) Skin corrosion/irritation Serious eye damage/irritation Serious eye damage/irritation Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated exposure Aspiration hazard Potential Adverse human health effects and symptoms Symptoms/effects after inhalation Symptoms/effects after skin contact	depressed activity). Cyanosis > 2000 mg/kg > 12.2 mg/l - 4 h 1700.000 mg/kg body weight 10000.000 mg/kg body weight 2 Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) pH: 2.5 - 3.5 at 20 °C (68 °F) Eyes - Rabbit - Result: Corrosive. (Directive 67/548/EEC, Annex V, B.5.) Eyes - Rabbit - Severe eye irritation pH: 2.5 - 3.5 at 20 °C (68 °F) Maximisation Test - Guinea pig. Result: Does not cause skin sensitisation. (OECD Test Guideline 406) Ames test. S. typhimurium result: negative Not classified Not classified May cause respiratory irritation. Inhalation - Causes damage to organs through prolonged or repeated exposure Lungs Not classified This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. May be harmful if inhaled. May cause respiratory tract irritation. May be harmful if absorbed through skin. May cause skin irritation.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.1. Toxicity	
BENZOIC ACID (RING-13C6, 99	%) (125945-98-4)
LC50 fish 1	44.6 mg/l - Lepomis macrochirus - 96 h
EC50 Daphnia 1	860 mg/l Immobilization EC50 - Daphnia magna (Water flea) - 48 h
ErC50 (algae)	> 33.1 mg/l static test EC50 - Pseudokirchneriella subcapitata -72 h. (OECD Test Guideline 201)

Persistence and degradability 12.2.

BENZOIC ACID (RING-13C6, 99%) (125945-98-4)	
Persistence and degradability	Expected to be biodegradable.

12.3. **Bioaccumulative potential**

BENZOIC ACID (RING-13C6, 99%) (125945-98-4)	
.3	
.88	
lioaccumulation: Leuciscus idus (Golden orfe) - 3 d 50 μg/l.	

Mobility in soil 12.4.

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects

: An environmental hazard cannot be excluded in the event of an unprofessional handling or disposal. Harmful to aquatic life.

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.
Product/Packaging disposal recommendations	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
Ecology - waste materials	: Dispose of as unused product.
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / A	DN
14.1. UN number	
UN-No.(DOT)	: 3077
DOT NA no.	UN3077
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Environmentally hazardous substances, solid, n.o.s.
Class (DOT)	: 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140
Hazard labels (DOT)	: 9 - Class 9 (Miscellaneous dangerous materials)
DOT Symbols	: G - Identifies PSN requiring a technical name
Packing group (DOT)	: III - Minor Danger

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	: 8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping
	description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies.
	146 - This description may be used for a material that poses a hazard to the environment but
	does not meet the definition for a hazardous waste or a hazardous substance, as defined in
	171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is
	designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination.
	335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous
	liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each
	transport unit must be leak-proof when used as bulk packaging.
	A112 - Notwithstanding the quantity limits shown in Column (9A) and (9B) for this entry, the
	following IBCs are authorized for transportation aboard passenger and cargo-only aircraft. Each IBC may not exceed a maximum net quantity of 1,000 kg:
	a. Metal: 11A, 11B, 11N, 21A, 21B and 21N
	 b. Rigid plastics: 11H1, 11H2, 21H1 and 21H2 c. Composite with plastic inner receptacle: 11HZ1, 11HZ2, 21HZ1 and 21HZ2
	d. Fiberboard: 11G
	e. Wooden: 11C, 11D and 11F (with inner liners)
	f. Flexible: 13H2, 13H3, 13H4, 13H5, 13L2, 13L3, 13L4, 13M1 and 13M2 (flexible IBCs must be sift-proof and water resistant or must be fitted with a sift-proof and water resistant liner).
	B54 - Open-top, sift-proof rail cars are also authorized. IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid
	plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1,
	21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1,
	13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).
	IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and
	water-resistant liner. N20 - A 5M1 multi-wall paper bag is authorized if transported in a closed transport vehicle. T1 - 1.5 178.274(d)(2) Normal
	TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their
	melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of
	packing group III or T7 for solid substances of packing group II, unless a tank with more
	stringent requirements for minimum shell thickness, maximum allowable working pressure,
	pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable
	tank special provision TP3. Solids meeting the definition of an elevated temperature material
	must be transported in accordance with the applicable requirements of this subchapter.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 155
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 213
DOT Packaging Bulk (49 CFR 173.xxx)	: 240
DOT RQ	: 5000 lbs
Marine pollutant	: No
-	
14.3. Additional information	
Other information	: No supplementary information available.
Special transport precautions	: IMDG/IATA - Not dangerous goods.
Overland transport	

Packing group (ADR)	: 111
Class (ADR)	: 9 - Miscellaneous dangerous substances and articles
Hazard identification number (Kemler No.)	: 90
Classification code (ADR)	: M7
Hazard labels (ADR)	: 9 - Miscellaneous dangerous substances and articles
	A.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Orange plates	90 3077
Tunnel restriction code (ADR)	: E
Limited quantities (ADR)	5kg
EAC	: 2Z
Excepted quantities (ADR)	: E1
Transport by sea	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
MFAG-No	: 171
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: No limit
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: No limit
Civil Aeronautics Law	: Miscellaneous dangerous substances & articles
14.4. Environmental hazards	
Other information	: No supplementary information available.
14.5. Special precautions for user	
Special transport precautions	: IMDG/IATA - Not dangerous goods.

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information		
15.1. US Federal regulations		
BENZOIC ACID (RING-13C6, 99%) (125945-98-4)		
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313	

15.2. International regulations

CANADA

BENZOIC ACID (RING-13C6, 99	6) (125945-98-4)
Listed on the Canadian DSL (Dor	estic Substances List)

15.2.1. National regulations

No additional information available

15.3. US State regulations	
BENZOIC ACID (RING-13C6, 99%)(125945-98-4)	
U.S California - Proposition 65 - Carcinogens List	No
U.S California - Proposition 65 - Developmental Toxicity	No
U.S California - Proposition 65 - Reproductive Toxicity - Female	No
U.S California - Proposition 65 - Reproductive Toxicity - Male	No
State or local regulations	RTK - U.S Massachusetts - Right To Know List RTK - U.S Pennsylvania - RTK (Right to Know) List RTK - U.S New Jersey - Right to Know Hazardous Substance List

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

Acute toxicity (oral) Category 4
Serious eye damage/eye irritation Category 1
Specific target organ toxicity (single exposure) Category 3
Harmful if swallowed
Causes serious eye damage
May cause respiratory irritation
Harmful if swallowed
Irritating to respiratory system
Risk of serious damage to eyes
Irritant
Harmful


NFPA health hazard

NFPA fire hazard

NFPA reactivity

: 3 - Materials that, under emergency conditions, can cause serious or permanent injury.

- : 1 Materials that must be preheated before ignition can occur.
- : 0 Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

Flammability

Health

Physical

: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given

- : 1 Slight Hazard
 - : 0 Minimal Hazard

CIL Substance SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product