

DIBENZO[A,L]PYRENE (13C6, 99%) 100 UG/ML IN NONANE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 06/08/2014 Revision date: 03/04/2019 Supersedes: 06/08/2014

Version: 2.0

CLM-9499-S

SECTION 1: Identification of the	e substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixtures
Product name	: DIBENZO[A,L]PYRENE (13C6, 99%) 100 UG/ML IN NONANE
Product code	: CLM-9499-S
1.2. Relevant identified uses of the	e substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Industrial/Professional use spec	: For professional use only
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the s	afety data sheet
Cambridge Isotope Laboratories, Inc.	
50 Frontage Road Andover, MA 01810	
USA	
USA: 1-800-322-1174 Int: 1-978-749-80 cilsales@isotope.com www.isotope.com	
Emergency telephone number	•
Emergency numbers:	
Chemtrec: 1-800-424-9300 (24 hours)	
International: 1-703-741-5970 (24 hours)	
SECTION 2: Hazards identificati	on
2.1. Classification of the substanc	e or mixture
Classification according to Regulation	(EC) No. 1272/2008 [CLP]
Flam. Liq. 3 H226	
Acute Tox. 4 (Inhalation) H332	
Acute Tox. 4 (Inhalation:vapour) H332	
Skin Irrit. 2 H315	
Eye Irrit. 2 H319	

Full text of hazard classes and H-statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

H336 H304

Xn; R20 Xn; R65 R10 Full text of R-phrases: see section 16

GHS-US classification

STOT SE 3

Asp. Tox. 1

Flam. Liq. 3	H226
Acute Tox. 4 (Inhalation:vapour)	H332
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
STOT SE 3	H336
Asp. Tox. 1	H304

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Central Nervous System. Flammable liquid and vapor. May cause drowsiness or dizziness. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.2. Label elements

Labeling according	ı to	Regulation	(FC)	No	1272/2008	
Labering according		Regulation			1212/2000	

Hazard pictograms (CLP)



Signal word (CLP) Hazard statements (CLP)

Precautionary statements (CLP)

- : Danger
- : H226 Flammable liquid and vapor
- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H336 May cause drowsiness or dizziness
- : P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 - P233 Keep container tightly closed.
 - P240 Ground/bond container and receiving equipment.
 - P241 Use explosion-proof electrical, lighting, ventilating equipment
 - P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
 - P264 Wash hands, forearms and face thoroughly after handling.
 - P271 Use only outdoors or in a well-ventilated area.
 - P280 Wear eye protection, face protection, protective clothing, protective gloves.

GHS07

GHS-US labeling

Hazard pictograms (GHS-US)

Signal word (GHS-US)

Hazard statements (GHS-US)

Precautionary statements (GHS-US)

	(!)	
$\mathbf{\nabla}$	\sim	

GHS02

- : Danger
- : H226 Flammable liquid and vapor
- H304 May be fatal if swallowed and enters airways

GHS08

- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H336 May cause drowsiness or dizziness
- : P210 Keep away from heat, hot surfaces, open flames, sparks. No smoking.
 - P233 Keep container tightly closed.
 - P240 Ground/Bond container and receiving equipment
 - P241 Use explosion-proof electrical, lighting, ventilating equipment
 - P242 Use only non-sparking tools.
 - P243 Take precautionary measures against static discharge.
 - P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
 - P264 Wash hands, forearms and face thoroughly after handling.
 - P271 Use only outdoors or in a well-ventilated area.
- P280 Wear eye protection, face protection, protective clothing, protective gloves.
- P301+P310 If swallowed: Immediately call a doctor, a POISON CENTER
- P302+P352 If on skin: Wash with plenty of water

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 - P312 Call a doctor, a POISON CENTER if you feel unwell

P321 - Specific treatment (see Hazardous component(s) for labeling on this label)

- P331 Do NOT induce vomiting.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P370+P378 In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry
- extinguishing powder to extinguish.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P403+P235 Store in a well-ventilated place. Keep cool.

EN (English US)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC
N-NONANE UNLABELED	(CAS-No.) 111-84-2 (EC-No.) 203-913-4	99.9861	R10 Xn; R20 Xn; R65 Xi; R36/38 R67
DIBENZO[A,L]PYRENE (13C6, 99%)	(CAS-No.) 191-30-0 (Unlabeled) (EC-No.) 205-886-4 (Unlabeled)	0.0139	Xi; R41 Carc.Cat.1; R45 Carc.Cat.1; R49
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
N-NONANE UNLABELED	(CAS-No.) 111-84-2 (EC-No.) 203-913-4	99.9861	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304
DIBENZO[A,L]PYRENE (13C6, 99%)	(CAS-No.) 191-30-0 (Unlabeled) (EC-No.) 205-886-4 (Unlabeled)	0.0139	Eye Dam. 1, H318 Carc. 1B, H350
Name	Product identifier	%	GHS-US classification
N-NONANE UNLABELED	(CAS-No.) 111-84-2	99.9861	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304

Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell. Give oxygen or artificial respiration if necessary.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after inhalation	: Harmful if inhaled. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation. May be harmful in contact with skin.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways. Risk of lung edema.
4.3. Indication of any immediate medica	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	

5.1. Extinguishing media

Suitable extinguishing media : Water spi	ay. Dry powder. Foam. Carbon dioxide. Alcohol resistant foam.
--	---

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Special hazards arising from the su	bstance or mixture	
Fire hazard	: Flammable liquid and vapor.	
Reactivity	: Flammable liquid and vapor. Vapors	may form flammable mixture with air.
5.3. Advice for firefighters		
Firefighting instructions	: Do not enter fire area without proper	protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without	suitable protective equipment. Self-contained breathing
	apparatus. Complete protective clothi	ing.
SECTION 6: Accidental release mea	sures	
	uipment and emergency procedures	
6.1.1. For non-emergency personnel		Vertilate millers and Names flames as seening and
Emergency procedures		Ventilate spillage area. No open flames, no sparks, and as, mist, spray, vapors. Avoid contact with skin and eyes.
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without refer to section 8: "Exposure controls,	suitable protective equipment. For further information
	Telef to section 6. Exposure controls,	personal protection .
6.2. Environmental precautions		
Prevent entry to sewers and public waters. Avoi	d release to the environment.	
6.3. Methods and material for containm	ent and cleaning up	
For containment	: Dike and contain spill. Dispose as ha	zardous waste. Comply with local regulations for disposal.
Methods for cleaning up		terial. Notify authorities if product enters sewers or public
	waters.	and any model and a first
Other information	: Dispose of materials or solid residues	s at an authorized site.
6.4. Reference to other sections		
For further information refer to section 13.		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed		lothing. Keep away from sources of ignition - No smoking.
	Do not breathe gas/fumes/vapor/spra manufacturer). Take precautionary m	y (appropriate wording to be specified by the
Precautions for safe handling		parks, open flames and other ignition sources. No
Frecautions for sale nandling		receiving equipment. Use only non-sparking tools. Take
	precautionary measures against stati	c discharge. Flammable vapors may accumulate in the
		ment. Wear personal protective equipment. Use only Avoid breathing fume, gas, mist, spray, vapors. Avoid
	contact with skin and eyes.	Avoid breathing fume, gas, mist, spray, vapors. Avoid
Hygiene measures	: Wash contaminated clothing before re	euse. Do not eat, drink or smoke when using this product.
	Always wash hands after handling the	
7.2. Conditions for safe storage, includ	ng any incompatibilities	
Technical measures	: Store in a well-ventilated place. Keep	container tightly closed. Keep dry. Ground/bond container
	and receiving equipment.	
Storage conditions	: Store at room temperature away from	light and moisture.
7.3. Specific end use(s)		
No additional information available		
SECTION 8: Exposure controls/pers	onal protection	
8.1. Control parameters		
DIBENZO[A,L]PYRENE (13C6, 99%) 100 UC	ML IN NONANE	
Italy - Portugal - USA ACGIH ACGIH TWA (200.00000000 ppm USA. ACGIH Threshold Limit
		Values (TLV)
Italy - Portugal - USA ACGIH Remark (ACG	IH)	CNS impair

Italy - Follugal - 05A ACOIT		
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1050 mg/m ³ USA. NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm USA. NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Central Nervous System impairment
USA OSHA	OSHA PEL (TWA) (mg/m³)	1050 mg/m ³ USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DIBENZO[A,L]PYRENE (130	6, 99%) 100 UG/ML IN NONANE	
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (Ceiling) (mg/m ³)	1050 California permissible exposure limits for chemical contaminants.
USA OSHA	OSHA PEL (Ceiling) (ppm)	200 ppm California permissible exposure limits for chemical contaminants.
N-NONANE UNLABELED (11	1-84-2)	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	CNS impair
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1050 mg/m ³ USA. NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm USA. NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Central Nervous System impairment
USA OSHA	OSHA PEL (TWA) (mg/m³)	1050 mg/m ³ USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (Ceiling) (mg/m³)	1050 California permissible exposure limits for chemical contaminants.
USA OSHA	OSHA PEL (Ceiling) (ppm)	200 ppm California permissible exposure limits for chemical contaminants.

8.2. **Exposure controls** Appropriate engineering controls

Personal protective equipment

- : Ensure good ventilation of the work station.
- : Protective clothing. Protective goggles. Gloves. Self-contained breathing apparatus.



Materials for protective clothing	: Wear suitable protective clothing and gloves.
Hand protection	: protective gloves.
Eye protection	: Chemical goggles or face shield. Chemical goggles or safety glasses.
Skin and body protection	: Wear suitable protective clothing, gloves and eye/face protection.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Approved respirator.
Environmental exposure controls	: Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	chemical properties
The properties listed below are for the solvent, the main comp	onent of this mixture.
Physical state	: Liquid
Appearance	: Liquid
Molecular mass	: 128.3 g/mol
Color	: Colorless
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: -53 °C (- 63 °F) - lit
Boiling point	: 151 °C (304 °F) - lit
Flash point	: 31 °C (87.8 °F) - closed cup
Auto-ignition temperature	: 205 °C (401 °F)
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapor pressure	: 5.69 hPa (4.27 mmHg) at 25 °C (77 °F)
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 0.718 g/ml at 25 °C (77 °F)
Solubility	: Water: 0.0002 % at 25 °C (77 °F) - slightly soluble
Log Pow	: 5.65
Log Kow	: No data available
Viscosity, kinematic	: <= 1.008 mm ² /s at 20 °C (68 °F)
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: 0.87 - 2.9 % (V)

9.2. **Other information**

No additional information available

SECTIO	N 10: Stability and reactivity	
10.1.	Reactivity	
Flammable liquid and vapor. Vapors may form flammable mixture with air.		
10.2.	Chemical stability	
See storage	ge and expiration date on CoA.	
10.3.	Possibility of hazardous reactions	
No dangerous reactions known under normal conditions of use.		
10.4.	Conditions to avoid	
Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.		
10.5.	Incompatible materials	
No additional information available		
10.6.	Hazardous decomposition products	

Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

```
Acute toxicity
```

: Inhalation: Harmful if inhaled. Inhalation:vapour: Harmful if inhaled.

DIBENZO[A,L]PYRENE (13C6, 99%) 100 UG/	ML IN NONANE	
LC50 inhalation rat (mg/l)	23760 mg/m³ male - 4 h	
ATE CLP (vapors)	11.000 mg/l/4h	
Skin corrosion/irritation, Dermal, rat	Result: Skin Irritation (Draize Test)	
Additional information	: S. Typhimurium Result: negative	
N-NONANE UNLABELED (111-84-2)		
LC50 inhalation rat (mg/l)	23760 mg/m ³ male - 4 h	
ATE CLP (vapors)	11.000 mg/l/4h	
Skin corrosion/irritation, Dermal, rat	Result: Skin Irritation (Draize Test)	
Additional information	: S. Typhimurium Result: negative	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity – single exposure	: May cause drowsiness or dizziness.	
Specific target organ toxicity – repeated exposure	: Not classified	
Aspiration hazard	: May be fatal if swallowed and enters airways.	
Potential Adverse human health effects and symptoms	: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.	
Symptoms/effects after inhalation	: Harmful if inhaled. May cause respiratory irritation.	
04/04/2019	EN (English US) 6/10	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Symptoms/effects after skin contact
 - Causes skin irritation. May be harmful in contact with skin.Causes serious eye irritation.
- Symptoms/effects after eye contact: Causes serious eye irritation.Symptoms/effects after ingestion: May be fatal if swallowed and enters airways. Risk of lung edema.
- SECTION 12: Ecological information

 12.1.
 Toxicity

 Ecology general
 : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential			
DIBENZO[A,L]PYRENE (13C6, 99%) 100 UG/ML IN NONANE			
Log Pow	5.65		
Bioaccumulative potential	Indication of bioaccumulation.		
N-NONANE UNLABELED (111-84-2)			
Log Pow	5.65		
Bioaccumulative potential	Indication of bioaccumulation.		
DIBENZO[A,L]PYRENE (13C6, 99%) (191-30-0 (Unlabeled))			
Log Pow	7.382		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessmen	it		
No additional information available			
12.6. Other adverse effects			
Other adverse effects	: Disposal must be done according to official regulations. Very toxic to aquatic life with long lasting effects.		
SECTION 13: Disposal consideration	S		
13.1. Waste treatment methods			
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.		
Product/Packaging disposal recommendations	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.		
Ecology - waste materials	: Dispose of as unused product.		
SECTION 14: Transport information			
In accordance with ADR / RID / IMDG / IATA / AD	N		
14.1. UN number			
UN-No.(DOT)	: 1920		
DOT NA no.	UN1920		
14.2. UN proper shipping name			
Proper Shipping Name (DOT)	: Nonanes		
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120		
Hazard labels (DOT)	: 3 - Flammable liquid		
	FLAMMABLE LEGEN		
Packing group (DOT)	: III - Minor Danger		

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

26, 2012 / Rules and Regulations	
DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
14.3. Additional information	
Other information	: No supplementary information available.
	······································
Overland transport	
Packing group (ADR)	: 111
Class (ADR)	: 3 - Flammable liquid
Hazard identification number (Kemler No.)	: 30
Classification code (ADR)	: F1
Hazard labels (ADR)	: 3 - Flammable liquids
Orange plates	30 1920
Tunnel restriction code (ADR)	: D/E
Limited quantities (ADR)	51
EAC	: 3Y
Excepted quantities (ADR)	: E1
Transport by sea	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
MFAG-No	: 128
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
Civil Aeronautics Law	: Flammable liquids
14.4. Environmental hazards	
Other information	: No supplementary information available.
14.5. Special precautions for user	
	x II of MARPOL 73/78 and the IBC Code
Allie Allie	

Not applicable

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information		
15.1. US Federal regulations		
DIBENZO[A,L]PYRENE (13C6, 99%) 100 UG/ML IN NONANE		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
EPA TSCA Regulatory Flag T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.		
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard	
SARA Section 313 - Emission Reporting	Emission Reporting Not subject to reporting requirements of the United States SARA Section 313.	
N-NONANE UNLABELED (111-84-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard	
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.	

15.2. International regulations

CANADA

DIBENZO[A,L]PYRENE (13C6, 99%) 100 UG/ML IN NONANE	
Listed on the Canadian DSL (Domestic Substances List)	
N-NONANE UNLABELED (111-84-2)	
Listed on the Canadian DSL (Domestic Substances List)	

15.2.1. National regulations

No additional information available

15.3. US State regulations

DIBENZO[A,L]PYRENE (13C6, 99%) 100 UG/ML IN NONANE				
U.S California - Proposition 65 - Carcinogens List		No		
U.S California - Propositio Toxicity	on 65 - Developmental	No		
U.S California - Propositio Toxicity - Female	on 65 - Reproductive	No		
U.S California - Propositio Toxicity - Male	on 65 - Reproductive	No		
State or local regulations		U.S New Jersey - Right to K U.S Massachusetts - Right T U.S Pennsylvania - RTK (Rig	iic Toxic Air Pollutants - Accept now Hazardous Substance List Fo Know List ght to Know) List f Releases Part 597 - List of Ha	t
N-NONANE UNLABELED (111-84-2)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
N-NONANE UNLABELED (111-84-2)				
State or local regulations				
U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S New Jersey - Right to Know Hazardous Substance List U.S Massachusetts - Right To Know List				

U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

· · · · · · · · · · · · · · · · · · ·	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Asp. Tox. 1	Aspiration hazard Category 1
Carc. 1B	Carcinogenicity Category 1B
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H350	May cause cancer
R10	Flammable
R20	Harmful by inhalation
R36/38	Irritating to eyes and skin
R41	Risk of serious damage to eyes
R45	May cause cancer
R49	May cause cancer by inhalation
R65	Harmful: may cause lung damage if swallowed
R67	Vapors may cause drowsiness and dizziness
Xi	Irritant
Xn	Harmful

NFPA health hazard

NFPA fire hazard

NFPA reactivity

- : 2 Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
- : 3 Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
- 0 Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard
Physical	: 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product