

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 20/07/2011

Revision date: 18/05/2016

Supersedes: 20/07/2011

Version: 2.0

001011	auto.	10/00/201

### **CNLM-4818**

CECTION 4. Identification of the	a substance function and of the same and we done dont the
1.1. Product identification of the	e substance/mixture and of the company/undertaking
Product form	: Substance
Substance name	: THIOUREA (13C, 99%; 15N2, 98%)
EC index no	: 612-082-00-0 (Unlabeled)
EC no	: 200-543-5 (Unlabeled)
CAS No	: 285977-83-5
Product code	: CNLM-4818
Formula	: H2*N*CS*NH2
Synonyms	: Sulfourea / Thiocarbamide
Other means of identification	: Also applicable to: CNLM-4818-M MANUFACTURING GRADE
1.2. Relevant identified uses of the	e substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Industrial/Professional use spec	: For professional use only.
<b>1.2.2.</b> Uses advised against No additional information available	
1.3. Details of the supplier of the s	afety data sheet
Cambridge Isotope Laboratories, Inc. 50 Frontage Road Andover, MA 01810 USA USA: 1-800-322-1174 Int: 1-978-749-80 cilsales@isotope.com www.isotope.com	
Emergency telephone number	
Emergency numbers:	
Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)	
SECTION 2: Hazards identificat	ion
2.1. Classification of the substanc	e or mixture
Classification according to Regulation	(EC) No. 1272/2008 [CLP]
Acute Tox. 4 (Oral) H302	
Carc. 2 H351	
Repr. 2 H361	
Aquatic Chronic 2 H411	
Full text of H-phrases: see section 16	
Classification according to Directive 67 Xn; R22 Carc.Cat.3; R40 Repr.Cat.3; R62 Repr.Cat.3; R63 N: R51(22	/548/EEG of 1999/45/EG

**Classification (GHS-US)** 

Full text of R-phrases: see section 16

Acute Tox. 4 (Oral) H302 Carc. 2 H351 Repr. 2 H361 Aquatic Acute 2 H401 Aquatic Chronic 2 H411

N; R51/53

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Adverse physicochemical, human health and environmental effects

No additional information available

Labeling according to Regulation (EC) No	. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS08 GHS07 GHS09
Signal word (CLP)	: Warning
Hazard statements (CLP)	<ul> <li>H302 - Harmful if swallowed</li> <li>H351 - Suspected of causing cancer</li> <li>H361 - Suspected of damaging fertility. Suspected of damaging the unborn child</li> <li>H411 - Toxic to aquatic life with long lasting effects</li> </ul>
Precautionary statements (CLP)	<ul> <li>P264 - Wash Both hands thoroughly after handling</li> <li>P270 - Do no eat, drink or smoke when using this product</li> <li>P273 - Avoid release to the environment</li> <li>P280 - Wear protective clothing, protective gloves</li> <li>P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor//if you feel unwell</li> <li>P308+P313 - IF exposed or concerned: Get medical advice/attention</li> <li>P330 - Rinse mouth</li> <li>P391 - Collect spillage</li> </ul>
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS08 GHS07 GHS09
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	<ul> <li>H302 - Harmful if swallowed</li> <li>H351 - Suspected of causing cancer (Dermal, Inhalation, oral)</li> <li>H361 - May damage fertility or the unborn child (Dermal, Inhalation, oral)</li> <li>H401 - Toxic to aquatic life</li> <li>H411 - Toxic to aquatic life with long lasting effects</li> </ul>
Precautionary statements (GHS-US)	<ul> <li>P201 - Obtain special instructions before use</li> <li>P202 - Do not handle until all safety precautions have been read and understood</li> <li>P264 - Wash Both hands thoroughly after handling</li> <li>P270 - Do no eat, drink or smoke when using this product</li> <li>P273 - Avoid release to the environment</li> <li>P280 - Wear protective clothing, protective gloves</li> <li>P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwe</li> <li>P308+P313 - IF exposed or concerned: Get medical advice/attention</li> <li>P330 - If swallowed, rinse mouth</li> <li>P391 - Collect spillage</li> <li>P405 - Store locked up</li> <li>P501 - Dispose of contents/container to Comply with applicable regulations.</li> </ul>

#### No additional information available

SECTION 3: Composition/information on in 3.1. Substances	gredients		
Name	Product identifier	%	Classification according to Directive 67/548/EEC
THIOUREA (13C, 99%; 15N2, 98%) (Main constituent)	(CAS No) 285977-83-5 (EC no) 200-543-5 (Unlabeled) (EC index no) 612-082-00-0 (Unlabeled)	100	Xn; R22 Carc.Cat.3; R40 Repr.Cat.3; R62 Repr.Cat.3; R63 N; R51/53

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
THIOUREA (13C, 99%; 15N2, 98%) (Main constituent)	(CAS No) 285977-83-5 (EC no) 200-543-5 (Unlabeled) (EC index no) 612-082-00-0 (Unlabeled)	100	Acute Tox. 4 (Oral), H302 Carc. 2, H351 Repr. 2, H361 Aquatic Chronic 2, H411

Full text of R-, H- and EUH-phrases: see section 16

Name	Product identifier	%	Classification (GHS-US)
THIOUREA (13C, 99%; 15N2, 98%) (Main constituent)	(CAS №) 285977-83-5	100	Acute Tox. 4 (Oral), H302 Carc. 2, H351 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

Full text of H-phrases: see section 16

3.2. Mixtures	
Not applicable	
SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
First-aid measures after inhalation	: If breathed in, move person to fresh air. If not breathing, give artificial respiration. Consult a physician.
First-aid measures after skin contact	: Wash with soap and plenty of water. Consult a physician.
First-aid measures after eye contact	: Flush eyes with water as a precaution.
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/injuries after inhalation	: May be harmful if inhaled. May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: May be harmful if absorbed through skin. May cause skin irritation.
Symptoms/injuries after eye contact	: May cause eye irritation.
Symptoms/injuries after ingestion	: May be harmful if swallowed.
4.3. Indication of any immediate medica	al attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.
5.2. Special hazards arising from the su	ubstance or mixture
Reactivity	: Not available.
5.3. Advice for firefighters	
Firefighting instructions	: Wear self contained breathing apparatus for fire fighting if necessary.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release mea	Isures
	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Avoid breathing (dust, vapor, mist, gas). Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation. Evacuate personnel to safe areas.
6.1.2. For emergency responders No additional information available	
6.2. Environmental precautions	
Prevent further leakage or spillage if safe to do	so. Do not let product enter drains. Discharge into the environment must be avoided.
6.3. Methods and material for containm	ent and cleaning up
For containment	: Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
6.4. Reference to other sections	
No additional information available	
02/06/2016	EN (English US) 3/9

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Regulation (EC) No. 453/2010 and accordi	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
7.2. Conditions for safe storage, includ	
Technical measures	: Keep container tightly closed in a cool, dry and well-ventilated place.
Storage conditions	: Store at room temperature away from light and moisture.
7.3. Specific end use(s)	
No additional information available	
<b>SECTION 8: Exposure controls/pers</b>	sonal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Personal protective equipment	: Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.
Hand protection	: Wear suitable protective clothing and gloves.
Eye protection	: Wear safety glasses with side shields (or goggles) and a face shield.
Skin and body protection	: Choose body protection according to the amount and concentration of the dangerous substance
Respiratory protection	at the work place. : When appropriate, use NIOSH/CEN approved respirator.
SECTION 9: Physical and chemical	properties
-	
9.1. Information on basic physical and	chemical properties
9.1. Information on basic physical and Physical state	chemical properties : Solid
9.1. Information on basic physical and Physical state Appearance	chemical properties : Solid : Crystalline.
9.1. Information on basic physical and Physical state Appearance Molecular mass	chemical properties : Solid : Crystalline. : 79.1 g/mol (Labeled)
9.1. Information on basic physical and Physical state Appearance Molecular mass Color	Chemical properties         : Solid         : Crystalline.         : 79.1 g/mol (Labeled)         : white.
9.1.Information on basic physical andPhysical stateAppearanceMolecular massColorOdor	chemical properties  : Solid : Crystalline. : 79.1 g/mol (Labeled) : white. : Odourless.
9.1.Information on basic physical andPhysical stateAppearanceMolecular massColorOdorOdor threshold	<ul> <li>chemical properties</li> <li>Solid</li> <li>Crystalline.</li> <li>79.1 g/mol (Labeled)</li> <li>white.</li> <li>Odourless.</li> <li>No data available</li> </ul>
9.1.Information on basic physical andPhysical stateAppearanceMolecular massColorOdorOdor thresholdpH	<ul> <li>chemical properties</li> <li>Solid</li> <li>Crystalline.</li> <li>79.1 g/mol (Labeled)</li> <li>white.</li> <li>Odourless.</li> <li>No data available</li> <li>5 - 7 at 50 g/l at 20 °C (68 °F)</li> </ul>
9.1.Information on basic physical andPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)	<ul> <li>chemical properties</li> <li>Solid</li> <li>Crystalline.</li> <li>79.1 g/mol (Labeled)</li> <li>white.</li> <li>Odourless.</li> <li>No data available</li> <li>5 - 7 at 50 g/l at 20 °C (68 °F)</li> <li>No data available</li> </ul>
9.1.Information on basic physical andPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting point	<ul> <li>chemical properties</li> <li>Solid</li> <li>Crystalline.</li> <li>79.1 g/mol (Labeled)</li> <li>white.</li> <li>Odourless.</li> <li>No data available</li> <li>5 - 7 at 50 g/l at 20 °C (68 °F)</li> <li>No data available</li> <li>170 - 176 °C (338 - 349 °F)</li> </ul>
9.1.Information on basic physical andPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing point	<ul> <li>chemical properties</li> <li>Solid</li> <li>Crystalline.</li> <li>79.1 g/mol (Labeled)</li> <li>white.</li> <li>Odourless.</li> <li>No data available</li> <li>5 - 7 at 50 g/l at 20 °C (68 °F)</li> <li>No data available</li> </ul>
9.1.Information on basic physical andPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting point	<ul> <li>Solid</li> <li>Solid</li> <li>Crystalline.</li> <li>79.1 g/mol (Labeled)</li> <li>white.</li> <li>Odourless.</li> <li>No data available</li> <li>5 - 7 at 50 g/l at 20 °C (68 °F)</li> <li>No data available</li> <li>170 - 176 °C (338 - 349 °F)</li> <li>No data available</li> </ul>
9.1.Information on basic physical andPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling point	<ul> <li>Solid</li> <li>Solid</li> <li>Crystalline.</li> <li>79.1 g/mol (Labeled)</li> <li>white.</li> <li>Odourless.</li> <li>No data available</li> <li>5 - 7 at 50 g/l at 20 °C (68 °F)</li> <li>No data available</li> <li>170 - 176 °C (338 - 349 °F)</li> <li>No data available</li> </ul>
9.1.Information on basic physical andPhysical stateAppearanceMolecular massColorOdorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash point	<ul> <li>chemical properties</li> <li>Solid</li> <li>Crystalline.</li> <li>79.1 g/mol (Labeled)</li> <li>white.</li> <li>Odourless.</li> <li>No data available</li> <li>5 - 7 at 50 g/l at 20 °C (68 °F)</li> <li>No data available</li> <li>170 - 176 °C (338 - 349 °F)</li> <li>No data available</li> </ul>
9.1.Information on basic physical andPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperature	<ul> <li>chemical properties</li> <li>Solid</li> <li>Crystalline.</li> <li>79.1 g/mol (Labeled)</li> <li>white.</li> <li>Odourless.</li> <li>No data available</li> <li>5 - 7 at 50 g/l at 20 °C (68 °F)</li> <li>No data available</li> <li>170 - 176 °C (338 - 349 °F)</li> <li>No data available</li> </ul>
9.1.Information on basic physical andPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperatureDecomposition temperature	<ul> <li>chemical properties</li> <li>Solid</li> <li>Crystalline.</li> <li>79.1 g/mol (Labeled)</li> <li>white.</li> <li>Odourless.</li> <li>No data available</li> <li>5 - 7 at 50 g/l at 20 °C (68 °F)</li> <li>No data available</li> <li>170 - 176 °C (338 - 349 °F)</li> <li>No data available</li> </ul>
9.1.Information on basic physical andPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperatureDecomposition temperatureFlammability (solid, gas)	<ul> <li>chemical properties</li> <li>Solid</li> <li>Crystalline.</li> <li>79.1 g/mol (Labeled)</li> <li>white.</li> <li>Odourless.</li> <li>No data available</li> <li>5 - 7 at 50 g/l at 20 °C (68 °F)</li> <li>No data available</li> <li>170 - 176 °C (338 - 349 °F)</li> <li>No data available</li> </ul>
9.1.Information on basic physical andPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperatureDecomposition temperatureFlammability (solid, gas)Vapor pressure	<ul> <li>Solid</li> <li>Solid</li> <li>Crystalline.</li> <li>79.1 g/mol (Labeled)</li> <li>white.</li> <li>Odourless.</li> <li>No data available</li> <li>5 - 7 at 50 g/l at 20 °C (68 °F)</li> <li>No data available</li> <li>170 - 176 °C (338 - 349 °F)</li> <li>No data available</li> </ul>
9.1.Information on basic physical andPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperatureDecomposition temperatureFlammability (solid, gas)Vapor pressureRelative vapor density at 20 °C	<ul> <li>Solid</li> <li>Solid</li> <li>Crystalline.</li> <li>79.1 g/mol (Labeled)</li> <li>white.</li> <li>Odourless.</li> <li>No data available</li> <li>5 - 7 at 50 g/l at 20 °C (68 °F)</li> <li>No data available</li> <li>170 - 176 °C (338 - 349 °F)</li> <li>No data available</li> </ul>
9.1.Information on basic physical andPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperatureDecomposition temperatureFlammability (solid, gas)Vapor pressureRelative vapor density at 20 °CRelative density	<ul> <li>Solid</li> <li>Solid</li> <li>Crystalline.</li> <li>79.1 g/mol (Labeled)</li> <li>white.</li> <li>Odourless.</li> <li>No data available</li> <li>5 - 7 at 50 g/l at 20 °C (68 °F)</li> <li>No data available</li> <li>170 - 176 °C (338 - 349 °F)</li> <li>No data available</li> </ul>
9.1.Information on basic physical andPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperatureDecomposition temperatureFlammability (solid, gas)Vapor pressureRelative densitySolubility	<ul> <li>Solid</li> <li>Crystalline.</li> <li>79.1 g/mol (Labeled)</li> <li>white.</li> <li>Odourless.</li> <li>No data available</li> <li>5 - 7 at 50 g/l at 20 °C (68 °F)</li> <li>No data available</li> <li>170 - 176 °C (338 - 349 °F)</li> <li>No data available</li> <li>Water: 137 g/l at 20 °C (68 °F)</li> </ul>
9.1.Information on basic physical andPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperatureDecomposition temperatureFlammability (solid, gas)Vapor pressureRelative vapor density at 20 °CRelative densitySolubilityLog Pow	Solid         : Solid         : Crystalline.         : 79.1 g/mol (Labeled)         : white.         : Odourless.         : No data available         : 5 - 7 at 50 g/l at 20 °C (68 °F)         : No data available         : 170 - 176 °C (338 - 349 °F)         : No data available
9.1.Information on basic physical andPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperatureDecomposition temperatureFlammability (solid, gas)Vapor pressureRelative densitySolubilityLog PowLog KowViscosity, kinematicViscosity, dynamic	Solid         : Solid         : Crystalline.         : 79.1 g/mol (Labeled)         : white.         : Odourless.         : No data available         : 5 - 7 at 50 g/l at 20 °C (68 °F)         : No data available         : 170 - 176 °C (338 - 349 °F)         : No data available
9.1.Information on basic physical andPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperatureDecomposition temperatureFlammability (solid, gas)Vapor pressureRelative densitySolubilityLog PowLog KowViscosity, kinematicViscosity, dynamicExplosive properties	Solid         : Crystalline.         : 79.1 g/mol (Labeled)         : white.         : Odourless.         : No data available         : 5 - 7 at 50 g/l at 20 °C (68 °F)         : No data available         : 170 - 176 °C (338 - 349 °F)         : No data available
9.1.Information on basic physical andPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperatureDecomposition temperatureFlammability (solid, gas)Vapor pressureRelative densitySolubilityLog PowLog KowViscosity, kinematicViscosity, dynamic	Solid         : Solid         : Crystalline.         : 79.1 g/mol (Labeled)         : white.         : Odourless.         : No data available         : 5 - 7 at 50 g/l at 20 °C (68 °F)         : No data available         : 170 - 176 °C (338 - 349 °F)         : No data available

EN (English US)

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.2. Other information	
No additional information available	
<b>SECTION 10: Stability and reactivity</b>	
10.1. Reactivity	
Not available.	
10.2. Chemical stability	
Stable if stored under recommended conditions.	
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
Heat.	
10.5. Incompatible materials	
Strong oxidizing agent. strong acids. Strong base	es. Hydrogen peroxide. Sulphur oxides.
10.6. Hazardous decomposition products	
carbon oxides. Nitrogen oxides. Sulphur oxides.	
<b>SECTION 11: Toxicological informat</b>	ion
11.1. Information on toxicological effects	
Acute toxicity	: Harmful if swallowed.
THIOUREA (13C, 99%; 15N2, 98%) (285977-8	13-5)
LD50 oral rat	1750 mg/kg
LD50 dermal rabbit	> 2800
LC50 inhalation rat (mg/l)	> 170 mg/kg 4 h
ATE (oral)	500.000 mg/kg body weight
Skin corrosion/irritation	: Not classified
	Skin - rabbit Result: No skin irritation
Serious eye damage/irritation	pH: 5 - 7 at 50 g/l at 20 °C (68 °F) : Not classified
Senous eye damage/imation	Eyes - Rabbit Result: Mild eye irritation
	pH: 5 - 7 at 50 g/l at 20 °C (68 °F)
Respiratory or skin sensitization	: Not classified
	Maximisation Test (GPMT) - Guinea pig Does not cause skin sensitisation.
Germ cell mutagenicity	: In vitro assay Result: Not mutagenic in Ames Test.
Carcinogenicity	: Limited evidence of carcinogenicity in animal studies.
Reproductive toxicity	: Suspected of damaging fertility. Suspected of damaging the unborn child.
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Liver - Irregularities - Based on Human Evidence.
IARC group	: 3 : May be harmful if inhaled. May cause respiratory tract irritation.
Symptoms/injuries after inhalation Symptoms/injuries after skin contact	: May be harmful if innaled. May cause respiratory tract irritation. : May be harmful if absorbed through skin. May cause skin irritation.
Symptoms/injuries after eye contact	: May be named if absorbed through skin. May cause skin inflation.
Symptoms/injuries after ingestion	: May be harmful if swallowed.
eyplanto, injunco anor ingostion	

SECTION 12: Ecological information		
12.1. Toxicity		
THIOUREA (13C, 99%; 15N2, 98%) (285977-83-5)		
LC50 fish 1	10 mg/l Danio rerio (Zebra fish) - 96 h	
EC50 Daphnia 1	5.6 - 18 mg/l Daphnia magna (Water flea) - 48 h	
EC50 other aquatic organisms 1	6.8 mg/l Desmodesmus subspicatus (green algae) - 96 h	

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability	
THIOUREA (13C, 99%; 15N2, 98%) (285977-8 Persistence and degradability	Biotic/Aerobic Exposure time 31 d. Result: <1% - Not readily biodegradable.
, , , , , , , , , , , , , , , , , , ,	Biolic Aerobic Exposure time 31 d. Result. <176 - Not readily biodegradable.
12.3. Bioaccumulative potential	
THIOUREA (13C, 99%; 15N2, 98%) (285977-8	
Log Pow	-0.92 at 20 °C (68 °F)
12.4.         Mobility in soil           No additional information available	
12.5. Results of PBT and vPvB assessme	nt
No additional information available	
12.6. Other adverse effects	
Other adverse effects	: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal Toxic to aquatic life with long lasting effects.
SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and Local environmental control regulations.
Waste disposal recommendations	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
Ecology - waste materials	: Dispose of as unused product.
<b>SECTION 14: Transport information</b>	
In accordance with ADR / RID / ADNR / IMDG / I	ICAO / IATA
14.1. UN number	· · · · ·
UN-No.(DOT)	: 3077
DOT NA no.	UN3077
14.2. UN proper shipping name	
DOT Proper Shipping Name	: Environmentally hazardous substances, solid, n.o.s.
Department of Transportation (DOT) Hazard Classes	(Thiourea) : 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140
Hazard labels (DOT)	: 9 - Class 9 (Miscellaneous dangerous materials)
DOT Symbols	: G - Identifies PSN requiring a technical name
Packing group (DOT) DOT Special Provisions (49 CFR 172.102)	<ul> <li>III - Minor Danger</li> <li>8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping</li> </ul>
	<ul> <li>description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies.</li> <li>146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination.</li> <li>335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging.</li> <li>A112 - Notwithstanding the quantity limits shown in Column (9A) and (9B) for this entry, the following IBCs are authorized for transportation aboard passenger and cargo-only aircraft. Each IBC may not exceed a maximum net quantity of 1,000 kg:</li> <li>a. Metal: 11A, 11B, 11N, 21A, 21B and 21N</li> <li>b. Rigid plastics: 11H1, 11H2, 21H1 and 21H2</li> <li>c. Composite with plastic inner receptacle: 11HZ1, 11HZ2, 21HZ1 and 21HZ2</li> <li>d. Fiberboard: 11G</li> <li>e. Wooden: 11C, 11D and 11F (with inner liners)</li> <li>f. Flexible: 13H2, 13H3, 13H4, 13H5, 13L2, 13L3, 13L4, 13M1 and 13M2 (flexible IBCs must be sift-proof and water resistant or must be fitted with a sift-proof and water resistant liner).</li> </ul>
02/06/2016	EN (English US) 6/9

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	<ul> <li>B54 - Open-top, sift-proof rail cars are also authorized.</li> <li>IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).</li> <li>IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner.</li> <li>N20 - A 5M1 multi-wall paper bag is authorized if transported in a closed transport vehicle.</li> <li>T1 - 1.5 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 155
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 213
DOT Packaging Bulk (49 CFR 173.xxx)	: 240
14.3. Additional information Other information	: No supplementary information available.
Special transport precautions	: Not dangerous goods.
Special transport precautions	. Not dangerous goods.
Overland transport	
Packing group (ADR)	: 111
Class (ADR)	: 9 - Miscellaneous dangerous substances and articles
Hazard identification number (Kemler No.)	: 90
Classification code (ADR)	: M7
Danger labels (ADR)	: 9 - Miscellaneous dangerous compounds
Orange plates	
	<u>90</u> <u>3077</u>
Tunnel restriction code	: E
Limited quantities (ADR)	5kg
EAC	: 2Z
Excepted quantities (ADR)	: E1
Transport by sea	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a
	passenger vessel.
MFAG-No	: 171
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: No limit
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: No limit
Civil Aeronautics Law	: Miscellaneous dangerous substances & articles

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.4. Environmental hazards	
Dangerous for the environment	
Other information	: No supplementary information available.
14.5. Special precautions for user	
Special transport precautions	: Not dangerous goods.

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information				
15.1. US Federal regulations				
THIOUREA (13C, 99%; 15N2, 98%) (285977-83-5)				
SARA Section 313 - Emission Reporting	100 % Thiourea			

#### 15.2. International regulations

CANADA		
Т	HIOUREA (13C, 99%; 15N2, 98%) (285977-83-5)	
Listed on the Canadian DSL (Domestic Substances List) inventory.		

#### 15.2.1. National regulations

No additional information available

15.3. US State regulations	
THIOUREA (13C, 99%; 15N2, 98%)(285977-83-5)	
State or local regulations	U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List WARNING! This product contains a chemical known by the state of California to cause cancer.

#### **SECTION 16: Other information**

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

#### Full text of R-, H- and EUH-phrases::

Acute toxicity (oral) Category 4
Hazardous to the aquatic environment - Chronic Hazard Category 2
Carcinogenicity Category 2
Reproductive toxicity Category 2
Harmful if swallowed
Suspected of causing cancer
Suspected of damaging fertility or the unborn child
Toxic to aquatic life with long lasting effects
Harmful if swallowed
Limited evidence of a carcinogenic effect
Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
Possible risk of impaired fertility
Possible risk of harm to the unborn child
Dangerous for the environment
Harmful

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	

н	ea	lth	
	ea	IU I	

: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given

Flammability Physical

- : 0 Minimal Hazard : 0 Minimal Hazard
- CIL Multi-Solvent Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product