

Safety Data Sheet

 according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
 Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

 Date of issue: 29/08/2011
 Revision date: 01/08/2022
 Supersedes: 10/11/2016
 Version: 3.0

 CNLM-7615

SECTION 1: Identification of the sub	ostance/mixture and of the company/undertaking	
1.1. Product identifier	Stance/mixture and or the company/undertaking	
Product form Substance name EC-No. CAS-No. Product code Formula Synonyms	 Substance L-THREONINE-N-FMOC, O-T-BUTYL ETHER (13C4, 97-99%; 15N, 97-99%) 276-261-1 (Unlabeled) 71989-35-0 (Unlabeled) CNLM-7615 C19*C4H27NO5 Fmoc-O-tert-butyl-L-threonine 	
1.2. Relevant identified uses of the sub-	stance or mixture and uses advised against	
 1.2.1. Relevant identified uses Main use category Industrial/Professional use spec 1.2.2. Uses advised against No additional information available 	Professional useFor professional use only	
1.3.Details of the supplier of the safetyCambridge Isotope Laboratories, Inc.50 Frontage RoadAndover, MA 01810USAUSA: 1-800-322-1174Int: 1-978-749-8000cilsales@isotope.comwww.isotope.com	data sheet	
Emergency telephone number		
Emergency numbers: Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)		
SECTION 2: Hazards identification 2.1. Classification of the substance or r	nixture	
Classification according to Regulation (EC) Aquatic Acute 1 H400 Aquatic Chronic 1 H410		
Full text of hazard classes and H-statements : see section 16		
Classification according to Directive 67/548/ N; R50/53 Full text of R-phrases: see section 16	EEC [DSD] or 1999/45/EC [DPD]	

GHS-US classification

Aquatic Acute 1 H400 Aquatic Chronic 1 H410 Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

99%) CNLM-7615

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.2. Label elements	
Labeling according to Regulation (EC) No.	1272/2008 [CLP]
Hazard pictograms (CLP)	: GHS09
Signal word (CLP)	: Warning
Hazard statements (CLP)	: H410 - Very toxic to aquatic life with long lasting effects
Precautionary statements (CLP)	 P273 - Avoid release to the environment. P391 - Collect spillage. P501 - Dispose of contents/container to Comply with local regulations for disposal
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS09
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H410 - Very toxic to aquatic life with long lasting effects
Precautionary statements (GHS-US)	 P273 - Avoid release to the environment. P391 - Collect spillage. P501 - Dispose of contents/container to Comply with applicable regulations

2.3. Other hazards

No additional information available

ECTION 3: Composition/Information on i	ngreatents		
Name	Product identifier	%	Classification according to Directive 67/548/EEC
L-THREONINE-N-FMOC, O-T-BUTYL ETHER (13C4, 97- 99%; 15N, 97-99%)	(CAS-No.) 71989-35-0 (Unlabeled) (EC-No.) 276-261-1 (Unlabeled)	100	N; R50/53
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
L-THREONINE-N-FMOC, O-T-BUTYL ETHER (13C4, 97- 99%; 15N, 97-99%)	(CAS-No.) 71989-35-0 (Unlabeled) (EC-No.) 276-261-1 (Unlabeled)	100	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of R- and H- phrases: see section 16

Name	Product identifier	%	GHS-US classification
L-THREONINE-N-FMOC, O-T-BUTYL ETHER (13C4, 97- 99%; 15N, 97-99%) (Main constituent)	(CAS-No.) 71989-35-0 (Unlabeled)	100	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

3.2. **Mixtures**

Not applicable	
SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Consult a physician. Show this safety data sheet to the doctor in attendance.
First-aid measures after inhalation	: If breathed in, move person to fresh air. If not breathing, give artificial respiration. Consult a physician.
First-aid measures after skin contact	: Wash off with soap and plenty of water. Consult a physician.
First-aid measures after eye contact	: Flush eyes with water as a precaution.
01/08/2022	EN (English US) 2/8

99%) CNLM-7615

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

26, 2012 / Rules and Regulations	
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects after inhalation	: May be harmful if inhaled. May cause respiratory tract irritation.
Symptoms/effects after skin contact	: May be harmful if absorbed through skin. May cause skin irritation.
Symptoms/effects after eye contact	: May cause eye irritation.
Symptoms/effects after ingestion	: May be harmful if swallowed.
4.3. Indication of any immediate medica	al attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.
5.2. Special hazards arising from the su	ubstance or mixture
Reactivity	: Not available.
5.3. Advice for firefighters	
Firefighting instructions	: Wear self contained breathing apparatus for fire fighting if necessary.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release mea	asures
6.1. Personal precautions, protective ed	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.
6.1.2. For emergency responders	
No additional information available	
6.2. Environmental precautions	
Prevent further leakage or spillage if safe to do	so. Do not let product enter drains. Discharge into the environment must be avoided.
6.3. Methods and material for containm	ent and cleaning up
For containment	: Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
7.2. Conditions for safe storage, includ	ing any incompatibilities
Technical measures	: Keep container tightly closed in a cool, dry and well-ventilated place.
Storage conditions	: Store refrigerated (-5°C to 5°C) and dessicated.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/pers	sonal protection
8.1. Control parameters	

No additional information available

8.2. Exposure controls

Personal protective equipment

: Gloves. Safety glasses. Protective clothing. Respiratory protection of the dependent type.



99%) CNLM-7615

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hand protection	: protective gloves.
Eye protection	: Wear safety glasses with side shields (or goggles) and a face shield.
Skin and body protection	: Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection	: When appropriate, use NIOSH/CEN approved respirator.

SECTION 9: Physical and chemical properties

 Solid Powder. 402.43 g/mol (Lableled) White. No data available. No data available No data available No data available 131 - 134 °C (268 - 273 °F)
 402.43 g/mol (Lableled) White. No data available. No data available No data available No data available
 White. No data available. No data available No data available No data available No data available
 No data available. No data available No data available No data available
No data availableNo data availableNo data available
: No data available : No data available
: No data available
: 131 - 134 °C (268 - 273 °F)
: No data available
: 4.644
: No data available

No additional information available

SECTI	ON 10: Stability and reactivity
10.1.	Reactivity
Not avail	able.
10.2.	Chemical stability
Two yea	rs after receipt of order if stored as above. Re-QC after two years.
10.3.	Possibility of hazardous reactions
No additi	ional information available
10.4.	Conditions to avoid
Not avail	able.
10.5.	Incompatible materials
Strong of	xidizing agents.
10.6.	Hazardous decomposition products
	under fire conditions: Carbon oxides, nitrogen oxides (NOx).
SECTI	ON 11: Toxicological information
11.1.	Information on toxicological effects
Acute to:	xicity : Not classified

99%) CNLM-7615

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin corrosion/irritation	: Not classified
	No data available
Serious eye damage/irritation	: Not classified
	No data available
Respiratory or skin sensitization	: Not available
	No data available
Germ cell mutagenicity	: Not available
Carcinogenicity	: Not available
Reproductive toxicity	: Not available
Specific target organ toxicity – single exposure	: Not classified
	No data available
Specific target organ toxicity – repeated	: Not classified
exposure	No data available
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
Symptoms/effects after inhalation	: May be harmful if inhaled. May cause respiratory tract irritation.
Symptoms/effects after skin contact	: May be harmful if absorbed through skin. May cause skin irritation.
Symptoms/effects after eye contact	: May cause eye irritation.
Symptoms/effects after ingestion	: May be harmful if swallowed.
-	

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

12.2. Persistence and degradability	
L-THREONINE-N-FMOC, O-T-BUTYL ETHER	R (13C4, 97-99%; 15N, 97-99%) (71989-35-0 (Unlabeled))
Persistence and degradability	Not available.
12.3. Bioaccumulative potential	
L-THREONINE-N-FMOC, O-T-BUTYL ETHER	R (13C4, 97-99%; 15N, 97-99%) (71989-35-0 (Unlabeled))
Log Pow	4.644
Bioaccumulative potential	Not available.
12.4. Mobility in soil	
L-THREONINE-N-FMOC, O-T-BUTYL ETHER	R (13C4, 97-99%; 15N, 97-99%) (71989-35-0 (Unlabeled))
Ecology - soil	Not available.
12.5. Results of PBT and vPvB assessme	ent
No additional information available	
12.6. Other adverse effects	
Other adverse effects	: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.
SECTION 13: Disposal consideratio	ns
13.1. Waste treatment methods	
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.
Product/Packaging disposal recommendations	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
Ecology - waste materials	: Dispose of as unused product.

SECTION 14: Transport information In accordance with ADR / RID / IMDG / IATA / ADN 14.1. UN number UN-No.(DOT) : 3077 DOT NA no. UN3077

99%) CNLM-7615

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.2. **UN proper shipping name**

Proper Shipping Name (DOT)
Class (DOT)
Hazard labels (DOT)

DOT Symbols Packing group (DOT) DOT Special Provisions (49 CFR 172.102)

- : Environmentally hazardous substances, solid, n.o.s.
- : 9 Class 9 Miscellaneous hazardous material 49 CFR 173.140
- : 9 Class 9 (Miscellaneous dangerous materials)



- : G Identifies PSN requiring a technical name
- : III Minor Danger
- 8 A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies.

146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination.

335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging.

A112 - Notwithstanding the quantity limits shown in Column (9A) and (9B) for this entry, the following IBCs are authorized for transportation aboard passenger and cargo-only aircraft. Each IBC may not exceed a maximum net quantity of 1,000 kg:

- a. Metal: 11A, 11B, 11N, 21A, 21B and 21N b. Rigid plastics: 11H1, 11H2, 21H1 and 21H2

c. Composite with plastic inner receptacle: 11HZ1, 11HZ2, 21HZ1 and 21HZ2

d. Fiberboard: 11G

e. Wooden: 11C, 11D and 11F (with inner liners)

f. Flexible: 13H2, 13H3, 13H4, 13H5, 13L2, 13L3, 13L4, 13M1 and 13M2 (flexible IBCs must be sift-proof and water resistant or must be fitted with a sift-proof and water resistant liner). B54 - Open-top, sift-proof rail cars are also authorized.

IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1) 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1,

13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2)

IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner.

N20 - A 5M1 multi-wall paper bag is authorized if transported in a closed transport vehicle. T1 - 1.5 178.274(d)(2) Normal..... 178.275(d)(2)

TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : 155

- : 213
- : 240
- : Marine Pollutant



DOT Packaging Non Bulk (49 CFR 173.xxx)

DOT Packaging Bulk (49 CFR 173.xxx)

: No supplementary information available.

Marine pollutant

99%) CNLM-7615

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Overland transport	
Packing group (ADR)	: III
Class (ADR)	: 9 - Miscellaneous dangerous substances and articles
Hazard identification number (Kemler No.)	: 90
Classification code (ADR)	: M7
Hazard labels (ADR)	: 9 - Miscellaneous dangerous substances and articles
Orange plates	90 3077
Tunnel restriction code (ADR)	: E
Limited quantities (ADR)	5kg
EAC	: 2Z
Excepted quantities (ADR)	: E1
Transport by sea	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
MFAG-No	: 171
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: No limit
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: No limit
Civil Aeronautics Law	: Miscellaneous dangerous substances & articles
14.4. Environmental hazards	
Dangerous for the environment	
Other information	: No supplementary information available.
14.5. Special precautions for user	
14.6. Transport in bulk according to Anne	x II of MARPOL 73/78 and the IBC Code
Not applicable	
SECTION 15: Regulatory information	
15.1. US Federal regulations	
No additional information available	

15.2. International regulations

CANADA

No additional information available

15.2.1. National regulations

No additional information available

99%) CNLM-7615

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations				
L-THREONINE-N-FMOC, O-T-BUTYL ETHER (13C4, 97-99%; 15N, 97-99%)(71989-35-0 (Unlabeled))				
U.S California - Proposition 65 - Carcinogens List	No			
U.S California - Proposition 65 - Developmental Toxicity	No			
U.S California - Proposition 65 - Reproductive Toxicity - Female	No			
U.S California - Proposition 65 - Reproductive Toxicity - Male	No			
State or local regulations	RTK - U.S New Jersey - Right to Know Hazardous Substance List RTK - U.S Pennsylvania - RTK (Right to Know) List This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.			

SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

	Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1		
	Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1		
	H400	Very toxic to aquatic life		
	H410	Very toxic to aquatic life with long lasting effects		
	R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment		
	Ν	Dangerous for the environment		
NFP	A health hazard A fire hazard A reactivity	 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials. 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. 0 - Material that in themselves are normally stable, even under fire conditions. 	0	
Haza	rd Rating			
Heal	th	: 0 Minimal Hazard - No significant risk to health		
Flam	mability	: 0 Minimal Hazard		
Phys	•	: 0 Minimal Hazard		

CIL Substance SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product