

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 6/2/2011 Revision date: 7/19/2023 Supersedes: 3/21/2023 Version: 7.2

# **SECTION 1: Identification**

#### 1.1. Identification

Product form : Mixture

Product name : DIMETHYL SULFOXIDE-D6 (D, 99.9%) +0.05% V/V TMS

CAS-No. : 67-68-5 Product code : DLM-10TB

Synonyms : DMSO / Methyl sulfoxide

### 1.2. Recommended use and restrictions on use

No additional information available

# 1.3. Supplier

Cambridge Isotope Laboratories, Inc.

50 Frontage Rd

01810

ANDOVER, MA, 01810

USA

T 1-800-322-1174

cilsales@isotope.com - www.isotope.com

# 1.4. Emergency telephone number

Emergency number : 1-703-741-5970

Chemtrec 1-800-424-9300 24 hours

# **SECTION 2: Hazard(s) identification**

# 2.1. Classification of the substance or mixture

#### **GHS US classification**

Flammable liquids Category 4 H227 Combustible liquid

Full text of H statements : see section 16

### 2.2. GHS Label elements, including precautionary statements

## **GHS US labeling**

Signal word (GHS US) : Warning

Hazard statements (GHS US) : H227 - Combustible liquid

Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. heat, hot surfaces, open flames, sparks

P280 - Wear eye protection, face protection, protective clothing, protective gloves.

 ${\tt P370+P378-In\ case\ of\ fire:\ Use\ Alcohol\ resistant\ foam,\ Carbon\ dioxide,\ Dry\ chemical,\ Water}$ 

spray to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to Comply with applicable regulations.

#### 2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : Rapidly absorbed through skin.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

# **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

# 3.2. Mixtures

Name	Product identifier	%	GHS US classification
DIMETHYL SULFOXIDE-D6 (D, 99.9%)	CAS-No.: 2206-27-1	99.97	Flam. Liq. 4, H227
TETRAMETHYLSILANE 99.9%	CAS-No.: 75-76-3	0.03	Flam. Liq. 1, H224

Full text of hazard classes and H-statements: see section 16

# **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of

dangerous area.

First-aid measures after inhalation : If breathed in, move person to fresh air. If not breathing, give artificial respiration. Consult a

physician.

First-aid measures after skin contact : Wash with soap and plenty of water. Consult a physician.

First-aid measures after eye contact : Flush eyes with water as a precaution.

First-aid measures after ingestion : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth

with water. Consult a physician.

### 4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms

: Exposure to large amounts can cause: redness of skin, Itching, burning, sedation, Headache, Nausea, Dizziness. Eyes - Eye disease - Based on Human Evidence. This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Symptoms/effects after inhalation : May be harmful if inhaled. May cause respiratory tract irritation.

Symptoms/effects after skin contact : May be harmful if absorbed through skin. May cause skin irritation.

Symptoms/effects after eye contact : Contact may cause eye irritation. Symptoms/effects after ingestion : May be harmful if swallowed.

# 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

# **SECTION 5: Fire-fighting measures**

# 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Suitable extinguishing agents: Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.

Hazardous decomposition products in case of fire : Carbon oxides (CO, CO2). Sulpher oxides.

7/19/2023 (Revision date) US - en 2/11

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Wear a self contained breathing

apparatus. Do not enter fire area without proper protective equipment, including respiratory

protection.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear

recommended personal protective equipment.

Other information : Use water spray to cool exposed surfaces.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Avoid breathing vapors, mist or gas. Remove all sources of ignition. Beware of vapours

accumulating to form explosive concentrations. Vapours can accumulate in low areas.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Do not allow to enter drains or water courses. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Clean up any spills as soon as possible, using an absorbent material to collect it. Small

quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. For large spills, confine the spill in a dike and charge it with wet sand or earth for

subsequent safe disposal.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Additional hazards when processed : Avoid all eye and skin contact and do not breathe vapor and mist. Keep away from sources of ignition - No smoking. Take precautionary measures to prevent the formation of static electricity.

Precautions for safe handling : Provide adequate ventilation to minimize dust and/or vapor concentrations.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Store in a well-ventilated place. Keep container tightly closed.

Storage conditions : Store at room temperature away from light and moisture.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

7/19/2023 (Revision date) US - en 3/11

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DIMETHYL SULFOXIDE-D6 (D, 99.9%) +0.05% V/V TMS (67-68-5)		
USA - ACGIH - Occupational Exposure Limits		
Remark (ACGIH)	TWA 250 ppm USA. Workplace Environmental Exposure Levels (WEEL)	
ACGIH chemical category	No component of this product present at levels greater than or equal to 0.1% is identifiable as a carcinogen or potential carcinogen by ACGIH.	
DIMETHYL SULFOXIDE-D6 (D, 99.9%) (2206-27-1)		
USA - ACGIH - Occupational Exposure Limits		
Remark (ACGIH)	TWA 250 ppm USA. Workplace Environmental Exposure Levels (WEEL)	
ACGIH chemical category	No component of this product present at levels greater than or equal to 0.1% is identifiable as a carcinogen or potential carcinogen by ACGIH.	
TETRAMETHYLSILANE 99.9% (75-76-3)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH chemical category	No component of this product present at levels greater than or equal to 0.1% is identifiable as a carcinogen or potential carcinogen by ACGIH.	

# 8.2. Appropriate engineering controls

Appropriate engineering controls : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

Environmental exposure controls : Avoid release to the environment.

# 8.3. Individual protection measures/Personal protective equipment

# Personal protective equipment:

Gloves. Safety glasses. Respiratory protection of the dependent type. Protective clothing.

#### Materials for protective clothing:

Wear suitable protective clothing and gloves

#### Hand protection:

Wear suitable protective clothing and gloves

# Eye protection:

Wear eye protection. Chemical goggles or face shield with safety glasses

# Skin and body protection:

Wear suitable protective clothing, gloves and eye/face protection

#### Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Approved supplied air respirator

# Personal protective equipment symbol(s):







7/19/2023 (Revision date) US - en 4/11

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Appearance Clear. Liquid.

Color Colorless - Very pale yellow

Odor sulphurous Odor threshold : No data available рΗ : No data available : 16 - 19 °C (61 - 66 °F) Melting point Freezing point : No data available Boiling point : 189 °C (372 °F)

Flash point : 87 °C (189 °F) - closed cup

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available

: 0.55 hPa (0.41 mmHg) at 20 °C (68 °F) Vapor pressure

Relative vapor density at 20°C 2.7 (Air = 1.0)Relative density No data available

Density : 1.19 g/ml at 20 °C (68 °F) (Labeled)

Molecular mass 84.17 g/mol (Labeled) : No data available Solubility

Partition coefficient n-octanol/water (Log Pow) : -2.03

Auto-ignition temperature : 301 °C (574 °F) : > 190 °C (> 374 °F) Decomposition temperature Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosion limits** 3.5 - 42 % No data available

Explosive properties Oxidizing properties No data available

### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable if stored under recommended conditions.

# 10.3. Possibility of hazardous reactions

No additional information available

# 10.4. Conditions to avoid

Moisture. Heat. Open flame. Sparks.

#### 10.5. Incompatible materials

Acid chlorides. Phosphorus halides. Strong acids. Strong oxidizing agents. Strong reducing agents.

# 10.6. Hazardous decomposition products

Calcium oxide. Sulphur oxides.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 11: Toxicological information**

9			
11.1. Information on toxicological effects			
Acute toxicity (dermal) :	Not classified Not classified Not classified		
DIMETHYL SULFOXIDE-D6 (D, 99.9%) +0.05%	6 V/V TMS (67-68-5)		
LD50 oral rat	14500 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg		
LC50 Inhalation - Rat [ppm]	40250 ppm 4h		
ATE US (oral)	14500 mg/kg body weight		
DIMETHYL SULFOXIDE-D6 (D, 99.9%) (2206-2	27-1)		
LD50 oral rat	14500 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg		
LC50 Inhalation - Rat [ppm]	40250 ppm 4h		
ATE US (oral)	14500 mg/kg body weight		
TETRAMETHYLSILANE 99.9% (75-76-3)	TETRAMETHYLSILANE 99.9% (75-76-3)		
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)		
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other:		
LC50 Inhalation - Rat	> 21.3 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: other:		
Skin corrosion/irritation :	Not classified		
Serious eye damage/irritation :	Not classified		
Respiratory or skin sensitization :	Not classified		
Germ cell mutagenicity :	Not classified		
Carcinogenicity :	Not classified		
Reproductive toxicity :	Not classified		
STOT-single exposure :	Not classified		
STOT-repeated exposure :	Not classified		
Aspiration hazard :	Not classified		
Viscosity, kinematic :	No data available		

safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

: May be harmful if inhaled. May cause respiratory tract irritation.: May be harmful if absorbed through skin. May cause skin irritation.

: Exposure to large amounts can cause: redness of skin, Itching, burning, sedation, Headache,

Nausea, Dizziness. Eyes - Eye disease - Based on Human Evidence. This information is based on our current knowledge and is intended to describe the product for the purposes of health,

Symptoms/effects after skin contact

Symptoms/effects after eye contact

Symptoms/effects after eye contact

Symptoms/effects after ingestion

May be harmful if absorbed throu

Contact may cause eye irritation.

May be harmful if swallowed.

Potential Adverse human health effects and

Symptoms/effects after inhalation

symptoms

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

enecis in the environment.		
DIMETHYL SULFOXIDE-D6 (D, 99.9%) +0.05% V/V TMS (67-68-5)		
LC50 - Fish [1]	34000 mg/l Pimephales promelas (fathead minnow) - 96 h	
EC50 - Crustacea [1]	24600 mg/l Daphnia magna (Water flea) - 48 h	
LC50 - Fish [2]	35000 mg/l Oncorhynchus mykiss (rainbow trout) - 96 h	
LC50 - Other aquatic organisms [2]	17000 mg/l Pseudokirchneriella subcapitata (green algae) - 72 h	
ErC50 algae	400000 mg/l Lepomis macrochirus (Bluegill) -96 h	
DIMETHYL SULFOXIDE-D6 (D, 99.9%) (2206-27-1)		
LC50 - Fish [1]	34000 mg/l Pimephales promelas (fathead minnow) - 96 h	
EC50 - Crustacea [1]	24600 mg/l Daphnia magna (Water flea) - 48 h	
LC50 - Fish [2]	35000 mg/l Oncorhynchus mykiss (rainbow trout) - 96 h	
LC50 - Other aquatic organisms [2]	17000 mg/l Pseudokirchneriella subcapitata (green algae) - 72 h	
ErC50 algae	400000 mg/l Lepomis macrochirus (Bluegill) -96 h	
TETRAMETHYLSILANE 99.9% (75-76-3)		
LC50 - Fish [1]	1.9 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	> 103 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 0.0079 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	

# 12.2. Persistence and degradability

DIMETHYL SULFOXIDE-D6 (D, 99.9%) +0.05% V/V TMS (67-68-5)		
Persistence and degradability	Not available.	
Biodegradation	31 % According to the results of tests of biodegradability this product is not readily biodegradable.	
DIMETHYL SULFOXIDE-D6 (D, 99.9%) (2206-27-1)		
Persistence and degradability	Not available.	
Biodegradation	31 % According to the results of tests of biodegradability this product is not readily biodegradable.	
TETRAMETHYLSILANE 99.9% (75-76-3)		
Not rapidly degradable		

# 12.3. Bioaccumulative potential

DIMETHYL SULFOXIDE-D6 (D, 99.9%) +0.05% V/V TMS (67-68-5)		
Partition coefficient n-octanol/water (Log Pow) -2.03		
DIMETHYL SULFOXIDE-D6 (D, 99.9%) (2206-27-1)		
Partition coefficient n-octanol/water (Log Pow)	-2.03	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **TETRAMETHYLSILANE 99.9% (75-76-3)**

Partition coefficient n-octanol/water (Log Pow) 3.24 Source: ChemIDplus

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Other adverse effects : Stability in water - 0.12 - 1.2 h at 30 °C Remarks: Hydrolyses readily.

# **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and local

environmental control regulations.

Product/Packaging disposal recommendations : Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed

professional waste disposal service to dispose of this material.

Ecology - waste materials : Dispose of as unused product.

# **SECTION 14: Transport information**

In accordance with DOT / TDG / IMDG / IATA

# 14.1. UN number

DOT NA No : NA1993
UN-No. (TDG) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable

# 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Combustible liquid, n.o.s.

Proper Shipping Name (TDG) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

# 14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Combustible liquid

TDG

Transport hazard class(es) (TDG) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

### 14.4. Packing group

Packing group (DOT) : III

Packing group (TDG) : Not applicable
Packing group (IMDG) : Not applicable

7/19/2023 (Revision date) US - en 8/11

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing group (IATA) : Not applicable

#### 14.5. Environmental hazards

Other information : No supplementary information available.

### 14.6. Special precautions for user

UN-No.(DOT) : NA1993

DOT Special Provisions (49 CFR 172.102) : 148 - Except for transportation by aircraft, when transported as a limited quantity or a consumer

commodity, the maximum net capacity specified in §173.150(b)(2) of this subchapter for inner

packaging may be increased to 5 L (1.3 gallons).

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table

2 for UN2672).

T1 - 1.5 178.274(d)(2) Normal...... 178.275(d)(2)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) 150 DOT Packaging Non Bulk (49 CFR 173.xxx) 203 DOT Packaging Bulk (49 CFR 173.xxx) 241 DOT Quantity Limitations Passenger aircraft/rail (49 : 60 L

CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a **DOT Vessel Stowage Location** 

passenger vessel.

: 220 L

# **TDG**

No data available

# **IMDG**

No data available

#### IATA

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

DIMETHYL SULFOXIDE-D6 (D, 99.9%) +0.05% V/V TMS (67-68-5)	
SARA Section 302 Threshold Planning Quantity (TPQ)	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA Section 311/312 Hazard Classes	Fire hazard Delayed (chronic) health hazard

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	CAS-No.	Listing	Commercial status	Flags
DIMETHYL SULFOXIDE-D6 (D, 99.9%)	2206-27-1	Not present	-	
TETRAMETHYLSILANE 99.9%	75-76-3	Not present	-	

DIMETHYL SULFOXIDE-D6 (D, 99.9%) (2206-27-1)	
SARA Section 302 Threshold Planning Quantity (TPQ)  SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA Section 311/312 Hazard Classes	Fire hazard Delayed (chronic) health hazard

TETRAMETHYLSILANE 99.9% (75-76-3)	
Not subject to reporting requirements of the United States SARA Section 313	
SARA Section 311/312 Hazard Classes Fire hazard	

### 15.2. International regulations

#### **CANADA**

### DIMETHYL SULFOXIDE-D6 (D, 99.9%) +0.05% V/V TMS (67-68-5)

Listed on the Canadian DSL (Domestic Substances List)

### **DIMETHYL SULFOXIDE-D6 (D, 99.9%) (2206-27-1)**

Listed on the Canadian DSL (Domestic Substances List)

# **TETRAMETHYLSILANE 99.9% (75-76-3)**

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

### **TETRAMETHYLSILANE 99.9% (75-76-3)**

CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States.

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on TECI (Thailand Existing Chemicals Inventory)

### 15.3. US State regulations

Component	State or local regulations
TETRAMETHYLSILANE 99.9%(75-76-3)	U.S New Jersey - Right to Know Hazardous Substance List

# **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date

: 07/19/2023

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of H-phra	Full text of H-phrases	
H224	Extremely flammable liquid and vapor	
H227	Combustible liquid	

NFPA health hazard : 0 - Materials that, under emergency conditions, would offer no hazard


beyond that of ordinary combustible materials.

: 2 - Materials that must be moderately heated or exposed to relatively

high ambient temperatures before ignition can occur.

:  $\,$  0 - Material that in themselves are normally stable, even under fire

conditions.



Hazard Rating

NFPA fire hazard

NFPA reactivity

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient

temperatures before ignition will occur. Includes liquids having a flash point at or above 100  $\mbox{\ensuremath{\mathsf{F}}}$ 

but below 200 F. (Classes II IIIA)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.