



# 2,2',3,3',4,4',5,6-OCTACB UNLABELED

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 03/09/2014

Revision date: 20/05/2015

Version: 3

### PCB-195-C

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Substance  
Substance name : 2,2',3,3',4,4',5,6-OCTACB UNLABELED  
EC index no : 602-039-00-4  
CAS No : 52663-78-2  
Product code : PCB-195-C  
Formula : C<sub>12</sub>H<sub>2</sub>Cl<sub>8</sub>

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only.

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.  
50 Frontage Road  
Andover, MA 01810  
USA

USA: 1-800-322-1174 Int: 1-978-749-8000  
[cilsales@isotope.com](mailto:cilsales@isotope.com) [www.isotope.com](http://www.isotope.com)

### Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours)  
International: 1-703-741-5970 (24 hours)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

STOT RE 2 H373  
Aquatic Acute 1 H400  
Aquatic Chronic 1 H410

Full text of H-phrases: see section 16

#### Classification according to Directive 67/548/EEC or 1999/45/EC

N; R50/53  
Carc.Cat.1; R45

Full text of R-phrases: see section 16

#### Classification (GHS-US)

STOT RE 2 H373  
Aquatic Acute 1 H400  
Aquatic Chronic 1 H410

#### Adverse physicochemical, human health and environmental effects

Liver, Kidney, Bladder, Skin.

# 2,2',3,3',4,4',5,6-OCTACB UNLABELED PCB-195-C

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 2.2. Label elements

#### Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS08

GHS09

Signal word (CLP) :

Warning

Hazard statements (CLP) :

H373 - May cause damage to organs (liver, Skin, kidneys, urinary bladder) through prolonged or repeated exposure  
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) :

P260 - Do not breathe dust, fume, mist, gas, spray, vapors  
P273 - Avoid release to the environment  
P314 - Get medical advice/attention if you feel unwell  
P391 - Collect spillage  
P501 - Dispose of contents/container to Comply with applicable regulations.

#### GHS-US labeling

Hazard pictograms (GHS-US) :



GHS08

GHS09

Signal word (GHS-US) :

Warning

Hazard statements (GHS-US) :

H373 - May cause damage to organs (liver, Skin, kidneys, urinary bladder) through prolonged or repeated exposure (oral, Inhalation, Dermal)  
H400 - Very toxic to aquatic life  
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (GHS-US) :

P260 - Do not breathe dust, fume, mist, gas, spray, vapors  
P273 - Avoid release to the environment  
P314 - Get medical advice and attention if you feel unwell  
P391 - Collect spillage  
P501 - Dispose of contents/container to Comply with applicable regulations.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Name	Product identifier	%	Classification according to Directive 67/548/EEC
2,2',3,3',4,4',5,6-OCTACB UNLABELED (Main constituent)	(CAS No) 52663-78-2 (EC index no) 602-039-00-4	100	N; R50/53 Carc.Cat.1; R45
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2,2',3,3',4,4',5,6-OCTACB UNLABELED (Main constituent)	(CAS No) 52663-78-2 (EC index no) 602-039-00-4	100	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of R-, H- and EUH-phrases: see section 16

Name	Product identifier	%	Classification (GHS-US)
2,2',3,3',4,4',5,6-OCTACB UNLABELED (Main constituent)	(CAS No) 52663-78-2	100	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

### 3.2. Mixtures

Not applicable

# 2,2',3,3',4,4',5,6-OCTACB UNLABELED PCB-195-C

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Move out of dangerous area. Consult a physician and show this safety data sheet.
First-aid measures after inhalation	: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
First-aid measures after skin contact	: Wash with soap and plenty of water. Consult a physician.
First-aid measures after eye contact	: Flush eye with water for 15 minutes. Get medical attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: Liver injury may occur.
Symptoms/injuries after inhalation	: May be harmful if inhaled. Causes respiratory tract irritation.
Symptoms/injuries after skin contact	: May be harmful if absorbed through skin. May cause skin irritation.
Symptoms/injuries after eye contact	: May cause eye irritation.
Symptoms/injuries after ingestion	: May be harmful if swallowed.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Reactivity : Not available.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapours can accumulate in low areas.

##### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3. Methods and material for containment and cleaning up

For containment : Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed	: Do not breathe dust. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Avoid inhalation of vapor or mist.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Store at room temperature away from light and moisture.
Storage conditions	: Store at room temperature away from light and moisture.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

# 2,2',3,3',4,4',5,6-OCTACB UNLABELED PCB-195-C

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 8.2. Exposure controls

Personal protective equipment : Safety glasses. Gloves. Respiratory protection of the dependent type. Protective clothing.



Hand protection : Wear suitable protective clothing and gloves.  
Eye protection : Wear safety glasses with side shields (or goggles) and a face shield.  
Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Respiratory protection : When appropriate, use NIOSH/CEN approved respirator.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Solid  
Appearance : Solid.  
Molecular mass : 429.77  
Color : Colorless to Yellow.  
Odor : No data available.  
Odor threshold : No data available  
pH : No data available  
Relative evaporation rate (butyl acetate=1) : No data available  
Melting point : 168 °C  
Freezing point : No data available  
Boiling point : No data available  
Flash point : No data available  
Self ignition temperature : No data available  
Decomposition temperature : No data available  
Flammability (solid, gas) : No data available  
Vapor pressure : < @ 38°C  
Relative vapor density at 20 °C : No data available  
Relative density : No data available  
Solubility : No data available  
Log Pow : No data available  
Log Kow : No data available  
Viscosity, kinematic : No data available  
Viscosity, dynamic : No data available  
Explosive properties : No data available  
Oxidizing properties : No data available  
Explosive limits : No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Not available.

### 10.2. Chemical stability

See storage and expiration date on CoA.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Do not expose to excessive heat or ignition sources.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Decomposition liberates toxic fumes.

# 2,2',3,3',4,4',5,6-OCTACB UNLABELED PCB-195-C

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified No data available
Serious eye damage/irritation	: Not classified No data available
Respiratory or skin sensitization	: Not available No data available
Germ cell mutagenicity	: Not available
Carcinogenicity	: Not available
Reproductive toxicity	: Not available
Specific target organ toxicity (single exposure)	: Not classified No data available
Specific target organ toxicity (repeated exposure)	: May cause damage to organs (liver, Skin, kidneys, urinary bladder) through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
IARC group	: 2A
Symptoms/injuries after inhalation	: May be harmful if inhaled. Causes respiratory tract irritation.
Symptoms/injuries after skin contact	: May be harmful if absorbed through skin. May cause skin irritation.
Symptoms/injuries after eye contact	: May cause eye irritation.
Symptoms/injuries after ingestion	: May be harmful if swallowed.

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

##### 2,2',3,3',4,4',5,6-OCTACB UNLABELED (52663-78-2)

Persistence and degradability	Not available.
-------------------------------	----------------

#### 12.3. Bioaccumulative potential

##### 2,2',3,3',4,4',5,6-OCTACB UNLABELED (52663-78-2)

Bioaccumulative potential	Not available.
---------------------------	----------------

#### 12.4. Mobility in soil

##### 2,2',3,3',4,4',5,6-OCTACB UNLABELED (52663-78-2)

Ecology - soil	Not available.
----------------	----------------

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Other adverse effects : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and Local environmental control regulations.

### SECTION 14: Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

#### 14.1. UN number

UN-No.(DOT)	: UN3432
DOT NA no.	UN3432

# 2,2',3,3',4,4',5,6-OCTACB UNLABELED PCB-195-C

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 14.2. UN proper shipping name

DOT Proper Shipping Name : Polychlorinated biphenyls, solid  
Department of Transportation (DOT) Hazard Classes : 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140  
Hazard labels (DOT) : 9 - Class 9 (Miscellaneous dangerous materials)



Packing group (DOT) : II - Medium Danger  
DOT Special Provisions (49 CFR 172.102) : 9 - Packaging for certain PCBs for disposal and storage is prescribed by EPA in 40 CFR 761.60 and 761.65.  
81 - Polychlorinated biphenyl items, as defined in 40 CFR 761.3, for which specification packaging are impractical, may be packaged in non-specification packaging meeting the general packaging requirements of subparts A and B of part 173 of this subchapter. Alternatively, the item itself may be used as a packaging if it meets the general packaging requirements of subparts A and B of part 173 of this subchapter.  
140 - This material is regulated only when it meets the defining criteria for a hazardous substance or a marine pollutant. In addition, the column 5 reference is modified to read III on those occasions when this material is offered for transportation or transported by highway or rail.  
IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).  
IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle.  
IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner.  
T3 - 2.65 178.274(d)(2) Normal..... 178.275(d)(2)  
TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.  
DOT Packaging Exceptions (49 CFR 173.xxx) : 155  
DOT Packaging Non Bulk (49 CFR 173.xxx) : 212  
DOT Packaging Bulk (49 CFR 173.xxx) : 240  
Marine pollutant : No



### 14.3. Additional information

Other information : No supplementary information available.

#### Overland transport

Packing group (ADR) : II  
Class (ADR) : 9 - Miscellaneous dangerous substances and articles  
Hazard identification number (Kemler No.) : 90  
Classification code (ADR) : M2  
Danger labels (ADR) : 9 - Miscellaneous dangerous compounds



# 2,2',3,3',4,4',5,6-OCTACB UNLABELED PCB-195-C

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Orange plates	:	<b>90</b> <b>3432</b>
Tunnel restriction code	:	D/E
Limited quantities (ADR)	:	1kg
EAC	:	2X
Excepted quantities (ADR)	:	E2


### Transport by sea

DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
MFAG-No	:	171

### Air transport

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	100 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	220 L
Civil Aeronautics Law	:	Miscellaneous dangerous substances & articles

### 14.4. Environmental hazards

Dangerous for the environment	:	
Other information	:	No supplementary information available.

### 14.5. Special precautions for user

### 14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

<b>2,2',3,3',4,4',5,6-OCTACB UNLABELED (52663-78-2)</b>	
Not listed on the United States TSCA (Toxic Substances Control Act) inventory	
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard

### 15.2. International regulations

#### CANADA

No additional information available

#### 15.2.1. National regulations

No additional information available

### 15.3. US State regulations

<b>2,2',3,3',4,4',5,6-OCTACB UNLABELED(52663-78-2)</b>	
State or local regulations	U.S. - Pennsylvania - RTK (Right to Know) List U.S. - New Jersey - Right to Know Hazardous Substance List WARNING! This product contains a chemical known by the state of California to cause cancer, birth defects or other reproductive harm.

## SECTION 16: Other information

# 2,2',3,3',4,4',5,6-OCTACB UNLABELED PCB-195-C

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information : This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.


Full text of R-, H- and EUH-phrases::

Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
R45	May cause cancer
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
N	Dangerous for the environment

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



### HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 0 Minimal Hazard

Physical : 0 Minimal Hazard

CIL Multi-Solvent Mixture SDS

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*