

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 /

Rules and Regulations

Date of issue: 26/08/2014 Revision date:

ULM-7394-MT-S

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Mixtures

: MONOCYCLOHEXYL PHTHALATE UNLABELED 100 UG/ML IN MTBE Product name

: ULM-7394-MT-S Product code

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only.

1.2.2. Uses advised against

No additional information available

Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.

50 Frontage Road Andover, MA 01810

USA

USA: 1-800-322-1174 Int: 1-978-749-8000 cilsales@isotope.com www.isotope.com

Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours) International: 1-202-483-7616 (24 hours)

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225 Skin Irrit. 2 H315

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Xn; R22 Xi; R38

Full text of R-phrases: see section 16

Classification (GHS-US)

Flam. Liq. 2 H225 Acute Tox. Not classified (Oral)

Skin Irrit. 2 H315

Adverse physicochemical, human health and environmental effects

Kidney, Central nervous system.

2.2. **Label elements**

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

GHS07

Signal word (CLP) : Danger

02/09/2014 EN (English US) 1/9

ULM-7394-MT-S

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard statements (CLP) : H225 - Highly flammable liquid and vapor

H315 - Causes skin irritation

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof ventilating, lighting, electrical equipment

P264 - Wash Both hands thoroughly after handling P280 - Wear protective clothing, protective gloves P302+P352 - IF ON SKIN: Wash with plenty of water/...

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

GHS-US labeling

Hazard pictograms (GHS-US)





GHS02

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H225 - Highly flammable liquid and vapor

H315 - Causes skin irritation

Precautionary statements (GHS-US) : P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P264 - Wash Both hands thoroughly after handling P280 - Wear protective clothing, protective gloves

P302+P352 - IF ON SKIN: Wash with plenty of soap and water

P303+P361+P353 - IF ON SKIN (or hair): Řemove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P321 - Specific treatment (see Hazard pictograms (CLP) on this label)
P332+P313 - If skin irritation occurs: Get medical advice/attention
P362 - Take off contaminated clothing and wash before reuse

P370+P378 - In case of fire: Use Alcohol resistant foam., Carbon dioxide., Dry chemical., Water

spray for extinction

P403+P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/container to Comply with applicable regulations.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC
METHYL TERT-BUTYL ETHER UNLABELED	(CAS No) 1634-04-4 (EC no) 216-653-1 (EC index no) 603-181-00-X	99.9865	Xn; R22 Xi; R38
MONOCYCLOHEXYL PHTHALATE UNLABELED	(CAS No) 7517-36-4 (Unlabeled) (EC no) 201-545-9	0.0135	Xi; R36/37/38
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
METHYL TERT-BUTYL ETHER UNLABELED	(CAS No) 1634-04-4 (EC no) 216-653-1 (EC index no) 603-181-00-X	99.9865	Flam. Liq. 2, H225 Skin Irrit. 2, H315
MONOCYCLOHEXYL PHTHALATE UNLABELED	(CAS No) 7517-36-4 (Unlabeled) (EC no) 201-545-9	0.0135	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3. H335

02/09/2014 EN (English US) 2/9

ULM-7394-MT-S

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification (GHS-US)
METHYL TERT-BUTYL ETHER UNLABELED	(CAS No) 1634-04-4	99.9865	Flam. Liq. 2, H225 Acute Tox. Not classified (Oral) Skin Irrit. 2, H315

Full text of R-, H- and EUH-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of

dangerous area.

First-aid measures after inhalation : If breathed in, move person to fresh air. If not breathing, give artificial respiration. Consult a

physician.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water.

Wash contaminated clothing before reuse.

First-aid measures after eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

First-aid measures after ingestion : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth

with water. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May be harmful if inhaled. Causes respiratory tract irritation. Symptoms/injuries after skin contact : May be harmful if absorbed through skin. Causes skin irritation.

Symptoms/injuries after eye contact : Causes eye irritation.

Symptoms/injuries after ingestion : May be harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapor.

Explosion hazard : May form flammable/explosive vapor-air mixture.

Reactivity : Vapors may form explosive mixture with air.

5.3. Advice for firefighters

Firefighting instructions : Use water spray to cool unopened containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours

accumulating to form explosive concentrations. Vapours can accumulate in low areas.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

For containment : Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-

brushing and place in container for disposal according to local regulations.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable.

02/09/2014 EN (English US) 3/9

ULM-7394-MT-S

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautions for safe handling : No naked lights. No smoking. Use only non-sparking tools.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before

breaks and at the end of workday.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment. Use explosion-proof electrical equipment.

Storage conditions : Store refrigerated (-5 C to 5 C). Protect from light.

Incompatible materials : Heat sources

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)

8.2. Exposure controls

Personal protective equipment : Protective clothing. Protective goggles. Self-contained breathing apparatus. Gloves.









Hand protection : Wear suitable protective clothing and gloves.

Eye protection : Wear safety glasses with side shields (or goggles) and a face shield.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

The properties listed below are for the solvent, the main component of this mixture.

Physical state : Liquid

Appearance : Liquid.

Molecular mass : 88.15

Color : No data available.

Odor : No data available.

Odor threshold : No data available

pH : No data available

Relative evaporation rate (butyl acetate=1) : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : $55 - 56 \,^{\circ}\text{C} \, (131 - 133 \,^{\circ}\text{F}) - \text{lit}$ Flash point : $-33.0 \,^{\circ}\text{C} \, (-27.4 \,^{\circ}\text{F}) - \text{closed cup}$

Self ignition temperature : 374 °C (705 °F)

Decomposition temperature : No data available

Flammability (solid, gas) : Highly flammable liquid and vapor

Vapor pressure : 1018.7 hPa (764.1 mmHg) at 55°C (131°F), 279.2 hPa (209.4 mmHg) at 55°C (131°F)

Relative vapor density at 20 °C : No data available
Relative density : No data available
Solubility : No data available
Log Pow : 0.94 - 1.77
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available

Explosive properties Oxidizing properties

02/09/2014 EN (English US) 4/9

: No data available

ULM-7394-MT-S

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosive limits : 1.6 - 15.1 % (V)

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapors may form explosive mixture with air.

10.2. Chemical stability

See storage and expiration date on CoA.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Direct sunlight.

10.5. Incompatible materials

Oxidizing agents, Strong acids.

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified.

MONOCYCLOHEXYL PHTHALATE UNLABELED 100 UG/ML IN MTBE	
LD50 oral rat	4000 mg/kg
LC50 inhalation rat (ppm)	23576 ppm - 4h
ATE (oral)	4000.000 mg/kg body weight

METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)	
LD50 oral rat	4000 mg/kg
LC50 inhalation rat (ppm)	23576 ppm - 4h
ATF (oral)	4000,000 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation.

Skin - rabbit - Skin irritation

Serious eye damage/irritation : Not classified

Eyes - rabbit - No eye irritation

Respiratory or skin sensitization : Will not occur.

No data available

Germ cell mutagenicity : Not available

Carcinogenicity : This product is or contains a component that is not classifiable as to its carcinogenicity on its

IARC, ACGIH, NTP, or EPA classification.

Reproductive toxicity : Not available Specific target organ toxicity (single exposure) : Not classified

No data available

Specific target organ toxicity (repeated

exposure)

: Not classified

No data available

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Nausea. Vomiting. Dizziness. Central nervous system depression. Pneumonitis. The chemical,

physical, and toxicological properties have not been thoroughly investigated.

IARC group :

Symptoms/injuries after inhalation : May be harmful if inhaled. Causes respiratory tract irritation.

Symptoms/injuries after skin contact : May be harmful if absorbed through skin. Causes skin irritation.

Symptoms/injuries after eye contact : Causes eye irritation.

Symptoms/injuries after ingestion : May be harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

02/09/2014 EN (English US) 5/9

ULM-7394-MT-S

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

MONOCYCLOHEXYL PHTHALATE UNLABELED 100 UG/ML IN MTBE	
LC50 fish 1	672 mg/l Pimephales promelas (fathead minnow) - 96h
METHOD SEPT DUTY STUDY IN ADDITIONAL OF THE SEPTEMBER OF	

METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4	l)
--	----

LC50 fish 1 672 mg/l Pimephales promelas (fathead minnow) - 96h

12.2. Persistence and degradability

MONOCYCLOHEXYL PHTHALATE UNLABELED 100 UG/ML IN MTBE	
Persistence and degradability	Not available.

MONOCYCLOHEXYL PHTHALATE UNLABELED (7517-36-4 (Unlabeled))

Persistence and degradability No data available.

METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)

Persistence and degradability Not available.

12.3. Bioaccumulative potential

MONOCYCLOHEXYL PHTHALATE UNLA	ABELED 100 UG/ML IN MTBE
Log Pow	0.94 - 1.77
Bioaccumulative notential	Not available

MONOCYCLOHEXYL PHTHALATE UNLABELED (7517-36-4 (Unlabeled))	
Log Pow	3.102
Bioaccumulative potential	No data available.

METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)	
Log Pow	0.94 - 1.77
Bioaccumulative potential	Not available.

12.4. Mobility in soil

MONOCYCLOHEXYL PHTHALATE UNLABELED 100 UG/ML IN MTBE	
Ecology - soil	Not available.

MONOCYCLOHEXYL PHTHALATE UNLABELED (7517-36-4 (Unlabeled))

Ecology - soil No data available.

METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)	
Ecology - soil	Not available.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and Local

environmental control regulations.

Waste disposal recommendations : Dispose of contents/container to Comply with applicable regulations.

Additional information : Handle empty containers with care because residual vapors are flammable.

SECTION 14: Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

14.1. UN number

UN-No.(DOT) : 2398 DOT NA no. UN2398

14.2. UN proper shipping name

DOT Proper Shipping Name : Methyl tert-butyl ether

Department of Transportation (DOT) Hazard : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Classes

02/09/2014 EN (English US) 6/9

ULM-7394-MT-S

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard labels (DOT) : 3 - Flammable liquid



Packing group (DOT) : II - Medium Danger

DOT Special Provisions (49 CFR 172.102) : IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite

(31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T7 - 4 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150 DOT Packaging Non Bulk (49 CFR 173.xxx) : 202 DOT Packaging Bulk (49 CFR 173.xxx) : 242

Additional information 14.3.

Other information : No supplementary information available.

Overland transport

Packing group (ADR) : 11

Class (ADR) : 3 - Flammable liquid

Hazard identification number (Kemler No.) : 33 Classification code (ADR) : F1

: 3 - Flammable liquids Danger labels (ADR)



Orange plates

2398

: D/E Tunnel restriction code Limited quantities (ADR) 1L : •3YE : E2 Excepted quantities (ADR)

Transport by sea

DOT Vessel Stowage Location : E - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length, but is prohibited from carriage on passenger vessels in which the limiting number of passengers is exceeded.

MFAG-No : 127

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 5 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

Civil Aeronautics Law : Flammable liquids

Environmental hazards

Other information : No supplementary information available.

14.5. Special precautions for user

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.6.

Not applicable

02/09/2014 EN (English US) 7/9

ULM-7394-MT-S

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

MONOCYCLOHEXYL PHTHALATE UNLABELED 100 UG/ML IN MTBE

Listed on SARA Section 313 (Specific toxic chemical listings)

SARA Section 311/312 Hazard Classes Fire hazard

Immediate (acute) health hazard Delayed (chronic) health hazard

METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)

Listed on SARA Section 313 (Specific toxic chemical listings)

SARA Section 311/312 Hazard Classes Fire hazard

Immediate (acute) health hazard Delayed (chronic) health hazard

15.2. International regulations

CANADA

MONOCYCLOHEXYL PHTHALATE UNLABELED 100 UG/ML IN MTBE

Listed on the Canadian DSL (Domestic Substances List) inventory.

METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)

Listed on the Canadian DSL (Domestic Substances List) inventory.

15.2.1. National regulations

No additional information available

15.3. US State regulations

MONOCYCLOHEXYL PHTHALATE UNLABELED 100 UG/ML IN MTBE()	
State or local regulations	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases::

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 2	Flammable liquids Category 2
Skin Irrit. 2	skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation
R22	Harmful if swallowed
R36/37/38	Irritating to eyes, respiratory system and skin
R38	Irritating to skin
Xi	Irritant
Xn	Harmful

02/09/2014 EN (English US) 8/9

ULM-7394-MT-S

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt

medical attention is given.

NFPA fire hazard : 3 - Liquids and solids that can be ignited under almost all

ambient conditions.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 3 Serious Hazard
Physical : 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

02/09/2014 EN (English US) 9/9