

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 /

Rules and Regulations

Date of issue: 31/07/2015 Revision date:

ULM-7552-CS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Mixture

: 6-HYDROXYCHRYSENE UNLABELED 50 UG/ML IN ACETONITRILE Product name

Product code : ULM-7552-CS

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only.

1.2.2. Uses advised against

No additional information available

Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.

50 Frontage Road Andover, MA 01810

USA

USA: 1-800-322-1174 Int: 1-978-749-8000 cilsales@isotope.com www.isotope.com

Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225 Acute Tox. 4 (Oral) H302 Acute Tox. 4 (Dermal) H312 Acute Tox. 4 (Inhalation:dust,mist) H332 Eye Irrit. 2 H319

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Full text of R-phrases: see section 16

GHS-US classification

Flam. Liq. 2 H225 Acute Tox. 4 (Oral) H302 Acute Tox. 4 (Dermal) H312 Acute Tox. 4 (Inhalation:dust,mist) H332 Eye Irrit. 2A H319

Adverse physicochemical, human health and environmental effects

Lungs, Blood, Kidney, Liver, Central nervous system.

22/01/2016 EN (English) 1/10

ULM-7552-CS

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

Signal word (CLP) : Danger

Hazardous ingredients : ACETONITRILE UNLABELED

H225 - Highly flammable liquid and vapour Hazard statements (CLP)

H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

H319 - Causes serious eye irritation

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Precautionary statements (CLP)

smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment P261 - Avoid breathing dust, fume, gas, mist, spray, vapours P264 - Wash Both hands thoroughly after handling P270 - Do no eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area

GHS-US labelling

Signal word (GHS-US)

Hazard pictograms (GHS-US)





GHS02

: Danger

Hazard statements (GHS-US) : H225 - Highly flammable liquid and vapour

H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

H319 - Causes serious eve irritation

: P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking Precautionary statements (GHS-US)

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge P261 - Avoid breathing dust, fume, gas, mist, spray, vapours P264 - Wash Both hands thoroughly after handling

P270 - Do no eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area

P280 - Wear eye protection, face protection, protective clothing, protective gloves

P301+P312 - IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell

P302+P352 - IF ON SKIN: Wash with plenty of soap and water

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P304+P340 - IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER/doctor/physician if you feel unwell P321 - Specific treatment (see Hazard pictograms (CLP) on this label)

P330 - If swallowed, rinse mouth

P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse

P370+P378 - In case of fire: Use Alcohol resistant foam, Carbon dioxide., Dry chemical, Water spray for extinction

P403+P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/container to Comply with applicable regulations.

Other hazards

No additional information available

22/01/2016 EN (English) 2/10

ULM-7552-CS

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

3.2. Mixture			
Name	Product identifier	%	Classification according to Directive 67/548/EEC
ACETONITRILE UNLABELED	(CAS No) 75-05-8 (EC no) 200-835-2 (EC index no) 608-001-00-3	99.9936	F; R11 Xi; R36 Xn; R20/21/22
6-HYDROXYCHRYSENE UNLABELED	(CAS No) 37515-51-8	0.0064	Not classified
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ACETONITRILE UNLABELED	(CAS No) 75-05-8 (EC no) 200-835-2 (EC index no) 608-001-00-3	99.9936	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319
6-HYDROXYCHRYSENE UNLABELED	(CAS No) 37515-51-8	0.0064	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332

Name	Product identifier	%	GHS-US classification
ACETONITRILE UNLABELED	(CAS No) 75-05-8	99.9936	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319

Full text of R-, H- and EUH-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.

Skin Irrit. 2, H315 Carc. 1A, H350 STOT SE 3, H335

First-aid measures after skin contact

: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Immediately call a POISON CENTER or doctor/physician. Specific measures (see Hazard pictograms (CLP) on this label). Wash with plenty of soap and water. Wash contaminated clothing before reuse.

First-aid measures after eye contact

: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

First-aid measures after ingestion

: Rinse mouth. Call a POISON CENTER/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation

: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled.

Symptoms/injuries after skin contact

 Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.

Symptoms/injuries after ingestion

: Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Reactivity : Vapors may form explosive mixture with air.

5.3. Advice for firefighters

Firefighting instructions : Use water spray to cool unopened containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

22/01/2016 EN (English) 3/10

ULM-7552-CS

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures

: Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment

: Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling

: No naked lights. No smoking. Use only non-sparking tools. Use only outdoors or in a well-

ventilated area. Avoid breathing dust, mist or spray.

Hygiene measures : Do no eat, drink or smoke when using this product. Wash Both hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical equipment.

Storage conditions : Store refrigerated (-5 C to 5 C). Protect from light.

Incompatible materials : Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

6-HYDROXYCHRYSENE UNLABELED 50 UG/ML IN ACETONITRILE

8.1. Control parameters

Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	20.000000000 ppm Lower Respiratory Tract irritation. Not classifiable as a human carcinogen.
ACETONITRILE UNLABELE	O (75-05-8)	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	20.000000000 ppm Lower Respiratory Tract irritation. Not classifiable as a human carcinogen.
USA NIOSH	NIOSH REL (TWA) (mg/m3)	34 mg/m³ Forms Cyanide in the body.
USA NIOSH	NIOSH REL (TWA) (ppm)	20 ppm Forms Cyanide in the body.
USA OSHA	OSHA PEL (TWA) (mg/m3)	70 mg/m³ The value in mg/m3 is approximate.
USA OSHA	OSHA PEL (TWA) (ppm)	40.0000000000 ppm The value in mg/m3 is

8.2. Exposure controls

Personal protective equipment : Self-contained breathing apparatus. Protective goggles. Protective clothing. Gloves.



Hand protection

: Wear suitable protective clothing and gloves.

Eye protection

22/01/2016

: Wear safety glasses with side shields (or goggles) and a face shield.

Skin and body protection

: Wear suitable protective clothing.: Wear approved mask.

Respiratory protection

EN (English) 4/10

approximate.

ULM-7552-CS

Flash point

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

The properties listed below are for the solvent, the main component of this mixture. Physical state : Liquid Appearance : Liquid, clear. Molecular mass : 41.05 g/mol Colourless. Colour : ether-like. Odour

Odour threshold : No data available : No data available pΗ Relative evaporation rate (butylacetate=1) : No data available Melting point : -48 °C (-54°F) Freezing point : No data available : 81 - 82 °C (178 - 180 °F) **Boiling point**

Self ignition temperature : 523 °C (973 °F) Decomposition temperature : No data available

Flammability (solid, gas) : Highly flammable liquid and vapour

Vapour pressure : 73.18 hPa (54.89 mmHg) at 15°C (59 °F), 119.81 hPa (89.86 mmHg) at 25°C(77 °F)

: 2.0 °C (35.6 °F) - closed cup

Relative vapour density at 20 °C : 1.42 - (Air = 1.0) : No data available Relative density : 0.786 g/ml Density Solubility : Water: 100 % Log Pow : -0.34

Log Kow : No data available No data available Viscosity, kinematic Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available : 4.4 - 16 vol % **Explosive limits**

Other information 9.2.

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapors may form explosive mixture with air.

Chemical stability

See storage and expiration date on CoA.

Possibility of hazardous reactions

No additional information available

Conditions to avoid

Open flame. Direct sunlight.

Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents, Alkali metals.

Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

Information on toxicological effects

: Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled. Acute toxicity

6-HYDROXYCHRYSENE UNLABELED 50 UG/ML IN ACETONITRILE	
LD50 oral rat	2460 mg/kg
LD50 dermal rabbit	2000 mg/kg
LC50 inhalation rat (mg/l)	≥ 26.8 mg/l
LC50 inhalation rat (ppm)	7551 ppm - 8h

22/01/2016 EN (English) 5/10

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6-HYDROXYCHRYSENE UNLABELED 50 UG/ML IN ACETONITRILE		
ATE (oral)	500.000 mg/kg bodyweight	
ATE (dermal)	1100.000 mg/kg bodyweight	
ATE (gases)	4500.000 ppmV/4h	
ATE (vapours)	11.000 mg/l/4h	
ATE (dust,mist)	1.500 mg/l/4h	
ACETONITRILE UNLABELED (75-05-8)		
LD50 oral rat	2460 mg/kg	
LD50 dermal rabbit	2000 mg/kg	
LC50 inhalation rat (mg/l)	≥ 26.8 mg/l	
LC50 inhalation rat (ppm)	7551 ppm - 8h	
ATE (oral)	500.000 mg/kg bodyweight	
ATE (dermal)	2000.000 mg/kg bodyweight	
ATE (gases)	4500.000 ppmV/4h	
ATE (vapours)	11.000 mg/l/4h	
ATE (dust,mist)	1.500 mg/l/4h	
6-HYDROXYCHRYSENE UNLABELED (37515	5-51-8)	
ATE (oral)	500.000 mg/kg bodyweight	
ATE (dust,mist)	1.500 mg/l/4h	
Skin corrosion/irritation	: Not classified	
	Skin - rabbit - No skin irritation	
Serious eye damage/irritation	: Causes serious eye irritation.	
	Eyes - Rabbit - Irritating to eyes	
Respiratory or skin sensitisation	: Did not cause sensitization on laboratory animals.	
•	Buehler Test - guinea pig - Did not cause sensitisation on laboratory animals.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: No evidence of carcinogenicity in animal studies (when indicated).	
Reproductive toxicity	: Animal testing did not show any effects on fertility.	
Specific target organ toxicity (single exposure)	: Not classified	
opening in general section, (in give in present)	The substance or mixture is not classified as specific target organ toxicant.	
Specific target organ toxicity (repeated	: Not classified	
exposure)	The substance or mixture is not classified as specific target organ toxicant.	
Aspiration hazard	: Not classified	
Potential Adverse human health effects and	: Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.	
Symptoms		
symptoms Symptoms/injuries after inhalation	 Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled. 	

SECTION 12: Ecological information

12.1. **Toxicity**

6-HYDROXYCHRYSENE UNLABELED 50 UG/ML IN ACETONITRILE	
LC50 fishes 1	1640.00 mg/l Pimephales promelas (fathead minnow) - 96h
EC50 Daphnia 1	3600 mg/l Daphnia magna (Water flea) - 48h
NOEC (chronic)	640 mg/l Daphnia magna (Water flea) - 14d

ACETONITRILE UNLABELED (75-05-8)	
LC50 fishes 1	1640.00 mg/l Pimephales promelas (fathead minnow) - 96h
EC50 Daphnia 1	3600 mg/l Daphnia magna (Water flea) - 48h
NOEC (chronic)	640 mg/l Daphnia magna (Water flea) - 14d

Persistence and degradability

6-HYDROXYCHRYSENE UNLABELED 50 UG/ML IN ACETONITRILE		
Persistence and degradability	Biodegradability	Result: - Readily biodegradable.

22/01/2016 EN (English) 6/10

ULM-7552-CS

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ACETONITRILE UNLABELED (75-05-8)		
Persistence and degradability	Biodegradability Result: - Readily biodegradable.	
12.3. Bioaccumulative potential		
6-HYDROXYCHRYSENE UNLABELED 50 UG	/ML IN ACETONITRILE	
Log Pow	-0.34	
Bioaccumulative potential	No bioaccumulation is to be expected (log Pow <= 4).	
ACETONITRILE UNLABELED (75-05-8)		
Log Pow	-0.34	
Bioaccumulative potential	No bioaccumulation is to be expected (log Pow <= 4).	
6.HYDDOYYCHDYSENE IINI AREI ED (27515.51.9)		

6-HYDROXYCHRYSENE UNLABELED (37515-51-8)		51-8)
	Log Pow	5.04

12.4. Mobility in soil

6-HYDROXYCHRYSENE UNLABELED 50 UG/ML IN ACETONITRILE Ecology - soil Not expected to absorb on soil.

ACETONITRILE UNLABELED (75-05-8)	
Ecology - soil	Not expected to absorb on soil.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and Local

environmental control regulations.

Waste disposal recommendations : Dispose of contents/container to Comply with applicable regulations.

Additional information : Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

14.1. UN number

UN-No.(DOT) : 1648 DOT NA no. UN1648

14.2. UN proper shipping name

DOT Proper Shipping Name : Acetonitrile

Department of Transportation (DOT) Hazard

Classes

rd : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : 3 - Flammable liquid



Packing group (DOT) : II - Medium Danger

DOT Special Provisions (49 CFR 172.102)

: IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110

kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59

F) and 50 C (122 F), respectively.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 202

22/01/2016 EN (English) 7/10

ULM-7552-CS

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Packaging Bulk (49 CFR 173.xxx) : 242

14.3. Additional information

Other information : No supplementary information available.

Overland transport

Packing group (ADR) : II

Class (ADR) : 3 - Flammable liquids

Hazard identification number (Kemler No.) : 33 Classification code (ADR) : F1

Danger labels (ADR) : 3 - Flammable liquids



Orange plates :

33 1648

Tunnel restriction code : D/E
Limited quantities (ADR) 1L
EAC code : •2YE
Excepted quantities (ADR) : E2

Transport by sea

DOT Vessel Stowage Location

: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

MFAG-No : 127

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 5L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

Civil Aeronautics Law

: Flammable liquids(Hazardous materials notice Appended Table 1 Article 194 of the Enforcement

Regulations)

14.4. Environmental hazards

Other information : No supplementary information available.

14.5. Special precautions for user

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

6-HYDROXYCHRYSENE UNLABELED 50 UG/ML IN ACETONITRILE

Listed on SARA Section 313 (Specific toxic chemical listings)

SARA Section 311/312 Hazard Classes Fire hazard

Immediate (acute) health hazard Delayed (chronic) health hazard

ACETONITRILE UNLABELED (75-05-8)

Listed on SARA Section 313 (Specific toxic chemical listings)

22/01/2016 EN (English) 8/10

ULM-7552-CS

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ACETONITRILE UNLABELED (75-05-8)	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard

15.2. International regulations

CANADA

6-HYDROXYCHRYSENE UNLABELED 50 UG/ML IN ACETONITRILE

Listed on the Canadian DSL (Domestic Sustances List) inventory

ACETONITRILE UNLABELED (75-05-8)

Listed on the Canadian DSL (Domestic Sustances List) inventory.

15.2.1. National regulations

No additional information available

15.3. US State regulations

6-HYDROXYCHRYSENE UNLABELED 50 UG/ML IN ACETONITRILE()	
State or local regulations	U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

ACETONITRILE UNLABELED (75-05-8)

- U.S. Massachusetts Right To Know List U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases::

ickt of it, it and Lott pillascs	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Carc. 1A	Carcinogenicity, Category 1A
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H350	May cause cancer
R11	Highly flammable
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R36	Irritating to eyes
F	Highly flammable

22/01/2016 EN (English) 9/10

ULM-7552-CS

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Xi	Irritant
Xn	Harmful

NFPA health hazard : 2 - Intense or continued exposure could cause temporary

incapacitation or possible residual injury unless prompt

medical attention is given.

NFPA fire hazard : 3 - Liquids and solids that can be ignited under almost all

ambient conditions.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 3 Serious Hazard
Physical : 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

22/01/2016 EN (English) 10/10