



CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 14/09/2015

Revision date:

Version: 1.0

EO-5320-200X

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures
Product name : CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE
Product code : EO-5320-200X

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.
50 Frontage Road
Andover, MA 01810
USA

USA: 1-800-322-1174 Int: 1-978-749-8000
cilsales@isotope.com www.isotope.com

Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours)
International: 1-703-741-5970 (24 hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2	H225
Acute Tox. 4 (Inhalation)	H332
Skin Irrit. 2	H315
Eye Irrit. 2	H319
Carc. 2	H351
Repr. 2	H361
STOT SE 3	H336
STOT RE 2	H373
Asp. Tox. 1	H304

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.3; R40
Repr.Cat.3; R62
Repr.Cat.3; R63
F; R11
Xn; R20
Xn; R65

Full text of R-phrases: see section 16

Classification (GHS-US)

Flam. Liq. 2	H225
Acute Tox. 4 (Inhalation)	H332
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
Carc. 2	H351
Repr. 2	H361
STOT SE 3	H336

CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE EO-5320-200X

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

STOT RE 2 H373
Asp. Tox. 1 H304
Aquatic Acute 2 H401

Adverse physicochemical, human health and environmental effects

Central Nervous System.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Hazardous ingredients

: TOLUENE UNLABELED

Hazard statements (CLP)

: H225 - Highly flammable liquid and vapor
H304 - May be fatal if swallowed and enters airways
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H332 - Harmful if inhaled
H336 - May cause drowsiness or dizziness
H351 - Suspected of causing cancer
H361 - Suspected of damaging the unborn child
H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P233 - Keep container tightly closed
P240 - Ground/bond container and receiving equipment
P241 - Use explosion-proof electrical, lighting, ventilating equipment
P260 - Do not breathe fume, mist, spray, vapors
P264 - Wash both hands thoroughly after handling
P271 - Use only outdoors or in a well-ventilated area
P280 - Wear eye protection, face protection, protective clothing, protective gloves

GHS-US labeling

Hazard pictograms (GHS-US)



Signal word (GHS-US)

: Danger

Hazard statements (GHS-US)

: H225 - Highly flammable liquid and vapor
H304 - May be fatal if swallowed and enters airways
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H332 - Harmful if inhaled
H336 - May cause drowsiness or dizziness
H351 - Suspected of causing cancer (Dermal, Inhalation, oral)
H361 - Suspected of damaging fertility or the unborn child (Dermal, Inhalation, oral)
H373 - May cause damage to organs through prolonged or repeated exposure (Dermal, Inhalation, oral)
H401 - Toxic to aquatic life

Precautionary statements (GHS-US)

: P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking
P233 - Keep container tightly closed
P240 - Ground/bond container and receiving equipment
P241 - Use explosion-proof electrical, lighting, ventilating equipment
P242 - Use only non-sparking tools
P243 - Take precautionary measures against static discharge
P260 - Do not breathe fume, spray, mist, vapors
P261 - Avoid breathing fume, mist, spray, vapors

CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE EO-5320-200X

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P264 - Wash Both hands thoroughly after handling
 P271 - Use only outdoors or in a well-ventilated area
 P273 - Avoid release to the environment
 P280 - Wear eye protection, face protection, protective clothing, protective gloves
 P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
 P302+P352 - IF ON SKIN: Wash with plenty of soap and water
 P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P308+P313 - IF exposed or concerned: Get medical advice/attention
 P312 - Call a POISON CENTER/doctor/physician if you feel unwell
 P314 - Get medical advice and attention if you feel unwell
 P321 - Specific treatment (see Hazard pictograms (CLP) on this label)
 P331 - If swallowed, do NOT induce vomiting
 P332+P313 - If skin irritation occurs: Get medical advice/attention
 P337+P313 - If eye irritation persists: Get medical advice/attention
 P362 - Take off contaminated clothing and wash before reuse
 P370+P378 - In case of fire: Use Alcohol resistant foam., Carbon dioxide., Dry chemical., Water spray for extinction
 P403+P233 - Store in a well-ventilated place. Keep container tightly closed
 P403+P235 - Store in a well-ventilated place. Keep cool
 P405 - Store locked up
 P501 - Dispose of contents/container to Comply with applicable regulations.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC
N-NONANE UNLABELED	(CAS No) 111-84-2 (EC no) 203-913-4	89.6051648	R10 Xn; R20 Xn; R65 R67
TOLUENE UNLABELED	(CAS No) 108-88-3 (EC no) 203-625-9 (EC index no) 601-021-00-3	10.39	Repr.Cat.3; R62 Repr.Cat.3; R63 F; R11 Xi; R36/38 Carc.Cat.3; R40 N; R51 Xn; R20 R67 Xn; R65
DECABDE (BDE-209) (13C12, 99%) substance listed as REACH Candidate ("Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)")	(CAS No) 1163-19-5 (Unlabeled) (EC no) 214-604-9	0.00136198	T; R25 Xn; R20 Xn; R22
2,2',4,4'-TETRABDE (BDE-47) (13C12, 99%)	(CAS No) 5436-43-1 (Unlabeled)	0.00020434	Xn; R20/21/22
2,2',4,4',5,5'-HEXABB (PBB-153) (13C12, 99%)	(CAS No) 59080-40-9 (Unlabeled)	0.00020434	T+; R27 T; R25 Xn; R21 Xn; R22 Xi; R36 Xi; R38 R48
2,2',4,4',5-PENTABDE (BDE-99) (13C12, 99%)	(CAS No) 60348-60-9 (Unlabeled)	0.00020433	Carc.Cat.1; R45 Carc.Cat.1; R49 Xn; R22 Xi; R41 Xi; R37 Xi; R38 N; R51/53

CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE EO-5320-200X

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification according to Directive 67/548/EEC
2,2',4,4',5,5'-HEXABDE (BDE-153) (13C12, 99%)	(CAS No) 68631-49-2 (Unlabeled)	0.00020433	Carc.Cat.1; R45 Carc.Cat.1; R49 Xn; R22 Xi; R41 Xi; R37 Xi; R38 N; R51/53
2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%)	(CAS No) 488710-23-2	0.00020433	Carc.Cat.1; R45 Carc.Cat.1; R49 Xn; R20 Xn; R21 Xn; R22 N; R50
2,2',3,4,4',5',6-HEPTABDE (BDE-183) (13C12, 99%)	(CAS No) 207122-16-5 (Unlabeled)	0.00020433	Carc.Cat.1; R45 Carc.Cat.1; R49 Xn; R22 Xi; R41 Xi; R37 Xi; R38 N; R51/53
2,2',3,3',4,4',6,6'-OCTABDE (BDE-197) (13C12, 99%)	(CAS No) 117964-21-3 (Unlabeled)	0.00020433	Carc.Cat.1; R45 Carc.Cat.1; R49 Xn; R22 Xi; R41 Xi; R37 Xi; R38 N; R51/53
2,2',3,3',4,4',5,6,6'-NONABDE (BDE-207) (13C12, 99%)	(CAS No) 437701-79-6 (Unlabeled)	0.00020431	Xn; R20/21/22 N; R50/53
2,2',3,3',4,5,5',6,6'-NONABDE (BDE-208) (13C12, 99%)	(CAS No) 437701-78-5 (Unlabeled)	0.00020431	Carc.Cat.1; R45 Carc.Cat.1; R49 Xn; R22 Xi; R41 Xi; R37 Xi; R38 N; R51/53
1,2-BIS (PENTABROMOPHENYL) ETHANE (13C14, 99%)	(CAS No) 84852-53-9 (EC no) 284-366-9	0.0002043	Carc.Cat.3; R40 Xn; R22 Xi; R41 N; R51/53
1,2-BIS (2,4,6-TRIBROMOPHENOXY) ETHANE (13C12, 99%)	(CAS No) 37853-59-1	0.0002043	Not classified
2,2',4,4',6-PENTABDE (BDE-100) (13C12, 99%)	(CAS No) 189084-64-8 (Unlabeled)	0.00020429	Carc.Cat.1; R45 Carc.Cat.1; R49 Xn; R22 Xi; R41 Xi; R37 Xi; R38 N; R51/53
2,2',3,4,4',5,5',6-OCTABDE (BDE-203) (13C12, 99%)	(CAS No) 337513-72-1 (Unlabeled)	0.00020429	Carc.Cat.1; R45 Carc.Cat.1; R49 Xn; R22 Xi; R41 Xi; R37 Xi; R38 N; R51/53
2,4,4'-TRIBDE (BDE-28) (13C12, 99%)	(CAS No) 41318-75-6 (Unlabeled)	0.00020428	Xn; R20/21/22 Carc.Cat.2; R45 Carc.Cat.2; R49
2,2',3,3',4,4',5,5',6-NONABDE (BDE-206) (13C12, 99%)	(CAS No) 63387-28-0 (Unlabeled)	0.00020428	Carc.Cat.1; R45 Carc.Cat.1; R49 Xn; R22 Xi; R41 Xi; R37 Xi; R38 N; R51/53

CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE EO-5320-200X

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification according to Directive 67/548/EEC
GAMMA-HEXABROMOCYCLODODECANE (13C12, 99%)	(CAS No) 25637-99-4 (unlabeled)	0.00020428	Repr.Cat.3; R62 Repr.Cat.3; R63 R43 N; R50/53
HEXABROMOBENZENE (13C6, 99%)	(CAS No) 87-82-1 (Unlabeled) (EC no) 201-773-9	0.00020425	Xn; R20/21/22 Xi; R36/37/38 R53

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
N-NONANE UNLABELED	(CAS No) 111-84-2 (EC no) 203-913-4	89.6051648	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304
TOLUENE UNLABELED	(CAS No) 108-88-3 (EC no) 203-625-9 (EC index no) 601-021-00-3	10.39	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Carc. 2, H351 Repr. 2, H361d STOT SE 3, H336 STOT SE 2, H371 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Acute 1, H400
DECABDE (BDE-209) (13C12, 99%) substance listed as REACH Candidate ("Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)")	(CAS No) 1163-19-5 (Unlabeled) (EC no) 214-604-9	0.00136198	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332
2,2',4,4'-TETRABDE (BDE-47) (13C12, 99%)	(CAS No) 5436-43-1 (Unlabeled)	0.00020434	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H336 Aquatic Chronic 2, H411
2,2',4,4',5,5'-HEXABB (PBB-153) (13C12, 99%)	(CAS No) 59080-40-9 (Unlabeled)	0.00020434	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Carc. 1A, H350 Carc. 1B, H350 STOT RE 1, H372
2,2',4,4',5-PENTABDE (BDE-99) (13C12, 99%)	(CAS No) 60348-60-9 (Unlabeled)	0.00020433	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H335 Aquatic Chronic 2, H411
2,2',4,4',5,5'-HEXABDE (BDE-153) (13C12, 99%)	(CAS No) 68631-49-2 (Unlabeled)	0.00020433	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H336 Aquatic Chronic 2, H411
2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%)	(CAS No) 488710-23-2	0.00020433	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H336 Aquatic Chronic 2, H411
2,2',3,4,4',5,6'-HEPTABDE (BDE-183) (13C12, 99%)	(CAS No) 207122-16-5 (Unlabeled)	0.00020433	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H336 Aquatic Chronic 2, H411
2,2',3,3',4,4',6,6'-OCTABDE (BDE-197) (13C12, 99%)	(CAS No) 117964-21-3 (Unlabeled)	0.00020433	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H336 Aquatic Chronic 2, H411

CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE EO-5320-200X

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2,2',3,3',4,4',5,6,6'-NONABDE (BDE-207) (13C12, 99%)	(CAS No) 437701-79-6 (Unlabeled)	0.00020431	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H336 Aquatic Chronic 2, H411
2,2',3,3',4,5,5',6,6'-NONABDE (BDE-208) (13C12, 99%)	(CAS No) 437701-78-5 (Unlabeled)	0.00020431	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 Carc. 1A, H350i STOT SE 3, H336 Aquatic Chronic 2, H411
1,2-BIS (PENTABROMOPHENYL) ETHANE (13C14, 99%)	(CAS No) 84852-53-9 (EC no) 284-366-9	0.0002043	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Carc. 2, H351 Aquatic Chronic 2, H411
1,2-BIS (2,4,6-TRIBROMOPHENOXY) ETHANE (13C12, 99%)	(CAS No) 37853-59-1	0.0002043	Aquatic Chronic 3, H412
2,2',4,4',6-PENTABDE (BDE-100) (13C12, 99%)	(CAS No) 189084-64-8 (Unlabeled)	0.00020429	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H336 Aquatic Chronic 2, H411
2,2',3,4,4',5,5',6-OCTABDE (BDE-203) (13C12, 99%)	(CAS No) 337513-72-1 (Unlabeled)	0.00020429	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H336 Aquatic Chronic 2, H411
2,4,4'-TRIBDE (BDE-28) (13C12, 99%)	(CAS No) 41318-75-6 (Unlabeled)	0.00020428	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H336 Aquatic Chronic 2, H411
2,2',3,3',4,4',5,5',6-NONABDE (BDE-206) (13C12, 99%)	(CAS No) 63387-28-0 (Unlabeled)	0.00020428	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H336 Aquatic Chronic 2, H411
GAMMA-HEXABROMOCYCLODODECANE (13C12, 99%)	(CAS No) 25637-99-4 (unlabeled)	0.00020428	Lact., H362 Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
HEXABROMOBENZENE (13C6, 99%)	(CAS No) 87-82-1 (Unlabeled) (EC no) 201-773-9	0.00020425	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 4, H413
Name	Product identifier	%	Classification (GHS-US)
N-NONANE UNLABELED	(CAS No) 111-84-2	89.6051648	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 Asp. Tox. 1, H304
TOLUENE UNLABELED	(CAS No) 108-88-3	10.39	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Carc. 2, H351 Repr. 2, H361 STOT SE 3, H336 STOT SE 2, H371 Asp. Tox. 1, H304 Aquatic Acute 1, H400

Full text of R-, H- and EUH-phrases: see section 16

CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE EO-5320-200X

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Move out of dangerous area. Consult a physician and show this safety data sheet.
- First-aid measures after inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.
- First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Wash contaminated clothing before reuse.
- First-aid measures after eye contact : Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.
- First-aid measures after ingestion : Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : May cause drowsiness or dizziness.
- Symptoms/injuries after skin contact : Causes skin irritation.
- Symptoms/injuries after eye contact : Causes eye irritation.
- Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

- suitable extinguishing media : For small fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Highly flammable liquid and vapor.
- Explosion hazard : May form flammable/explosive vapor-air mixture.
- Reactivity : Vapors may form explosive mixture with air.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray to cool unopened containers.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.

6.1.1. For non-emergency personnel

- Emergency procedures : Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

- For containment : Contain spillage, then collect with non-combustible absorbent material. Disposal should be in accordance with applicable Federal, State and local regulations.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Handle empty containers with care because residual vapors are flammable.
- Precautions for safe handling : No naked lights. No smoking. Use only non-sparking tools. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE EO-5320-200X

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.
Storage conditions	: Store at room temperature away from light and moisture.
Incompatible materials	: Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.0000000000 ppm Central Nervous System impairment.
DECABDE (BDE-209) (13C12, 99%) (1163-19-5 (Unlabeled))		
USA OSHA	OSHA PEL (TWA) (mg/m ³)	5.0000000000 mg/m ³
N-NONANE UNLABELED (111-84-2)		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.0000000000 ppm Central Nervous System impairment.
TOLUENE UNLABELED (108-88-3)		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	20.0000000000 ppm Visual impairment, Female reproductive, Pregnancy loss
USA OSHA	OSHA PEL (TWA) (ppm)	100.0000000000 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants 1910.1000
USA OSHA	OSHA PEL (STEL) (ppm)	150.0000000000 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants 1910.1000
1,2-BIS (PENTABROMOPHENYL) ETHANE (13C14, 99%) (84852-53-9)		
Italy - Portugal - USA ACGIH	ACGIH TWA (mg/m ³)	10.0000000000 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	15.0000000000 mg/m ³
1,2-BIS (2,4,6-TRIBROMOPHENOXY) ETHANE (13C12, 99%) (37853-59-1)		
Italy - Portugal - USA ACGIH	ACGIH TWA (mg/m ³)	10 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	15

8.2. Exposure controls

Personal protective equipment : Protective clothing. Protective goggles. Self-contained breathing apparatus. Gloves.



Hand protection	: protective gloves.
Eye protection	: Wear safety glasses with side shields (or goggles) and a face shield.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid, Clear.
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available

CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE EO-5320-200X

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Highly flammable liquid and vapor
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: 5.65
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapors may form explosive mixture with air.

10.2. Chemical stability

See storage and expiration date on CoA.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Direct sunlight.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Harmful if inhaled.

CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE	
LC50 inhalation rat (ppm)	3200 ppm/4h
ATE (gases)	4500.000 ppmV/4h
ATE (vapors)	11.000 mg/l/4h
ATE (dust, mist)	1.500 mg/l/4h

2,2',4,4',5-PENTABDE (BDE-99) (13C12, 99%) (60348-60-9 (Unlabeled))	
	LD50 Intraperitoneal-mouse-125mg/kg

DECABDE (BDE-209) (13C12, 99%) (1163-19-5 (Unlabeled))	
ATE (oral)	500.000 mg/kg body weight
ATE (dermal)	1100.000 mg/kg body weight
ATE (gases)	4500.000 ppmV/4h
ATE (vapors)	11.000 mg/l/4h
ATE (dust, mist)	1.500 mg/l/4h

HEXABROMOBENZENE (13C6, 99%) (87-82-1 (Unlabeled))	
LD50 oral rat	225 mg/kg
ATE (oral)	225.000 mg/kg body weight
ATE (dermal)	1100.000 mg/kg body weight

CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE EO-5320-200X

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HEXABROMOBENZENE (13C6, 99%) (87-82-1 (Unlabeled))	
ATE (gases)	4500.000 ppmV/4h
ATE (vapors)	11.000 mg/l/4h
ATE (dust, mist)	1.500 mg/l/4h
N-NONANE UNLABELED (111-84-2)	
LC50 inhalation rat (ppm)	3200 ppm/4h
ATE (dust, mist)	1.500 mg/l/4h
TOLUENE UNLABELED (108-88-3)	
LD50 oral rat	> 5580 mg/kg
LD50 dermal rabbit	12196 mg/kg
LC50 inhalation rat (mg/l)	12500 - 28800 mg/m ³ 4 h
ATE (dermal)	12196.000 mg/kg body weight
ATE (gases)	4500.000 ppmV/4h
ATE (vapors)	12.500 mg/l/4h
ATE (dust, mist)	1.500 mg/l/4h
2,2',4,4',5,5'-HEXABB (PBB-153) (13C12, 99%) (59080-40-9 (Unlabeled))	
ATE (oral)	500.000 mg/kg body weight
ATE (dermal)	1100.000 mg/kg body weight
1,2-BIS (PENTABROMOPHENYL) ETHANE (13C14, 99%) (84852-53-9)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
1,2-BIS (2,4,6-TRIBROMOPHENOXY) ETHANE (13C12, 99%) (37853-59-1)	
LD50 oral rat	> 10 g/kg
LD50 dermal rabbit	> 10 g/kg
LC50 inhalation rat (mg/l)	36.68 mg/l
ATE (vapors)	36.680 mg/l/4h
ATE (dust, mist)	36.680 mg/l/4h

Skin corrosion/irritation	: Causes skin irritation. Skin - rat - Skin irritation - Draize test
Serious eye damage/irritation	: Causes serious eye irritation. No data available
Respiratory or skin sensitization	: Not available No data available
Germ cell mutagenicity	: Not available
Carcinogenicity	: Suspected of causing cancer.
Reproductive toxicity	: Not available
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness. May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	: May cause damage to organs through prolonged or repeated exposure. No data available
Aspiration hazard	: May be fatal if swallowed and enters airways.
Potential Adverse human health effects and symptoms	: The chemical, physical, and toxicological properties have not been thoroughly investigated.
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes eye irritation.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1. Toxicity

TOLUENE UNLABELED (108-88-3)	
LC50 fish 1	74 - 340 mg/l <i>Lepomis macrochirus</i> (Bluegill) - 96h
LC50 other aquatic organisms 1	10 mg/l <i>Pseudokirchneriella subcapitata</i> (Green algae) - 24 h

CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE EO-5320-200X

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TOLUENE UNLABELED (108-88-3)	
EC50 Daphnia 1	8 mg/l Daphnia magna (Water flea) - 24h
LC50 fish 2	7.63 mg/l Oncorhynchus mykiss (Rainbow trout) - 96 h
EC50 Daphnia 2	6 mg/l Daphnia magna (Water flea) - Immobilization - 48 h
ErC50 (algae)	245 mg/l Chlorella vulgaris (Fresh water algae) - 24 h
LOEC (chronic)	8.04 mg/l Pimephales promelas (Fathead minnow) - 7 d
NOEC (chronic)	5.44 mg/l Pimephales promelas (fathead minnow) - 7 d

1,2-BIS (PENTABROMOPHENYL) ETHANE (13C14, 99%) (84852-53-9)	
LC50 fish 1	> 11000 mg/l 96 h
ErC50 (algae)	> 10000 mg/l Daphnia magna (Waterflea)- 48h

1,2-BIS (2,4,6-TRIBROMOPHENOXY) ETHANE (13C12, 99%) (37853-59-1)	
LC50 fish 1	> 3160 mg/l Bluegill - 24 h
LC50 other aquatic organisms 1	230 mg/l Oryzias latipes - 48 h
LC50 fish 2	> 3160 mg/l Rainbow trout - 24 h
LC50 other aquatic organisms 2	5.573 mg/l Mysid shrimp - 96 h
ErC50 (algae)	33.66 mg/l Algae - 96 h

12.2. Persistence and degradability

2,2',3,3',4,4',5,6,6'-NONABDE (BDE-207) (13C12, 99%) (437701-79-6 (Unlabeled))	
Persistence and degradability	Not available.

2,2',3,3',4,4',6,6'-OCTABDE (BDE-197) (13C12, 99%) (117964-21-3 (Unlabeled))	
Persistence and degradability	Not available.

2,2',3,3',4,5,5',6,6'-NONABDE (BDE-208) (13C12, 99%) (437701-78-5 (Unlabeled))	
Persistence and degradability	Not available.

2,2',3,4,4',5,5',6-OCTABDE (BDE-203) (13C12, 99%) (337513-72-1 (Unlabeled))	
Persistence and degradability	Not available.

2,2',3,3',4,4',5,5',6-NONABDE (BDE-206) (13C12, 99%) (63387-28-0 (Unlabeled))	
Persistence and degradability	Not available.

HEXABROMOBENZENE (13C6, 99%) (87-82-1 (Unlabeled))	
Persistence and degradability	Not available.

2,2',4,4',5,5'-HEXABB (PBB-153) (13C12, 99%) (59080-40-9 (Unlabeled))	
Persistence and degradability	No data available.

GAMMA-HEXABROMOCYCLODODECANE (13C12, 99%) (25637-99-4 (unlabeled))	
Persistence and degradability	May cause long-term adverse effects in the environment.

1,2-BIS (PENTABROMOPHENYL) ETHANE (13C14, 99%) (84852-53-9)	
Persistence and degradability	Not available.

1,2-BIS (2,4,6-TRIBROMOPHENOXY) ETHANE (13C12, 99%) (37853-59-1)	
Persistence and degradability	Biodegradability: Result: - Not readily biodegradable.

12.3. Bioaccumulative potential

CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE	
Log Pow	5.65
Bioaccumulative potential	Indication of bioaccumulation.

2,2',3,3',4,4',5,6,6'-NONABDE (BDE-207) (13C12, 99%) (437701-79-6 (Unlabeled))	
Bioaccumulative potential	Not available.

2,2',3,3',4,4',6,6'-OCTABDE (BDE-197) (13C12, 99%) (117964-21-3 (Unlabeled))	
Bioaccumulative potential	Not available.

2,2',3,3',4,5,5',6,6'-NONABDE (BDE-208) (13C12, 99%) (437701-78-5 (Unlabeled))	
Bioaccumulative potential	Not available.

2,2',3,4,4',5,5',6-OCTABDE (BDE-203) (13C12, 99%) (337513-72-1 (Unlabeled))	
Bioaccumulative potential	Not available.

CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE EO-5320-200X

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2,2',3,3',4,4',5,5',6-NONABDE (BDE-206) (13C12, 99%) (63387-28-0 (Unlabeled))	
Bioaccumulative potential	Not available.
HEXABROMOBENZENE (13C6, 99%) (87-82-1 (Unlabeled))	
Log Pow	6.278
Bioaccumulative potential	Not available.
N-NONANE UNLABELED (111-84-2)	
Log Pow	5.65
Bioaccumulative potential	Indication of bioaccumulation.
2,2',4,4',5,5'-HEXABB (PBB-153) (13C12, 99%) (59080-40-9 (Unlabeled))	
Bioaccumulative potential	No data available.
1,2-BIS (PENTABROMOPHENYL) ETHANE (13C14, 99%) (84852-53-9)	
Log Kow	3.55
Bioaccumulative potential	Bioaccumulation is unlikely.
1,2-BIS (2,4,6-TRIBROMOPHENOXY) ETHANE (13C12, 99%) (37853-59-1)	
Log Pow	3.317
Log Kow	8.9

12.4. Mobility in soil

2,2',3,3',4,4',5,6,6'-NONABDE (BDE-207) (13C12, 99%) (437701-79-6 (Unlabeled))	
Ecology - soil	Not available.
2,2',3,3',4,4',6,6'-OCTABDE (BDE-197) (13C12, 99%) (117964-21-3 (Unlabeled))	
Ecology - soil	Not available.
2,2',3,3',4,5,5',6,6'-NONABDE (BDE-208) (13C12, 99%) (437701-78-5 (Unlabeled))	
Ecology - soil	Not available.
2,2',3,4,4',5,5',6-OCTABDE (BDE-203) (13C12, 99%) (337513-72-1 (Unlabeled))	
Ecology - soil	Not available.
2,2',3,3',4,4',5,5',6-NONABDE (BDE-206) (13C12, 99%) (63387-28-0 (Unlabeled))	
Ecology - soil	Not available.
HEXABROMOBENZENE (13C6, 99%) (87-82-1 (Unlabeled))	
Ecology - soil	Not available.
2,2',4,4',5,5'-HEXABB (PBB-153) (13C12, 99%) (59080-40-9 (Unlabeled))	
Ecology - soil	No data available.
1,2-BIS (PENTABROMOPHENYL) ETHANE (13C14, 99%) (84852-53-9)	
Ecology - soil	Not available.

12.5. Results of PBT and vPvB assessment

DECABDE (BDE-209) (13C12, 99%) (1163-19-5 (Unlabeled))	
This substance/mixture meets the PBT criteria of REACH, annex XIII.	
This substance/mixture meets the vPvB criteria of REACH, annex XIII.	

12.6. Other adverse effects

Other adverse effects : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and Local environmental control regulations.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle empty containers with care because residual vapors are flammable.
Ecology - waste materials	: Hazardous waste due to toxicity.

CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE EO-5320-200X

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

14.1. UN number

UN-No.(DOT) : 1920
DOT NA no. UN1920

14.2. UN proper shipping name

DOT Proper Shipping Name : Nonanes
Department of Transportation (DOT) Hazard Classes : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT) : 3 - Flammable liquid



Packing group (DOT) : III - Minor Danger
DOT Special Provisions (49 CFR 172.102) : B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.
IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).
T2 - 1.5 178.274(d)(2) Normal..... 178.275(d)(3)
TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / 1 + a (tr - tf)$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.
DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 242

14.3. Additional information

Other information : No supplementary information available.

Overland transport

Packing group (ADR) : III
Class (ADR) : 3 - Flammable liquid
Hazard identification number (Kemler No.) : 30
Classification code (ADR) : F1
Danger labels (ADR) : 3 - Flammable liquids



Orange plates : An orange rectangular label with a black border. It is divided into two horizontal sections. The top section contains the number '30' and the bottom section contains the number '1920'.

Tunnel restriction code : D/E
Limited quantities (ADR) : 5L
EAC : 3Y
Excepted quantities (ADR) : E1

Transport by sea

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE EO-5320-200X

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

MFAG-No : 128

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 60 L
(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L
CFR 175.75)

Civil Aeronautics Law : Flammable liquids

14.4. Environmental hazards

Other information : No supplementary information available.

14.5. Special precautions for user

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE

SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard
-------------------------------------	--

N-NONANE UNLABELED (111-84-2)

SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard
-------------------------------------	--

TOLUENE UNLABELED (108-88-3)

Listed on SARA Section 313 (Specific toxic chemical listings)

SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard
-------------------------------------	---

15.2. International regulations

CANADA

CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE

Listed on the Canadian DSL (Domestic Substances List) inventory.

TOLUENE UNLABELED (108-88-3)

Listed on the Canadian DSL (Domestic Substances List) inventory.

15.2.1. National regulations

No additional information available

15.3. US State regulations

CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE()

State or local regulations	U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - New Jersey - Right to Know Hazardous Substance List This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.
----------------------------	---

N-NONANE UNLABELED (111-84-2)

U.S. - Massachusetts - Right To Know List
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - New Jersey - Right to Know Hazardous Substance List
This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

TOLUENE UNLABELED (108-88-3)

CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE EO-5320-200X

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TOLUENE UNLABELED (108-88-3)

U.S. - Massachusetts - Right To Know List
 U.S. - Pennsylvania - RTK (Right to Know) List
 U.S. - New Jersey - Right to Know Hazardous Substance List
WARNING! This product contains a chemical known by the state of California to cause birth defects or other reproductive harm.

SECTION 16: Other information

Other information : This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases::

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment - Chronic Hazard Category 4
Asp. Tox. 1	Aspiration hazard Category 1
Carc. 1A	Carcinogenicity Category 1A
Carc. 1A	Carcinogenicity (inhalation) Category 1A
Carc. 1B	Carcinogenicity Category 1B
Carc. 2	Carcinogenicity Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 2	Flammable liquids Category 2
Flam. Liq. 3	Flammable liquids Category 3
Lact.	Reproductive toxicity (Lact.)
Repr. 2	Reproductive toxicity Category 2
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 2	Specific target organ toxicity (single exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H350	May cause cancer
H350i	May cause cancer by inhalation
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child
H361d	Suspected of damaging the unborn child
H362	May cause harm to breast-fed children
H371	May cause damage to organs
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects


CDC BFR SPIKING STANDARD (13C12, 99%) 200X STOCK IN NONANE/TOLUENE EO-5320-200X

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
H413	May cause long lasting harmful effects to aquatic life
R10	Flammable
R11	Highly flammable
R20	Harmful by inhalation
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R21	Harmful in contact with skin
R22	Harmful if swallowed
R25	Toxic if swallowed
R27	Very toxic in contact with skin
R36	Irritating to eyes
R36/37/38	Irritating to eyes, respiratory system and skin
R36/38	Irritating to eyes and skin
R37	Irritating to respiratory system
R38	Irritating to skin
R40	Limited evidence of a carcinogenic effect
R41	Risk of serious damage to eyes
R43	May cause sensitization by skin contact
R45	May cause cancer
R48	Danger of serious damage to health by prolonged exposure
R49	May cause cancer by inhalation
R50	Very toxic to aquatic organisms
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R51	Toxic to aquatic organisms
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R53	May cause long-term adverse effects in the aquatic environment
R62	Possible risk of impaired fertility
R63	Possible risk of harm to the unborn child
R65	Harmful: may cause lung damage if swallowed
R67	Vapors may cause drowsiness and dizziness
F	Highly flammable
N	Dangerous for the environment
T	Toxic
T+	Very toxic
Xi	Irritant
Xn	Harmful

- NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
- NFPA fire hazard : 3 - Liquids and solids that can be ignited under almost all ambient conditions.
- NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating

- Health : 2 Moderate Hazard - Temporary or minor injury may occur
- Flammability : 3 Serious Hazard
- Physical : 0 Minimal Hazard

CIL Multi-Solvent Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product